

INDEX OF PLANT SPECIES

Italicized page numbers indicate figures and tables.

- Abies amabilis* (fir, amabilis), 1.109, 343, 351, 364, 365; 2.76, 168, 183, 301
- Abies grandis* (fir, grand), 1.343, 365, 368, 370, 420; 2.183, 301
- Abies lasiocarpa* (fir, subalpine), 1.130, 175, 343, 368, 420, 422, 423, 425, 428; 2.172, 184, 301–2
- Abies* spp. (fir, true), 1.102
- Abronia latifolia* (verbena, sand), 1.53, 62
- Acer circinatum* (maple, vine), 1.364, 365, 366, 368, 370; 2.122, 185
- Acer glabrum* (maple, Rocky Mountain), 1.130, 178, 341, 342, 364, 365, 366, 368, 370; 2.122, 185, 240
- Acer macrophyllum* (maple, bigleaf), 1.108, 130, 341, 347, 364, 365, 366, 368, 370; 2.18, 185
- Achillea millefolium* (yarrow, common), 1.128, 152, 175, 344, 366, 415–17, 416, 422, 423, 426, 428; 2.185, 335
- Achyls triphylla* (vanillaleaf), 1.128, 156
- Aconitum* spp. (monkshood), 1.71
- Acorus americanus* (sweetflag), 1.203, 204, 536n9; 2.185, 204
- Actaea rubra* (*Actaea rubra* ssp. *arguta*) (baneberry, red), 1.130, 132, 156, 421
- Adiantum aleuticum* (fern, northern maidenhair), 1.128, 368
- Agoseris glauca* (dandelion, mountain), 1.156
- Agropyron repens* (couchgrass), 1.233
- Agropyron spicatum* (wheatgrass, bluebunch), 1.233, 290–1, 339
- Alectoria fremontii* (lichen, black tree). See *Bryoria fremontii*
- Alectoria sarmentosa* and related spp. (lichens, “old man’s beard”), 1.128, 131, 421
- alga, marine, “raven’s mustache,” 2.239
- algae, marine (in general), 1.61, 70, 384; 2.35–6, 40, 62, 74–6, 75, 81, 82, 176–7, 238, 315
- Allium cernuum* (onion, nodding), 1.xix–xxi, xxi, 124, 128, 150, 175, 197, 270, 278, 287, 293, 324, 482–4; 2.122, 185, 240, 360
- Allium geyeri* and related spp. (onion, Geyer’s), 1.156
- Allium schoenoprasum* var. *sibiricum* (chives, wild), 1.62, 156, 275
- Allium* spp. (onions, general), 1.86–7, 281, 317; 2.122
- Alnus incana* ssp. *tenuifolia* (alder, mountain), 1.366, 368, 385–6; 2.185
- Alnus rubra* (alder, red), 1.62, 108, 341, 351, 365, 366, 370, 385–6, 420, 422, 424, 425; 2.185, 261, 303
- Alnus viridis* ssp. *crispa* (alder, green), 1.339, 341, 344, 365, 385–6, 425, 428; 2.185
- Alnus viridis* ssp. *sinuata* (alder, Sitka), 1.58; 2.18

- Alnus* spp. (alders, general), 1.62, 71, 102, 176, 365
- Amelanchier alnifolia* (saskatoon berry), 1.63, 96, 129, 152, 166, 176, 244, 272, 298, 300–1, 324, 341, 364, 365, 366, 367, 406, 417, 485–8; 2.18, 91, 101–2, 122, 168, 173, 185, 197, 240, 269, 303–4, 329, 325
- Anaphalis margaritacea* (pearly everlasting), 1.129, 157, 382
- Anemone multifida* (anemone, Pacific), 1.157, 422, 448
- Angelica genuflexa* (angelica, kneeling), 1.157
- Angelica lucida* (angelica, seacoast), 1.63, 157
- Antennaria neglecta* (pusseytoes, field), 1.157
- Apocynum androsaemifolium* (dogbane, spreading), 1.369, 371
- Apocynum cannabinum* (Indian-hemp), 1.87, 130, 178, 342, 364, 368, 369, 371–3, 372, 399; 2.122, 126, 127, 127, 168, 173, 185, 241, 252–3, 269, 284
- Aquilegia formosa* (columbine, western), 1.132; 2.304, 315–16
- Arbutus menziesii* (arbutus), 1.109, 129; 2.185, 269
- Arctium minus* (burdock, lesser), 1.206, 233
- Arctostaphylos uva-ursi* (kinnikinnick), 1.63, 96, 102, 153, 176, 185, 212, 212–14, 272, 277, 304, 318, 417–18, 420, 422, 425; 2.122, 168, 186, 269, 335
- Arctous alpinus* (bearberry, alpine), 1.63
- Arctous ruber* (bearberry, red), 1.63
- Argentina anserina* (silverweed, common), 1.63, 178, 270; 2.122, 186, 241, 269
- Argentina egedii* (silverweed, Pacific), 1.63, 263, 270; 2.122, 168, 186, 246, 269
- Armeria maritima* (thrift), 1.102
- Artemisia frigida* (wormwood, northern), 1.178; 2.304
- Artemisia ludoviciana* (sagebrush, white), 1.248, 422, 424, 428; 2.304
- Artemisia tilesii* (wormwood, Tilesius'), 1.63, 424, 452
- Artemisia tridentata* (sagebrush, big), 1.178, 339, 342, 368, 369, 424, 427, 428, 464, 465, 522n27; 2.122, 304
- Artemisia* spp. (wormwoods, general, or sagebrush species), 1.71, 422, 428
- Aruncus dioicus* (goatsbeard), 1.129, 421
- Asarum caudatum* (wild ginger), 1.248; 2.304
- Asclepias speciosa* (milkweed, common), 1.369
- Astragalus miser* (locoweed), 2.18
- Balsamorhiza sagittata* (balsamroot, arrowleaf), 1.138–9, 178, 266, 270, 275, 317, 422, 430, 430–1, 433; 2.122, 186, 199, 304, 320–1
- Betula nana* (*B. glandulosa*) (birch, scrub), 1.277, 344
- Betula occidentalis* (birch, water), 1.368
- Betula papyrifera* (birch, paper), 1.25, 176, 185, 339, 341, 342, 364, 365, 366, 368, 428; 2.11–13, 12, 122, 186, 241, 270, 304
- Betula pumila* (birch, bog), 1.277, 344
- Betula* spp. (birches, general), 1.26, 71, 111, 326, 335, 341, 350, 364, 366, 422, 424, 426, 450
- Bistorta vivipara* and related spp. (bistort, alpine, and related species), 1.66, 271
- Boschniakia hookeri* (groundcone), 2.304
- Bovistella* spp. (*Bovista pila*, *Bovista plumbea*) (puffballs, general), 1.131, 339; 2.301
- Brassica rapa* (turnip, garden), 1.507–9
- bryophytes and lichens, 1.175; 2.239
- Bryoria fremontii* and related spp. (lichen, black tree), 1.277, 313–15, 317, 320, 369; 2.121, 183, 268, 278, 279, 301
- Calamagrostis rubescens* (pinegrass), 1.130, 369; 2.241
- Calochortus macrocarpus* (mariposa lily, sagebrush), 1.288–9
- Caltha palustris* (marsh marigold), 1.63
- Calvatia* spp. (puffballs, general), 1.131, 339; 2.301
- Calypso bulbosa* (lady's slipper, false), 2.304
- Camassia leichtlinii* (camas, giant), 1.xix–xxi, xx, 150, 270; 2.122, 186, 360
- Camassia quamash* (camas, common), 1.xix–xxi, 86–7, 150, 215, 221, 241, 257, 270, 278, 279, 281, 285, 292; 2.122, 186, 304, 360, 362, 279
- Camassia* spp. (camas, general), 1.80, 123–4, 251, 317; 2.37, 40, 127, 163, 167, 168–9, 173, 199, 200, 215–16, 241, 283–4, 331, 362
- Campanula rotundifolia* (harebell, blue), 2.304, 315–16
- Carex obnupta* (sedge, slough), 1.235, 342, 368, 369, 410; 2.122, 186
- Castilleja miniata* (paintbrush, red), 2.317
- Castilleja unalaschcensis* (paintbrush), 1.384; 2.305
- Castilleja* spp. (paintbrushes), 1.129; 2.317
- Ceanothus velutinus* (snowbrush), 1.129, 422, 424, 427

- cedars, general, 1.97, 98, 101, 109; 2.177, 283, 284, 348, 393–4. See also *Chamaecyparis nootkatensis* (yellow-cedar); *Thuja plicata* (redcedar, western)
- Cercocarpus intercedens* (mahogany, mountain), 2.122
- Cercocarpus ledifolius* (mahogany, mountain), 1.364; 2.122
- Cercocarpus* spp. (mahogany, mountain), 1.364
- Chaenactis douglasii* (yarrow, false), 1.422
- Chamaecyparis nootkatensis* (yellow-cedar), 1.90, 102, 185, 340, 342, 351, 355, 364, 365, 366, 368, 369, 373, 411; 2.121, 184, 239, 259, 261, 263, 302. See also cedars, general
- Chamerion angustifolium* (fireweed). See *Epilobium angustifolium*
- Chenopodium album* (lambsquarters), 1.206, 209
- Chenopodium capitatum* (strawberry blite), 1.96
- Chenopodium* spp. (chenopods), 1.306, 325; 2.194
- Chiogenes hispidula* (snowberry, creeping), 2.305
- Cicuta douglasii* (water-hemlock, Douglas), 1.434; 2.133
- Cirsium brevistylum* (thistle, clustered), 2.305
- Cirsium* spp. (thistles, general), 1.206; 2.305
- Claytonia lanceolata* (also *C. tuberosa*, *C. acutifolia*, *Claytonia* spp.) (spring beauty), 1.63, 178, 270, 288–9, 317; 2.9, 10, 14, 122, 167, 169, 173, 186, 199, 205, 226, 241, 270, 282, 305, 342, 349
- Clematis ligusticifolia* (clematis, western white), 1.129, 368, 369
- Clintonia uniflora* (queenscup), 1.132; 2.270
- Conioselinum gmelinii* (hemlockparsley, Pacific), 1.64; 2.186
- Conocephalum conicum* (liverwort, cone-headed), 1.128, 427
- Cornus canadensis* (bunchberry, Canada), 1.64; 2.169, 247, 248, 270
- Cornus nuttallii* (dogwood, Pacific flowering), 1.109, 341, 364, 365, 366, 367
- Cornus sericea* (dogwood, red-osier), 1.96, 129, 132, 325, 341, 344, 365, 366, 396, 426, 441, 442; 2.186, 305, 314
- Corylus cornuta* (hazelnut, beaked), 1.79, 80, 110, 135–6, 136, 215, 219, 275, 307, 317, 364, 365, 366, 369, 373–4, 488–91; 2.122–3, 129, 157, 186–7, 198, 212
- Crataegus douglasii* (hawthorn, black), 1.178, 185, 272, 293, 317, 341, 364, 365, 366, 387; 2.18, 169, 187, 305
- Cupressus nootkatensis* (yellow-cedar). See *Chamaecyparis nootkatensis*
- Dasiphora fruticosa* (cinquefoil, shrubby), 1.64
- Delphinium glaucum* (larkspur, wild), 1.428
- Dodecatheon hendersonii* (also *D. pauciflorum*, *D. pulchellum*, *D. jeffreyi*) (shootingstars), 1.102, 132; 2.305
- Drosera rotundifolia* (sundew, roundleaf), 2.305
- Dryopteris expansa* (wood fern, spiny), 1.61, 152, 175, 270, 293, 294, 317, 318, 330, 476–9; 2.34, 86, 172, 183, 239, 260, 268
- Echinodontium tinctorium* (fungus, Indian paint), 1.387; 2.121
- Elaeagnus commutata* (silverberry), 1.64, 178, 342, 368, 369, 370; 2.123, 187
- Elymus arenarius* (lymegrass), 1.343
- Empetrum nigrum* (crowberry, black), 1.64, 272, 425
- Epilobium angustifolium* (fireweed), 1.64, 71, 153, 176, 185, 276, 343, 344, 368, 369, 371, 420, 449; 2.18, 86, 187, 254, 270, 291
- Epilobium latifolium* (riverbeauty), 1.64
- Equisetum arvense* (horsetail, common), 1.61, 131
- Equisetum hyemale* ssp. *affine* (scouring rush), 1.422, 426, 428; 2.260, 268
- Equisetum telmateia* (horsetail, giant), 1.275; 2.260, 266, 267
- Equisetum* spp. (horsetails, general), 1.61, 317, 343
- Ericameria nauseosa* (rabbitbrush, common), 1.339
- Eriophorum angustifolium* (cottongrass), 1.64
- Eriophorum* spp. (cottongrass species), 1.64, 71, 129
- Erythronium grandiflorum* (lily, yellow glacier), 1.140, 141, 178, 271, 284; 2.14, 123, 161–2, 169, 174, 187, 201–2, 241, 270, 282
- Erythronium revolutum* (lily, pink fawn), 2.305, 316
- Eurybia conspicua* (aster, western showy), 1.427
- Exobasidium vaccinii* (fungus, dog ears), 1.277
- Fomes fomentarius* (fungus, tinder), 1.339, 343

- Fomes* spp. and *Laricifomes* spp. (*Fomitopsis* spp.) (fungi, tree), 1.70, 216; 2.260, 263, 301, 324
- Fontinalis antipyretica* (water moss, common), 1.106; 2.18, 107
- Fragaria chiloensis* (strawberry, seaside), 1.54, 64, 273; 2.174, 187, 200
- Fragaria vesca* (strawberry, woodland), 1.176, 251, 273; 2.169, 187
- Fragaria virginiana* (strawberry, blueleaf), 1.176, 251, 273; 2.187
- Fragaria* spp. (strawberries, wild), 1.64, 153, 185, 318
- Frangula purshiana* (cascara), 1.109, 130, 185, 248, 366, 420, 421; 2.187, 305
- Frasera montana* (fraseria, white), 1.424
- Fraxinus latifolia* (ash, Oregon), 1.108–9; 2.123
- Fritillaria affinis* (lily, chocolate), 1.318; 2.123, 187
- Fritillaria camschatcensis* (riceroot, northern), 1.64–5, 76, 129, 151, 271; 2.162, 169, 187, 201, 202, 241, 270, 305, 399
- Fucus gardneri* and related spp. (sea wrack), 1.128, 275, 421
- fungi, general, 1.131, 175, 277, 282, 313, 317, 320, 332–3; 2.63, 301, 364
- Galium triflorum* (bedstraw, sweet-scented), 2.305
- Ganoderma applanatum* (fungus, tree). See *Fomes* spp. and *Laricifomes* spp.
- Gaultheria shallon* (salal), 1.27, 109, 110, 142, 151, 159, 186, 273, 277, 297, 298, 317, 318, 344, 370, 422; 2.123, 169, 174, 187, 395
- Glaux maritima* (milkwort, sea), 2.187, 241
- Goodyera oblongifolia* (rattlesnake plantain, western), 1.129, 130, 422, 426; 2.187
- Halosaccion glandiforme* (alga, sac), 1.128
- Hedysarum alpinum* (licorice root), 1.65, 271; 2.159, 199–200
- Heraclium maximum* (cow-parsnip, common), 1.65, 124, 124–5, 153, 178, 183, 276, 318, 344, 491–5; 2.10, 18, 174, 188, 261
- Heuchera chlorantha* and related spp. (alumroot, meadow and related spp.), 1.132
- Heuchera cylindrica* (alumroot, roundleaf), 1.178, 422, 425; 2.188
- Hierochloa hirta* (*H. odorata*) (sweetgrass), 1.203, 214, 248; 2.123, 305, 334
- Hippuris vulgaris* (maretail), 1.65
- Holodiscus discolor* (oceanspray), 1.130–1, 151, 159, 248, 341, 347–8, 364, 365, 366; 2.18, 188, 197
- Honckenya peploides* (beach greens), 1.65
- Humulus lupulus* (hops, common), 1.234, 241
- Inonotus obliquus* (fungus, cinder conk), 1.130, 339, 350, 447
- Juniperus communis* (juniper, common), 1.62, 128, 132, 175, 343, 420, 421, 423, 426, 427, 428; 2.302
- Juniperus maritima* (juniper, seaside), 1.128, 421, 423, 427, 428, 454–5; 2.302
- Juniperus scopulorum* (juniper, Rocky Mountain), 1.248, 340, 364, 366, 368, 421, 423, 426, 427, 428, 454–5; 2.184, 269, 302
- Juniperus* spp. (junipers, general), 1.62, 70, 421, 423, 427, 428; 2.333–4
- Koeleria macrantha* (junegrass), 2.305
- Larix laricina* (tamarack), 1.339, 340, 342
- Larix occidentalis* (larch, western, or “tamarack”), 1.340, 420, 423, 425, 439; 2.18, 172, 261, 263–4, 279
- Lathyrus japonicus* (pea, beach), 2.270, 275
- Lathyrus ochroleucus* (pea, cream), 1.178
- Ledum glandulosum* (trapper’s tea). See *Rhododendron neoglandulosum*
- Ledum groenlandicum* (Labrador tea). See *Rhododendron groenlandicum*
- Letharia vulpina* and related spp. (lichen, wolf, and related species), 1.128, 175, 386; 2.121
- Lewisia rediviva* (bitterroot), 1.271, 318; 2.123, 126–7, 169, 188, 242, 306
- Leymus cinereus* (wildrye, basin), 1.178, 368; 2.188, 270
- Leymus mollis* (dunegrass, American), 1.71; 2.270, 275–6
- Ligusticum calderi* (lovage, Calder’s), 1.71
- Ligusticum canbyi* (lovage, Canby’s), 1.422, 424, 455–6; 2.123, 188, 306
- Ligusticum hultenii* (lovage), 1.65
- Ligusticum scoticum* (lovage, Scottish), 1.53, 65, 276, 277
- Lilium columbianum* (lily, tiger), 1.132, 159, 179, 271, 318; 2.123, 188, 306
- Lithospermum ruderales* (stoneseed, western), 1.325; 2.306, 317, 318

- Lomatium canbyi* (biscuitroot, Canby's), 1.271; 2.188
- Lomatium cous* (biscuitroot), 1.271; 2.123, 169, 174
- Lomatium dissectum* (chocolate tips), 1.400, 422, 424, 425, 427, 447
- Lomatium geyeri* (biscuitroot, Geyer's), 2.306
- Lomatium macrocarpum* (desert parsley), 1.271; 2.38, 123, 188, 261, 306, 312, 313, 344
- Lomatium nudicaule* ("wild celery"), 1.179, 186, 276, 278, 308–9, 424; 2.123, 132, 132–3, 188, 205, 242, 250–1, 271, 306, 324, 334, 364, 401
- Lomatium* spp. (biscuitroots, general), 1.271; 2.123
- Lonicera ciliosa* (honeysuckle, orange), 1.368, 369
- Lonicera involucrata* (twinberry, black), 1.109, 132, 176, 420, 422; 2.271
- Lupinus latifolius* (lupine, blue), 1.65
- Lupinus littoralis* (lupine, seaside), 2.242, 271
- Lupinus nootkatensis* (lupine, Nootka), 1.65, 271; 2.170, 188
- Lupinus sericeus* (lupine, blue), 2.19
- Lycoperdon* spp. (puffballs, general), 1.131, 339; 2.301
- Lycopodium clavatum* (clubmoss, running), 1.137, 170; 2.301, 319, 320
- Lysichiton americanus* (skunk-cabbage, American, or western), 1.65, 123, 143, 144–5, 144–5, 147, 153, 186, 266, 268, 271, 318, 326–7, 344, 423; 2.188, 242, 258–9, 261, 306, 364, 383
- Maclura pomifera* (osage orange), 1.341
- Macrocystis pyrifera* (*M. integrifolia*) (kelp, giant), 1.61, 72–4; 2.34, 183, 268, 280
- Mahonia aquifolium* (Oregon-grape, tall), 1.129, 159, 179, 344, 386, 420, 421; 2.306
- Mahonia nervosa* (Oregon-grape, dull-leaved), 1.159
- Maianthemum dilatatum* (lily-of-the-valley, wild), 1.27, 159, 423; 2.189, 271
- Maianthemum racemosum* ssp. *amplexicaule* (Solomon's-seal, false), 1.126, 424, 425, 426, 427
- Malus fusca* (crabapple, Pacific), 1.65, 71, 102, 109, 141, 151, 166, 228, 273, 302, 338, 341, 364, 365, 366, 367, 424; 2.123, 170, 174, 189, 211, 212–14, 242, 262, 271, 280, 281, 306
- Matricaria matricarioides* (*M. discoidea*) (pine-appleweed), 1.206; 2.306
- Mentha arvensis* (mint, field), 1.129, 151, 176, 246, 278, 424, 428, 456–7
- Menyanthes trifoliata* (buckbean, marsh), 1.71
- Menziesia ferruginea* (false azalea), 1.109; 2.306, 319
- Monarda fistulosa* (beebalm), 1.345, 457
- Monardella odoratissima* (monardella), 2.307
- Moneses uniflora* (single delight), 2.242, 271, 307
- Monotropa uniflora* (Indian-pipe), 2.307
- Nereocystis luetkeana* (kelp, bull), 1.70, 72–4, 73, 157, 342, 358, 359, 369, 370–1, 383, 398–9; 2.183, 238, 260, 268, 280, 291, 301, 367, 370
- Nicotiana attenuata* (tobacco, wild), 1.213, 451, 536n11; 2.88–9, 123, 189, 242, 262, 335
- Nicotiana quadrivalvis* close relative (tobacco, Haida), 1.451, 536n11; 2.106, 123, 189, 193–4, 271
- Nicotiana tabacum* (tobacco, cultivated), 1.211–14; 2.88–9
- Nuphar lutea* ssp. *polysepala* (pond-lily, yellow), 1.65–6, 71, 106, 151, 420, 424, 427; 2.307
- Oemleria cerasiformis* (plum, bird), 1.109
- Oenanthe sarmentosa* (water-parsley), 1.421, 426, 446; 2.271, 307
- Oplopanax horridus* (devil's-club), 1.133, 153, 166, 214, 248, 387, 420, 424, 425, 426, 427, 439, 466, 495–8; 2.189, 226, 242, 262, 271, 307, 321–3, 322, 369
- Opuntia fragilis* (prickly pear cactus, brittle), 1.179; 2.19, 271
- Opuntia* spp. (prickly pear cactus), 1.96, 276, 330; 2.174
- Osmorhiza berteroi* (sweet cicely), 1.106
- Osmorhiza occidentalis* (sweet cicely, western), 2.123, 307
- Oxyria digyna* (sorrel, mountain), 1.66, 102, 276
- Paeonia brownii* (peony, Brown's), 1.428
- Papaver alaskanum* (*P. alboroseum*, *P. nudicaule*) (poppy, wild), 2.307, 317
- Paxistima myrsinites* (box, false), 1.424
- Pedicularis lanata* and related spp. (lousewort, woolly), 1.66

- Pentaphylloides floribunda* (cinquefoil, shrubby), 1.64
- Perideridia gairdneri* (wild caraway), 1.252, 283, 329; 2.189
- Petasites frigidus* (coltsfoot, arrowleaf sweet), 1.66, 133, 382
- Petasites hyperboreus* (coltsfoot), 1.71
- Phalaris arundinacea* (reed canarygrass), 1.233, 368, 369, 386; 2.124, 189
- Philadelphus lewisii* (mock-orange), 1.341, 345, 364, 365, 366; 2.19, 124, 189, 272
- Phragmites australis* (reed grass, common and related species), 1.179, 369, 376; 2.124, 189
- Picea engelmannii* (spruce, Engelmann), 1.158, 175, 342, 368; 2.184, 302
- Picea glauca* (spruce, white), 1.111, 175, 277, 340, 342, 368, 420; 2.121, 184
- Picea mariana* (spruce, black), 1.277, 339, 340, 342, 344
- Picea sitchensis* (spruce, Sitka), 1.58, 62, 102, 105, 105, 109, 128, 158, 197, 214, 340, 342, 347, 364, 365, 366, 367, 368, 369, 370, 381, 409; 2.59, 121, 184, 239, 261, 269, 302
- Picea* spp. (spruces, general), 1.48, 62, 70, 99–100, 111, 344, 351, 364, 365, 366, 368, 369, 381–2, 405, 409–10, 421, 428; 2.59, 60
- Pinus albicaulis* (pine, whitebark), 1.62, 135, 151, 177, 215, 275, 306, 307, 317, 449; 2.43, 121, 172
- Pinus contorta* (pine, lodgepole), 1.17, 48, 62, 71, 102, 151, 152, 175, 215, 276, 312, 339, 344, 364, 365, 366, 369, 420, 421; 2.184
- Pinus monticola* (pine, western white), 1.158, 177, 342, 365, 368; 2.172, 184
- Pinus ponderosa* (pine, ponderosa), 1.95, 177, 324, 339, 340, 365, 368, 422; 2.121, 184, 261, 303
- Pinus* spp. (pines, general), 1.71, 215, 315, 317, 325, 366
- Plantago major* (plantain, broad-leaved), 1.423, 445
- Plantago maritima* (plantain, seaside), 1.66, 133, 276
- Platanthera dilatata* (bog orchid, scented), 2.307
- Pleurotus ostreatus* (oyster mushroom), 1.128
- Pleurozium schreberi* (moss, feather), 1.343
- Poa* spp. and *Poaceae* (grasses, general), 1.58, 71, 176, 368; 2.241, 299–300
- Polygonum alaskanum* (knotweed, Alaska), 1.66
- Polygonum bistortum* (bistort), 1.271
- Polygonum viviparum* and related spp. (bistort, alpine and related species), 1.66
- Polypodium glycyrrhiza* (fern, licorice), 1.48, 61, 70, 142–3, 158, 277, 423; 2.183
- Polyporus* spp. (fungi, tree). See *Fomes* spp. and *Laricifomes* spp.
- Polystichum munitum* (fern, sword), 1.131, 185, 318; 2.67, 183, 260–1, 268, 292, 301
- Populus balsamifera* ssp. *balsamifera* (poplar, balsam), 1.153, 160, 277, 341, 345; 2.124
- Populus balsamifera* ssp. *trichocarpa* (cottonwood, black), 1.95, 153, 160, 186, 277, 339, 341, 349, 365, 368, 369, 392, 394–5, 423; 2.124, 189, 242, 262, 307
- Populus tremuloides* (aspen, trembling), 1.129, 341, 345, 365; 2.262
- Populus* spp. (poplars, general), 1.66
- Porphyra abbottiae* and related *Porphyra* spp. (laver, red). See *Pyropia abbottiae* and related *Pyropia* spp.
- Postelsia palmiformis* (sea palm), 2.62–3
- Potamogeton* spp. (pondweeds, general), 1.58
- Potentilla anserina* (silverweed, common). See *Argentina anserina*
- Potentilla egedii* (silverweed, Pacific). See *Argentina egedii*
- Potentilla fruticosa* (cinquefoil, shrubby), 1.64
- Prunus domestica* (plums), 1.206
- Prunus emarginata* (cherry, bitter), 1.99, 101, 109, 151, 343, 368, 386; 2.124, 189, 272
- Prunus pensylvanica* (cherry, pin), 1.151, 343, 354, 368, 386; 2.189
- Prunus virginiana* (chokecherry), 1.27, 80, 96, 166–7, 176, 273, 324, 325, 345, 366, 420, 424; 2.19, 124, 189
- Prunus* spp. (cherries, general), 1.79
- Pseudoroegneria spicata* (wheatgrass, blue-bunch), 1.233, 290–1, 339
- Pseudotsuga menziesii* (Douglas-fir), 1.60, 95, 102, 109, 151, 152, 175, 215, 277, 290, 324, 339, 340, 344, 351, 364, 365, 366, 399, 428; 2.8–9, 18, 184, 239, 303, 312, 340
- Pteridium aquilinum* (fern, bracken), 1.61–2, 70, 100, 139, 151, 215, 270, 288, 318, 339, 369; 2.18, 168, 172, 239, 292, 301, 319, 321
- Pteridophytes*, general, 1.128
- Purshia tridentata* (antelope-brush), 1.339
- Pyropia abbottiae* and related *Pyropia* spp. (laver, red), 1.61, 140, 145–6, 269, 275, 315, 427, 438–9, 475–6; 2.14, 36, 74–6, 75, 121, 168, 172, 183, 268, 364

- Quercus garryana* (oak, Garry), 1.80, 151, 215, 306, 317, 342; 2.124, 189–90
- Ranunculus acris* (buttercup), 1.448
- Ranunculus glaberrimus* (buttercup, sage-brush), 2.19, 242
- Ranunculus* spp. (buttercups, general), 1.448
- Rhamnus purshiana* (cascara). See *Frangula purshiana*
- Rhodiola integrifolia* (roseroot), 1.68, 68
- Rhododendron groenlandicum* (Labrador tea), 1.66, 72, 139, 153, 217–18, 278, 420, 424; 2.124, 170, 190
- Rhododendron neoglandulosum* (trapper's tea), 1.72, 153, 217–18; 2.124, 190
- Rhus glabra* (sumac, smooth), 1.151, 425; 2.308, 319
- Ribes bracteosum* (currant, gray), 1.67, 139, 179, 273, 428; 2.170, 190, 308
- Ribes cereum* (currant, desert), 2.19
- Ribes divaricatum* (gooseberry, coastal black), 1.154, 186, 273, 343, 498–501; 2.19, 170
- Ribes hudsonianum* (currant, northern black), 1.133, 420; 2.190, 308
- Ribes inerme* (gooseberry, whitestem), 1.364, 498–501
- Ribes lacustre* (gooseberry, swamp), 2.308, 317, 323
- Ribes laxiflorum* (currant, trailing), 2.190, 308
- Ribes lobbii* (gooseberry, gummy), 1.498–501
- Ribes oxycanthoides* ssp. *irriguum* (gooseberry, northern), 1.426, 498–501
- Ribes sanguineum* (currant, red-flowering), 2.308, 317
- Ribes triste* (currant, northern red), 1.67, 426
- Ribes* spp. (currants, general), 1.273, 317; 2.124, 242
- Ribes* spp. (gooseberries, general), 1.154, 186, 273, 318, 369, 498–501; 2.190
- Rosa acicularis* (rose, prickly), 1.273, 278; 2.21, 308
- Rosa gymnocarpa* (rose, dwarf wild), 1.278; 2.308. See also *Rosa woodsii*
- Rosa nutkana* (rose, Nootka), 1.67, 110, 273, 369; 2.19, 170, 308
- Rosa woodsii* (rose, Wood's), 2.308. See also *Rosa gymnocarpa*
- Rosa* spp. (roses, wild, general), 1.58, 67, 72, 154, 160, 176, 273, 318, 364, 368, 457–9; 2.17, 19, 20, 242, 272
- Rubus arcticus* ssp. *acaulis* (nagoonberry), 1.67, 273; 2.190
- Rubus chamaemorus* (cloudberry), 1.67, 107, 273; 2.124
- Rubus idaeus* (raspberry, wild), 1.67, 154, 179, 273, 324, 325, 426, 428; 2.170, 190
- Rubus leucodermis* (blackcap), 1.27, 179, 186, 317; 2.170, 190, 247, 272
- Rubus parviflorus* (thimbleberry), 1.67, 110, 133, 154, 161, 274, 276, 309, 317, 324, 345, 370; 2.5, 19, 124, 170, 174, 190, 262, 308, 332, 325
- Rubus spectabilis* (salmonberry), 1.27, 67, 102, 109, 110, 154, 166, 274, 276, 318, 364, 366, 423; 2.17, 19, 124, 170, 174, 190, 242, 272, 276–7, 277, 298, 308, 332
- Rubus ursinus* (blackberry, trailing), 1.27, 67, 151, 274, 317; 2.170, 190, 204, 247, 272, 308
- Rubus* spp. (blackberries, general), 1.58
- Rubus* spp. (raspberries, dwarf), 1.273; 2.262
- Rumex aquaticus* (*R. occidentalis*) (dock, western), 1.67–8, 151, 276, 318
- Rumex arcticus* and related spp. (dock, Arctic), 1.68
- Sagittaria latifolia* (wapato), 1.43–6, 44, 68, 146, 151, 202, 219, 258, 271, 285, 285–6, 338, 378; 2.124, 175, 190
- Salicornia perennis* (glasswort), 1.106, 107
- Salix bebbiana* (willow, Bebb), 1.342, 343
- Salix exigua* (willow, sandbar), cover, 1.87, 369, 370, 374, 374; 2.190, 197
- Salix lucida* ssp. *lasiandra* (willow, Pacific), 1.140–1, 339, 399; 2.175, 191
- Salix sitchensis* (willow, Sitka), 1.342, 343, 368, 370
- Salix* spp. (*S. alaxensis*, *S. pulchra*) (willows), 1.58, 68, 72, 102, 109, 131, 154, 161, 177, 342, 343, 349, 364, 365, 366, 368, 369, 370, 423, 425, 429; 2.124, 160, 175, 191, 243, 309
- Salvia dorrii* (sage, gray ball), 2.309
- Sambucus nigra* ssp. *cerulea* (elderberry, blue), 1.317, 423
- Sambucus racemosa* (elderberry, red), 1.68, 102, 109, 110, 118–19, 154, 161, 187, 274, 302–3, 317, 318, 345, 421, 426, 443; 2.20, 170, 191, 243, 262, 272, 309
- Sambucus* spp. (elderberries, general), 1.27, 79, 318, 451–2
- Saxifraga punctata* (*S. spicata*) (salad greens), 1.68
- Schoenoplectus acutus* (tule), 1.80, 86, 99, 151, 343, 346, 368, 369, 375–7, 397–8, 522n27; 2.124, 175, 191, 309, 333, 340

- Schoenoplectus americanus* (bulrush, Olney's three-square), 1.101, 368; 2.124, 191
- Schoenoplectus olneyi* ("three-square"), 1.101, 242. See also *Schoenoplectus americanus*
- Scirpus microcarpus* (bulrush, small-flow-ered), 2.272
- Sedum divergens* (stonecrop, Pacific), 1.68
- Shepherdia canadensis* (soapberry), 1.48, 49, 58, 68, 72, 118–19, 142, 151, 154, 161, 165–6, 177, 187, 241, 274, 298–9, 304, 305, 317, 320, 420, 421, 426, 427, 429, 449; 2.20, 101–2, 103, 125, 133, 140–2, 191, 243, 272, 275, 359
- Sium suave* (water-parsnip), 1.151, 272, 331
- Smilacina racemosa* (Solomon's-seal, false). See *Maianthemum racemosum* ssp. *amplexicaule*
- Solanum tuberosum* (potato, Haida), 1.199, 199–200, 244
- Solanum tuberosum* (potato, Irish), 1.198–200, 244, 438, 509–13
- Solidago canadensis* (goldenrod, Canada), 1.423
- Sphagnum* sect. *Acutifolia* (bogmoss, red), 1.106
- Sphagnum* spp. and *S. fuscum* (sphagnum moss), 1.70, 339, 343
- Spiraea douglasii* (hardhack), 1.131, 364, 365, 366; 2.110
- Spiraea* spp. (*spiraea*), 1.72
- Spirogyra* spp. and related spp. (green pond slime), 1.128; 2.18
- Streptopus amplexifolius* (twistedstalk, clasping), 1.133
- Symphoricarpos albus* (snowberry, common), 1.133, 179, 345, 366, 425, 429; 2.272, 280, 309
- Tanacetum vulgare* (tansy, common), 2.309
- Taraxacum officinale* (dandelion, common), 1.206, 243–4
- Taxus brevifolia* (yew, Pacific), 1.108–9, 130, 340, 347, 348, 348, 356, 357, 362, 362, 364, 365, 366, 367, 450, 479–82; 2.121, 184, 195, 239, 272, 303, 395
- Thuja plicata* (redcedar, western), 1.15, 32, 33, 34, 81, 90, 99, 102–3, 108–9, 130, 151, 152, 160, 166, 177, 185, 247, 289, 326, 337, 339, 340, 342, 347, 349, 355, 356, 358, 359–61, 360, 364, 365, 366, 367, 368, 369, 370, 373–4, 379–80, 389–90, 392, 393, 394, 404–5, 407, 408–10, 412, 423, 464; 2.10–11, 37, 109–10, 121, 128, 129–31, 130, 152, 172, 184–5, 231–2, 239–40, 247, 261, 264, 269, 280–1, 303, 327–9, 365, 367. See also cedars, general
- Tricholoma magnivelare* (pine mushroom), 2.183, 395–6
- Tricholoma populinum* (cottonwood mushroom), 1.151, 277; 2.183, 301
- Trifolium wormskioldii* (clover, springbank), 1.151, 229, 230, 272; 2.125, 145–7, 171, 175, 191, 243, 246, 272
- Triglochin maritima* (arrow-grass, seaside), 1.68; 2.364
- Trillium ovatum* (trillium, western), 2.309, 316, 316
- Triteleia* spp. (onion, false), 1.272
- Tsuga heterophylla* (hemlock, western), 1.27, 62, 101, 102, 109, 130, 197, 266, 267, 276, 310, 311, 340, 344, 351, 364, 365, 366, 367, 369, 370, 423, 425; 2.5–6, 34, 76, 121, 168, 173, 185, 240, 269, 303, 335
- Tsuga mertensiana* (hemlock, mountain), 1.62
- Typha latifolia* (cattail), 1.69, 72, 80, 86, 141, 151, 154, 162, 179, 215, 272, 317, 340, 343, 346, 368, 369, 375–7, 378; 2.125, 171, 191, 309, 333, 364
- Urtica dioica* (stinging nettle), 1.72, 151, 155, 162, 197, 343, 359, 369, 371–3, 427, 429, 448; 2.20, 125, 175, 191, 243, 251–2, 262, 309
- Usnea longissima* and related spp. (lichens, "old man's beard"), 1.128, 131, 421
- Vaccinium alaskaense* (blueberry, Alaska), 1.69, 364; 2.171, 191, 243, 262, 309
- Vaccinium caespitosum* (bilberry, dwarf), 1.69, 179; 2.191
- Vaccinium deliciosum* (bilberry, Cascade), 1.97; 2.102, 171, 175
- Vaccinium membranaceum* (huckleberry, black mountain), 1.69, 97, 179, 251, 274, 364, 502–5; 2.41, 101–2, 102, 125, 129, 171, 175, 191, 309, 314
- Vaccinium myrtilloides* (blueberry, velvetleaf), 1.69, 187; 2.192
- Vaccinium ovalifolium* (blueberry, oval-leaved), 1.69, 151, 155, 162, 274, 364; 2.171, 192, 243, 262, 264–5, 265, 309
- Vaccinium ovatum* (huckleberry, evergreen), 1.110; 2.20, 192, 395

- Vaccinium oxycoccos* (cranberry, bog), 1.45, 46, 69, 202, 274; 2.125, 192
- Vaccinium parvifolium* (huckleberry, red), 1.28, 69, 274, 318, 364; 2.171, 192
- Vaccinium scoparium* (grouseberry), 1.318
- Vaccinium uliginosum* (blueberry, bog), 1.69, 187, 429; 2.192
- Vaccinium vitis-idaea* (lingonberry), 1.69, 421, 426; 2.125
- Vaccinium* spp. (blueberries, general), 1.27, 28, 69, 106, 251, 318, 366; 2.125, 243
- Vaccinium* spp. (huckleberries, general), 1.27, 97–8, 366; 2.125
- Valeriana edulis* (tobacco root), 1.181–3, 272; 2.262
- Valeriana sitchensis* (valerian, mountain), 1.48, 151, 181–3, 423, 425, 426; 2.192, 309, 334
- Veratrum viride* (hellebore, false), 1.177, 331, 420, 421, 427, 448–9, 465; 2.192, 243, 272, 309, 334–5, 369
- Verbascum thapsus* (mullein, common), 1.233
- Viburnum edule* (cranberry, highbush), 1.69, 117–20, 118, 121, 179, 187, 275, 317, 318, 421, 425, 527n8; 2.125, 171, 176, 192, 243, 273, 344, 142
- Viburnum opulus* (cranberry, highbush), 1.317, 318
- Vicia gigantea* (pea, beach), 2.270, 275
- Vicia nigricans* ssp. *gigantea* (vetch, giant), 2.275
- Viola* spp. (violets, wild), 2.309
- Xerophyllum tenax* (beargrass, common), 1.235, 241–2, 343, 368, 369; 2.125, 127–8, 192
- Zigadenus venenosus* (camas, death), 1.129, 179, 331
- Zizania aquatica* (wild-rice), 1.203, 536n14; 2.125, 133
- Zostera marina* (eelgrass), 1.69, 272, 310, 320; 2.36–7, 192, 243, 273

MQUP READ ONLY

GENERAL INDEX

Italicized page numbers indicate figures and tables. Plants are also listed by taxonomical name in the Index of Plant Species.

- Aboriginal rights and title, 2.400–2
access rights, 2.114–15
acorns and acorn processing, 1.101–2, 215, 306–7
added value to plant products, 2.120, 126, 141–2
adolescents, 2.68–9, 336, 337–41
Adolph, Chief Arthur, 2.101–2
adzes and blades, 1.357–8
affinal ties, 2.79–82, 101–3, 388–9
agriculture: colonial and settler period, 1.229–35; European views of land, 1.200–1; expansion, 1.231; Haida tobacco, 2.193–4; hunter-gatherer paradigm vs, 1.265; Indigenous peoples' work, 1.234; ownership of land, 1.224, 229; 2.150; trading posts, 1.202, 229–31; traditional plant resources, 1.265; 2.146–7; traditional resource-harvesting lands, 1.229–33; and wetlands, 1.231–2. *See also* gardens
alcoholic beverages, 1.218
alder, green: as dye, 1.385–6; as fuel, 1.339; as healing plant, 1.425, 428; management methods, 2.185; in technology, 1.341, 344, 365
alder, mountain, 1.366, 368, 385–6; 2.185
alder, red: in “actor” role, 2.261; archaeological record, 1.108; in belief systems, 2.303; cooking and smoking, 1.351; as dye, 1.385–6; as early plant food, 1.62; as healing plant, 1.420, 422, 424, 425; management methods, 2.185; in narratives, 2.261; in technology, 1.341, 365, 366, 370
alder, Sitka, 1.58; 2.18
alders, general, 1.62, 71, 102, 176, 365
Alfred, Agnes (?Axuu), 2.231
alga, marine, “raven’s mustache,” 2.239
alga, sac, 1.128
algae, marine (in general): in belief systems, 2.315; as early material/healing plants, 1.70; as early plant foods, 1.61; food preparation, 2.40, 74–6, 75, 81, 82; games with, 1.384; harvest, 2.35–6, 62, 176–7; in narratives, 2.238; processing, 2.40, 176–7
Allen, Christine, 2.326
alliances (intergroup), 2.93–7, 117–19
alumroot, meadow and related species, 1.132
alumroot, roundleaf, 1.178, 422, 425; 2.188
ancestral languages, loss, 1.219–20
anemone, Pacific, 1.157, 422, 448
angelica, kneeling, 1.157
angelica, seacoast, 1.63, 157
animals: encounters and rituals, 2.340–1; in food narratives, 2.246–9; phenological indicators, 2.18–20, 20–1; plant dissemination, 1.136; and plant names, 1.131–3,

- 136; remains in pithouses, 1.92; as source of plant knowledge and management, 1.75–6, 324, 432; 2.159, 161–3; spiritual connection, 2.347; variability of resources, 2.15
- annual species, management, 2.193–4
- antelope-brush, 1.339
- arbutus, 1.109, 129; 2.185, 269
- archaeobotany, 1.21–9, 102–3
- archaeological record. *See individual archaeological sites; specific topics*
- archaeological sites: destruction and salvage recovery of, 1.45, 255; 2.401; high-elevation, 1.98; in variety of environments, 1.112–13. *See also individual sites*
- archaeology: Heritage Conservation Act of British Columbia (HCA), 2.401; under-representation of plants, 1.22, 28–9, 345–6, 517n10; 2.354
- aromatic plants: as healing plants, 1.452–9, 453, 463–4; 2.369; material uses, 1.383; spiritual protection, 2.323–4, 333–4, 336
- arrival of humans. *See human migration and early occupations*
- arrow-grass, seaside, 1.68; 2.364
- arrowhead, broadleaf. *See wapato*
- arrows and bows, 1.400–1; 2.236
- art, as source of evidence, 1.83
- arthritis and rheumatism, 1.427, 446–8; 2.369
- ash, Oregon, 1.108–9; 2.123
- aspen, trembling, 1.129, 341, 345, 365; 2.262
- assimilation practices, 1.237–9; 2.392
- aster, western showy, 1.427
- Athabaskan people. *See Dene (Athabaskans)*
- Atláigimma (Spirits of the Forest) dance, 2.397, 398
- Atleo, Dr E. Richard (Umeek): on cycles, 2.27; education and grooming, 2.64; on narratives, 2.232; plants as spiritual entities, 2.314–15; respect as worldview, 2.298, 313–14
- August, Aimee, 1.456
- Austin, Hilda, 1.415–16
- autumn, seasonal rounds and resources, 2.42–4
- Ayer Pond site, 1.58
- azalea, false, 1.109; 2.306, 319
- bailers, for canoes, 1.397
- bakeapple, 1.67, 107, 273; 2.124
- balsamroot, arrowleaf, 1.430; analyzability of name, 1.138–9; in belief systems, 2.304, 320–1; digging and cooking, 2.320–1; edible parts, 1.266; as food plant, 1.270, 275; as healing plant, 1.422, 430–1, 433; management methods, 2.186; medicine-food congruence, 1.430–1, 433; name reflecting properties, 1.433; names in Indigenous languages, 1.178, 317; poisonous nature, 1.433; root size at harvest, 2.199; trade and exchange, 2.122
- baneberry, red, 1.130, 132, 156, 421
- Baranof Island, 1.55
- bark (inner): characteristics, 1.352–3, 354; cooking and processing, 1.311–12; 2.76; doll, 2.66; equipment used in harvesting and processing, 1.320, 321–2; as food, 1.276–7, 310–13; harvest, 1.310–11; 2.76, 194–5; for healing, 1.459–60; regional variation, 1.282; “ten-barks” mixture, 1.461, 462. *See also cambium*
- bark (outer and/or whole): for canoes, 1.396; characteristics, 1.352–3, 354; to cover lodges, 1.390–1; for dyes, 1.385–6; in food narratives, 2.247; harvesting and processing, 1.409; 2.37, 153, 177, 194–5, 348; for healing, 1.459–60; as material, 1.379–81; “ten-barks” mixture, 1.461, 462. *See also birch bark*
- Barnett site, 1.27
- baskets and basketry, 1.284; archaeological record, 1.28, 96, 99, 101, 404–8, 410–11; 2.131; for berries, 1.97, 298, 299; birch bark, 1.354, 405, 406, 408; 2.12; cattail, 1.378; coiled, 1.407–8; dyeing, 1.386; in economy, 1.241–3; equipment, 2.130; first examples, 1.522n27; functions, 1.404; harvest of materials, 2.11–13, 58, 366–7; importance, 2.367; materials used, 1.408–10; 2.366–7; in narrative, 2.284–5; production, 1.243; respect for, 2.346; roots for, 1.408; 2.152; for root vegetables, 1.287; storage features, 1.406–7, 410; styles and techniques, 1.407–8; 2.366; as technology, 1.404–11; 2.366–7; trade and exchange, 1.241–3; 2.131
- beach asparagus, 1.106, 107
- beach greens, 1.65
- bearberry. *See kinnikinnick*
- bearberry, alpine, 1.63
- bearberry, red, 1.63

- beargrass, common: dyeing of, 1.235; management methods, 2.192; in technology, 1.343, 368, 369; trade and exchange, 1.241–2; 2.125, 127–8
- bears: encounters and rituals, 2.340–1; in food narratives, 2.247–8; as source of plant knowledge, 1.76; 2.159, 161–2; spiritual connection, 2.347
- bedstraw, sweet-scented, 2.305
- beebalm, 1.345, 457
- belief systems: aromatic plants, 2.323–4, 333–4; ceremonial recognition (*See* ceremonies); as conservation ethic, 2.347–50; good luck plants, 2.321; as line of evidence, 1.34; and plant resource management strategies, 2.218, 225–6, 227, 376; plants as entities, 2.314–15; plants featured in, 2.301–9; protocols and transgressions, 2.378–9; and resource use, 2.341; respect for all things created, 2.297–300, 325–6, 383–4; “sharp” plants, 2.321–3, 333; taboos, 2.315–21; transformation of plants, 2.311–12, 342–6; view of other life forms and entities, 2.300, 310–14, 324–6, 378–9; women and plant resources, 2.225. *See also* kincentric ecology; spirituality; supernatural aspects; worldviews
- Bella Coola Valley, 2.117–18, 275
- Bell site, 2.84
- bending wood, 1.358–61
- bentwood boxes, 1.360; origins, 1.389–90; preservative qualities, 1.326; technology and making, 1.359–61; for trade, 2.120; uses, 1.359–61
- bereavement, 2.341–2
- Beringia: archaeological record, 1.52; human migration, 1.50, 51–3; landscape and species, 1.51–2; plant food resources, 1.52, 59–60, 61–70, 72–5; plant material/healing plant resources, 1.52, 70–2, 72–4; underwater sites, 1.57
- Bering Land Bridge, 1.50
- berries and berry seeds: acidic nature of, 1.302–3; and altitude, 2.13–14; archaeological record, 1.27, 28, 97–8, 295–6; 2.158–9; baskets and basketry, 1.97, 298, 299; and bears, 2.162; burning practices, 1.97; 2.197–8; burying, 1.303; cakes, 1.300–2, 301; drying, 1.97–8, 296, 300–1, 376; equipment used in harvesting and processing, 1.298, 300, 320; as food, 1.272–5; harvest, 1.298–9; 2.13–14, 17, 39–40, 41; management example, 2.209; mat for berry drying, 1.376; in narratives, 2.236, 247–8, 264–6, 268; nutrition, 1.296; overview, 1.294–5; ownership of patches, 2.224–5; phenological indicators, 2.15–17; picking camps, 1.97–8; processing and cooking, 1.295–6, 299–305; productivity and availability, 2.8, 158–9, 207; propagation, 2.200; pruning, 2.196; quality variation, 2.166–7; Raven stories, 2.276–8; regional variation, 1.282, 296–8; respect for, 2.218, 314; in rites of passage, 2.339; seasonal rounds, 2.39–40, 41; social status of owners, 2.224–5; storage, 1.296, 302, 303; supernatural qualities, 2.268; in Tlingit territory, 2.217–18; trade and exchange, 2.101–3, 114; transformational properties, 2.344–5; and women, 1.97
- bilberry, Cascade, 1.97; 2.102, 171, 175
- bilberry, dwarf, 1.69, 179; 2.191
- biocultural conservation, 2.390–1, 402–3, 409–11; strategies for positive change, 2.403–9
- bioeconomy, 2.393–6
- biogeoclimatic vegetation zones, 1.7–8, 9
- bioproducts and bioeconomy, 2.393–6
- birch, bog, 1.277, 344
- birch, paper, 1.25; baskets, 2.12; in belief systems, 2.304; as fuel, 1.339; harvest, 2.11–13; as healing plant, 1.428; management methods, 2.186; names in Indigenous languages, 1.176, 185; in narratives, 2.241, 270; supernatural qualities, 2.270; in technology, 1.341, 342, 364, 365, 366, 368; trade and exchange, 2.122
- birch, scrub, 1.277, 344
- birch, water, 1.368
- birch, western, 1.368
- birch bark: archaeological record, 1.26, 405, 406, 408; baskets, 1.354, 405, 406, 408; 2.12; canoes, 1.396; 2.365–6; for fire making, 1.350; harvest and use, 1.335, 380; 2.11–13; healing properties, 1.450; in pithouses, hearths of, 1.96, 324–5; preservative qualities, 1.326; roll, 1.26
- birches, general, 1.26; canoes, 1.111; for fire making, 1.350; as healing plants, 1.71; 1.422, 424, 426, 450; preservative qualities, 1.326; in technology, 1.71, 335, 341, 364, 366

- biscuitroot, 1.271; 2.123, 169, 174
- biscuitroot, barestem. *See* “wild celery” (*Lomatium nudicaule*)
- biscuitroot, bigseed. *See* desert parsley
- biscuitroot, Canby’s, 1.271; 2.188
- biscuitroot, fernleaf. *See* chocolate tips
- biscuitroot, Geyer’s, 2.306
- biscuitroots, general, 1.271; 2.123
- bistort, 1.271
- bistort, Alaska, 1.66
- bistort, alpine and related species, 1.66
- bitterroot: in belief systems, 2.306; as food plant, 1.271; harvest rates, 2.169; management methods, 2.188; in narratives, 2.242; Proto-Salish terms, 1.318; trade and exchange, 2.123, 126–7
- blackberries, general, 1.58
- blackberry, trailing: in belief systems, 2.308; as food plant, 1.67, 274; harvest rates, 2.170; in hearth remains, 1.27; management methods, 2.190; names in Indigenous languages, 1.151, 317; in narratives, 2.247, 272; supernatural qualities, 2.272; transplanting, 2.204
- “blackberry” (*Empetrum nigrum*), 1.64, 272, 425
- blackcap: harvest rates, 2.170; in hearth remains, 1.27; management methods, 2.190; names in Indigenous languages, 1.179, 186, 317; in narratives, 2.247, 272; supernatural qualities, 2.272. *See also* raspberry, wild “black moss.” *See* lichen, black tree
- bladderwrack, 1.128, 275, 421
- blades and adzes, 1.357–8
- blueberries, general: burning, 1.251; as early food plants, 1.69; in hearth remains, 1.27, 28; in human remains, 1.106; in narratives, 2.243; Proto-Salish terms, 1.318; in technology, 1.366; trade and exchange, 2.125; and urbanization, 1.251. *See also* huckleberries, general
- blueberry, Alaska: in “actor” role, 2.262; in belief systems, 2.309; as early food plant, 1.69; harvest rates, 2.171; management methods, 2.191; in narratives, 2.243, 262; in technology, 1.364
- blueberry, bog, 1.69, 187, 429; 2.192
- blueberry, Canada, 1.69, 187; 2.192
- blueberry, dwarf mountain, 1.69, 179; 2.191
- blueberry, oval-leaved, 2.265; in “actor” role, 2.262, 264–5; in belief systems, 2.309; distribution, 1.155; as food plant, 1.69, 274; harvest rates, 2.171; management methods, 2.192; names in Indigenous languages, 1.151, 155; naming frequency, 1.162; in narratives, 2.243, 262, 264–5; in technology, 1.364
- blueberry, velvetleaf, 1.69, 187; 2.192
- Boas, Franz, 2.235, 286–8
- boats. *See* canoes; watercraft
- bogmoss, red, 1.106
- bog orchid, scented, 2.307
- bog orchid, white, 2.307
- borrowed plant names: across language families, 1.134–5; 2.359; adaptation, 1.136–7; alteration in new language, 1.137; analyzability and unanalyzability, 1.137–9; bilingualism and multilingualism, 1.137, 189; complexity of name, 1.141; congruence across families, 1.169; dissemination, 1.134–6; distribution’s relationship to plant name, 1.140; evidence of intergroup interaction, 1.134; 2.359–60, 381; language of origin, 1.134–7; original meaning, 1.137–8; origins causing confusion, 1.142–7; phonological structure, 1.141–2; principles for tracing pathways, 1.138–42; in related languages, 1.534n79–80; skunk-cabbage, 1.144–5; and trade and exchange, 1.147; ubiquity within a language family, 1.139; use and cultural role’s relationship to plant name, 1.140–1; into Wakashan from Salishan, 1.185–7
- Botanie Valley, 1.253; 2.24, 25, 111–12
- boughs, 1.266, 267, 290
- bows and arrows, 1.400–1; 2.236
- box, false, 1.424
- boys: games and contests, 2.67–8; learning, 2.67, 68–9, 339–40; as newborns and babies, 2.62–3; puberty, 2.68–9, 339–40. *See also* children
- bracken. *See* fern, bracken
- branches of trees, 1.353–4
- “bride’s feathers,” 1.129, 421
- Brundtland Report (*Our Common Future*), 1.36
- buckbean, marsh, 1.71
- buffaloberry, russet. *See* soapberry
- bulbs. *See* root vegetables
- bulrush, hardstem. *See* tule
- bulrush, Olney’s three-square, 1.101, 368; 2.124, 191. *See also* “three-square”
- bulrush, roundstem. *See* tule
- bulrush, small-flowered, 2.272
- bulrushes, general, 1.61, 317, 343

- bumblebee plant, 1.66
- bunchberry, Canada, 1.64; 2.169, 247, 248, 270
- burdock, lesser, 1.206, 233
- burials, 2.61, 83–4
- burning: berry patches, 1.97; 2.197–8; evidence, 2.155–6; individual plants, 2.180, 197–8; as management practice, 1.88, 250–2; 2.147, 155–6, 181, 214–17; outcomes, 2.406; process description and timing, 2.214–16; productivity of resources, 2.216–17; seasonal rounds, 2.40, 42; suppression, 2.214
- buttercup, 1.448
- buttercup, sagebrush, 2.19, 242
- buttercups, general, 1.448
- cache pits, 1.323–6
- cactus, prickly pear. *See* prickly pear cactus
- Calispell Valley sites, 1.279
- calypso, 2.304
- camas, common: archaeological record, 1.278, 279; 2.362; in belief systems, 2.304; “bread” from, 1.215; consumption, 1.285; decline in use, 1.257; destruction by cattle, 1.221; as food plant, 1.270; harvest and storage, 1.87, 285; management methods, 2.186; pit-cooking, 1.86–7, 279, 281, 292; 2.362; and term *q^wlawl*, 1.xix–xxi, 150; 2.360; trade and exchange, 1.241; 2.122
- camas, death, 1.129, 179, 331
- camas, edible. *See* camas, common; camas, giant
- camas, general: archaeological record, 1.80; clearing of prairies, 2.200; food ceremonies, 2.331; harvest, 2.37, 40, 167, 168–9, 173; landscape burning, 2.215–16; names in Indigenous languages, 1.123–4, 317; in narratives, 2.163, 241, 283–4; roasting tradition, 1.80; 2.362; root size at harvest, 2.199; trade and exchange, 2.127; and urbanization, 1.251
- camas, giant (also camas, great, and camas, Leichtlin’s), 1.xx; as food plant, 1.270; management methods, 2.186; and term *q^wlawl*, 1.xix–xxi, 150; 2.360; trade and exchange, 2.122
- camas, meadow death. *See* camas, death
- cambium (edible tree): cooking and processing, 1.311–12, 313; equipment used in harvesting and processing, 1.320, 321–2; as food, 1.276–7, 310–13; harvest, 1.17, 310–13, 353; 2.37, 38, 76, 153; in narrative, 2.279; nutrition, 1.312; as source of sugar, 1.215; supernatural properties, 2.279. *See also* bark (inner)
- Canadian Royal Commission of Inquiry into the Northwest Coast Indians, 1.228
- cancer, 1.450
- “candy,” 1.215
- canneries, work at, 1.236
- canoes: bark, 1.396–7; 2.365–6; construction, 1.111, 336–7, 392–5; dugout, 1.111, 247, 392, 394; 2.365, 394; equipment and tools, 1.392, 397–8; European technology, 1.246–7; fur trade era, 1.395; in narratives, 2.236; paddles, 1.397; 2.236, 345; plants and wood used, 1.111, 336–7, 392; for resource access and trade, 1.111; revival, 1.336–7; 2.399; steaming and moulding, 1.358, 392; as technology, 1.392–7; uses and styles, 1.395, 397; 2.365–6
- Cape Addington Rockshelter, 1.102–4
- carbohydrates, 1.86–7, 214–16; 2.158, 362–3
- “caribou leaves.” *See* wormwood, Tilesius’
- Carpenter, Cyril, 2.209
- carving: rock, 2.108–9; wood, 1.545n33; 2.238
- cascara: archaeological record, 1.109; in belief systems, 2.305; as healing plant, 1.248, 420, 421; management methods, 2.187; name reflecting use, 1.130; Proto-Salish/Wakashan name, 1.185; in technology, 1.366
- cattail: baskets, 1.378; in belief systems, 2.309; borrowed name, 1.141; ceremony, 2.333; distribution, 1.154; as food plant, 1.69, 272; 2.364; as fuel, 1.340; harvest, 1.346; 2.171; as healing plant, 1.72; management methods, 2.191; mat houses, 1.86; for mats, 1.346, 375–7; names in Indigenous languages, 1.151, 154, 179, 317; naming frequency, 1.162; as source of sugar, 1.215; in technology, 1.72; 1.343, 368, 369; trade and exchange, 2.125; use and importance, 1.80
- cattle, impact, 1.221, 233–4, 253
- Cattle Point site, 2.47
- caves and rockshelters, 1.24, 57, 102–3, 541n42
- cedars, general: archaeological record, 1.98, 101, 109; bark, 2.177, 283, 284, 348; baskets, 1.98, 101; CMTs, 1.97; depletion, 2.393–4; in narratives, 2.283, 284. *See also* redcedar, western; yellow-cedar

- celery, Indian. *See* “wild celery” (*Lomatium nudicaule*)
- ceremonies: bereavement, 2.341–2; to communicate sustainability, 2.349–50; First Foods ceremonies, 2.329–31, 407–8; food harvesting and preparation, 2.90, 329–33; foods for, 1.327; guardian spirit power, 2.336–7; learning by children, 2.387–8; and origin stories, 2.330–1; plant resource management, 2.225–6; plants of importance, 1.148; for protection, 2.333–4; puberty and other ritual states, 2.337–41; recognition of plants, 2.324–7; rites of passage, 2.338–9; scrubbing, sweat bathing, cleansing, 2.335–6; seeds scattering, 2.205, 349; smudging and decontamination, 1.214; 2.334–5; western redcedar, 2.231–2, 327–9; and women’s work, 2.25, 62
- Cesaholis, Chief, 1.191, 193
- chaga, 1.130, 339, 350, 447
- change: archaeological lessons from, 2.356; cultural keystone places, 2.25–6; eco-systems and traditional territories, 1.37–8, 193–4, 252–6; and European contact, overview, 1.191–6; food and food systems, 1.256–9; Indigenous peoples’ acceptance in colonial and settler period, 1.221–2, 239; in languages and terminology, 1.249; 2.360–1; in management strategies, 1.114, 249; and oral history, 1.223; in plant resources, 2.356; social systems, 1.37–8, 111–12; strategies for positive change, 2.402–9. *See also* colonial and settler period (from around 1840s); early contact period (to around 1840s)
- charcoal, for pigment, 1.387
- Charleyboy, Minnie, 2.201
- Charlie, Dr Arvid (Luschiim), 2.70, 82, 114, 116, 197
- Charlie, Simon, 2.116
- charred plants, in archaeological record, 1.23, 24–7, 80
- Chehalis (Chilliwack), 2.330
- chenopods, 1.306, 325; 2.194
- cherries, general, 1.79
- cherry, bird, 1.109
- cherry, bitter: archaeological record, 1.101, 109; baskets, 1.386; languages using taxon name, 1.151; management methods, 2.189; in narratives, 2.272; supernatural qualities, 2.272; in technology, 1.99, 343, 368; trade and exchange, 2.124
- cherry, choke. *See* chokecherry
- cherry, pin: baskets, 1.354, 386; harvest, 1.354; languages using taxon name, 1.151; management methods, 2.189; in technology, 1.343, 368
- chiefs and nobility: archaeological record, 2.54–5, 84; control of plant resources, 2.86–9, 91–2, 94, 99–100, 222–4, 382; crests, 2.85–6; education and grooming for, 2.63–4, 386; labour division, 2.55–6; potlatch, 1.238–9; 2.83; resource use role, 2.83; in social stratification, 2.82–3, 86–92; stewardship of resources, 2.224–5; storage and distribution of resources, 2.87–9; and supernatural beings, 2.83; technologies using plants, 1.413; in trade and exchange, 2.137, 142; trade routes control, 2.89; women as, 2.89–91. *See also* leaders and leadership
- childbirth, healing plants, 1.446
- children: archaeological record, 1.113; ceremonies and spirituality, 2.387–8; discipline, 2.63; disease epidemics, 1.192; elders and grandparents, 2.63–4, 69–70; games, 1.384–5; 2.67–8; intergenerational continuity, 2.403–4; knowledge transmission to, 1.254–5; 2.80; learning and training, 2.63–9, 364, 386–8, 403–4; from out-marriages, 2.80; social roles, 2.55, 62–8. *See also* boys; girls
- Chilliwack people, 2.294
- Chinookan, narratives, 2.287–8
- Chinook Jargon, 1.120, 219
- chives, wild, 1.62, 156, 275
- chocolate tips: fish poisoning, 1.400; as healing plant, 1.422, 424, 425, 427, 447
- chokecherry: archaeological record, 1.27, 80, 96, 324, 325; as food plant, 1.273; as healing plant, 1.420, 424; management methods, 2.189; phenological indicator, 2.19; specialized terminology, 1.166–7; in technology, 1.345, 366; trade and exchange, 2.124; Tsilhqot’in/Dene name, 1.176
- cinquefoil, shrubby, 1.64
- clans and lineages, 2.78, 80, 85–6
- classification of plants, 1.122–33, 170
- Claxton, Dr Earl, Sr, 1.255–6
- Claxton, Elsie, 1.378–9, 461, 461–2; 2.276–7

cleansing (physical), 1.382–3
cleansing (spiritual), 1.440, 449; 2.335–6. *See also* smudging
clematis, western white, 1.129, 368, 369
Clifton, Heber, 2.291
Clifton, Helen: group work, 2.74–6; on harvesting, 1.462–3; 2.70; knowledge transfer and dissemination, 2.388; seaweed preparation, 2.40, 82; weather beliefs, 2.315; women’s work, 2.62
Clifton, Lucille, 1.293, 302; 2.89–90, 91–2, 388
climate (premodern): leading to social and cultural changes, 1.88, 111–12; 2.357; warming, 1.77–8
climate change (modern period), 1.254; 2.318–19
clothing, 1.411
cloudberry, 1.67, 107, 273; 2.124
clover, springbank, 1.230; colonial period, 1.229; cultivation, 2.145–7; as food plant, 1.272; harvest, 2.145–7, 171, 175; languages using taxon name, 1.151; management methods, 2.191; in narratives, 2.243, 246, 272; supernatural qualities, 2.272; trade and exchange, 2.125
Clovis people and points, 1.53, 58
clubmoss, running, 1.137, 170; 2.301, 319, 320
CMTs (culturally modified trees). *See* culturally modified trees (CMTs)
Coastal Migration Route. *See* “kelp highway”
Coast Salish: affinity in plant names, 1.169; licorice fern name, 1.142–3; migration and plant names, 1.184, 187–8; ownership of resource areas, 2.222; skunk-cabbage name, 1.144, 144–5
coffee, 1.217
cognates: concept, 1.133–4; healing plants, 1.440, 464–5; plant names, 1.133–4, 164–5; 2.358; Secwepemc and Nlaka’pamux, 1.181, 183
coiled baskets, 1.407–8
colds, 1.423–5, 444
colonial and settler period (from around 1840s): acceptance of change by Indigenous peoples, 1.221–2, 239; agricultural development, 1.229–35; appropriation of land and resources, 1.191, 193, 220–2; assimilation practices, 1.237–9; 2.392; burning practices and bans, 1.250–2; exchange of knowledge and technologies, 1.239, 240, 243–4, 245–9; legal regime impositions, 1.220; missionaries and residential schools, 1.235–7; misunderstanding of Indigenous management practices, 1.224–5, 227, 249–50, 254; 2.164–5, 227, 409; overview, 1.220–3; plant use and knowledge, 1.221, 222–3; potlatch ban, 1.237–9; relationships with Indigenous peoples, 1.220–2; treaties and reserve systems, 1.223–9. *See also* early contact period (to around 1840s); European contact and globalization
coltsfoot, 1.71
coltsfoot, arrowleaf sweet, 1.66, 133, 382
Columbia River: archaeological sites, 1.58, 79–80, 85, 100–2; control of resources, 2.89; root vegetables, 1.285; in study area, 1.6
columbine, western (columbine, red), 1.132; 2.304, 315–16
commercialization of plant resources and products, 2.393–6
common names of plants. *See* folk plant names and classification
community-mediated controls, for resource use, 2.379
Comox, 2.235, 287
compression wood, 1.353–4
conflict, 2.95–7, 115–17
conifers, as healing and aromatic plants, 1.453–4
conservation, biocultural, 2.390–1, 402–3, 409–11; strategies for positive change, 2.403–9
construction, wood applications, 1.340–2
contests, children and young men, 2.67–8
continuity of knowledge, 1.38–9; 2.403–4
controlled burning. *See* burning
convergence nodes. *See* resource nodes
Cook, James, 1.197
cooking pits. *See* pit-cooking
coppicing, 2.180, 196–7
coprolites, 1.22
cordage, 1.367, 370–4
Cordilleran Ice Sheet, 1.47
corms. *See* root vegetables
cosmetics, 1.382–3
cottongrass species, 1.64, 71, 129
cottonwood, black: in “actor” role, 2.262; in belief systems, 2.307; distribution, 1.153; dugout canoes, 1.392, 394–5; as food plant, 1.277; as fuel, 1.339, 349; as healing plant, 1.423; management methods, 2.189; names in Indigenous languages, 1.153, 186;

- naming frequency, 1.160; in narratives, 2.242, 262; in technology, 1.95, 341, 365, 368, 369; trade and exchange, 2.124
- cottonwood, general, 1.66
- cottonwood mushroom, 1.151, 277; 2.183, 301
- couchgrass, 1.233
- cow-parsnip, common, 1.124; in “actor” role, 2.262; as cognate, 1.183; different names for parts, 1.124–5; distribution, 1.153; as food plant, 1.65, 276; harvest, 2.10, 174; management methods, 2.188; names in Indigenous languages, 1.153, 178, 318, 491–5; in narratives, 2.261; phenological indicator, 2.18; in technology, 1.344
- Coyote stories, 2.263–4, 278–80
- crabapple, Pacific, 2.211; in “actor” role, 2.262; archaeological record, 1.102, 109; in belief systems, 2.306; borrowed name, 1.141; cooking and processing, 1.302; as food plant, 1.65, 273; in Haisla territory, 1.228; harvest, 2.170, 174; as healing plant, 1.71; 1.424; languages using taxon name, 1.151; management, 2.189, 212–14; in narratives, 2.242, 262, 271, 280, 281; specialized terminology, 1.166; supernatural qualities, 2.271, 280; in technology, 1.71, 341, 364, 365, 366, 367; trade and exchange, 2.123; uses, 1.338
- cranberry, bog: as food plant, 1.69, 274; in Fraser Valley, 1.45, 46; management methods, 2.192; trade and exchange, 1.202; 2.125
- cranberry, highbush (*Viburnum edule*), 1.118; distribution and abundance, 1.119–20; as food plant, 1.69, 275; harvest, 2.171, 176; as healing plant, 1.421, 425; management methods, 2.192; names in Indigenous languages, 1.117–20, 121, 142, 179, 187, 317, 318, 527n8; in narratives, 1.119–20; 2.243, 273, 344; origin of name, 1.117–20, 121, 142; origin stories, 1.117, 120; supernatural qualities, 2.273; trade and exchange, 2.125
- cranberry, highbush (*Viburnum opulus*), 1.317, 318
- cranberry, lowbush, 1.69, 421, 426; 2.125
- cranberry, small. *See* cranberry, bog
- creation stories. *See* origin stories
- Creator, 2.298–300
- Cree, 1.202–3
- crests, plants as, 2.85–6
- crowberry, black, 1.64, 272, 425
- cucumber, wild, 1.68
- cultivation. *See* agriculture
- cultural areas in study area, 1.6. *See also* Interior Plateau; northern coastal and Subarctic North America; Northwest Coast
- cultural keystone places: archaeological record, 2.24–5; changes to, 2.25–6; creation and description, 2.382–3; development, 2.166; knowledge transfer and dissemination, 2.382–3; management, 2.48, 166; resource productivity, 2.23–5, 371; routes and trails, 2.26. *See also* resource nodes
- “cultural keystone species,” 1.149–50
- culturally modified trees (CMTs): for berry baskets, 1.97; Douglas-fir, 1.351; as evidence of occupation, 1.27, 310–11; 2.156; plank production, 1.357
- cultural renewal: application of biocultural conservation, 2.402–9; and distinctiveness of knowledge, 1.259–60; efforts and interest in, 2.392–3; of food systems, 1.258–9; 2.407–8; importance, 1.410; natural resource products, 2.393–6; plants and plant resources, 2.397–9; plant technologies, 1.336–7; traditions and protocols, 2.396–8, 398; treaties and legislative aspects, 2.400–2
- cultural salience: archaeological record, 2.355; and plant names, 1.30, 147–50, 166, 169, 352; 2.358–9, 381
- culture and cultural traits: application to biocultural conservation, 2.390–1; definition, 2.52; development, 1.87; distinctiveness, 1.259–60, 410; foretelling by archaeology, 1.110–11; frequency of plant names, 1.164; and habitats, 2.21–6, 48–9; Holocene, 1.82–3, 87; and intergroup interactions, 1.111, 211; knowledge transfer and dissemination, 2.385–90; maintenance and revitalization, 2.392–3; in management strategies, 2.154, 219–26; relationship with food and resources, 2.46–7; role in plant’s relationship to borrowed name, 1.140–1; social systems, 2.51–2
- currant, black, and related species, 1.133, 420; 2.190, 308
- currant, desert, 2.19
- currant, gray: in belief systems, 2.308; as food plant, 1.67, 273; harvest, 2.170;

- as healing plant, 1.428; management methods, 2.190; names in Indigenous languages, 1.139, 179
- currant, northern black, and related species, 1.133, 420; 2.190, 308
- currant, northern red (currant, red), 1.67, 426
- currant, prickly, 2.308, 317, 323
- currant, red-flowering, 2.308, 317
- currant, stink. *See* currant, gray
- currant, trailing, 2.190, 308
- currant, wax, 2.19
- currants, general, 1.273, 317; 2.124, 242
- Curtis, Edward S., 1.311
- “cutgrass,” 2.272
- Dakelh (Carrier), 1.172, 255; 2.317
- The Dalles site, 1.79
- dandelion, common, 1.206, 243–4
- dandelion, mountain, 1.156
- Davidson, Florence, 1.409–10, 442; 2.59
- decontamination, ceremonies, 2.334–5
- “deer’s belt,” 1.137, 170
- Delgamuukw v. British Columbia*, oral history in, 1.223
- Delgamuuxw, 2.325
- Dena’ina (Tanaina), 1.219
- dendrochronology, 1.21
- Dene (Athabaskans): adaptation to resources and environment, 1.173–4; affinity in plant names, 1.169; archaeology, 1.171; cultural foretelling by archaeology, 1.110–11; highbush cranberry name, 1.120; human migration, 1.89; languages, 1.171–2; link to Yeniseian language group of Asia, 1.51; migration and expansion, 1.86, 168, 171–2, 173–4; plant use and names, 1.173–9; red laver seaweed name, 1.140; shelter, 1.86, 389; Tsilhqot’in plant names, 1.174, 175–9
- dental health, 1.418–19
- dentalium shells, 1.94, 399–400; 2.106, 110
- depletion of resources, 1.114, 393–5
- desert parsley, 2.313; in “actor” role, 2.261, 312; in belief systems, 2.306; as food plant, 1.271; harvest, 2.38; management methods, 2.188; in narratives, 2.261, 344; trade and exchange, 2.123
- devil’s-club: in “actor” role, 2.262; animals in name, 1.133; in belief systems, 2.307, 321–3, 322; for charcoal, 1.387; distribution, 1.153; as healing plant, 1.248, 420, 424, 425, 426, 427, 439, 466; 2.369; management methods, 2.189; names in Indigenous languages, 1.153, 466, 495–8; in narratives, 2.242, 262, 271; protective powers, 2.323; ritual practices, 2.226; smudging, 1.214; specialized terminology, 1.166; supernatural qualities, 2.271
- Dick, Clan Chief Adam (Kwaxsistalla): bent-wood boxes, making of, 1.359–61, 360; canoe making, 1.393–4; children’s games, 1.385; cooking techniques for roots, 1.289; cultural renewal, 2.397, 398; education and grooming, 2.63–4, 67; eelgrass harvest, 2.37; estuarine root garden, 2.146, 211–12; fishing nets, 1.399; narrative, 2.282; oulachen harvest, 2.28, 33; pruning, 2.196; red laver name, 1.145; replanting propagules, 2.201; rocks for pit-cooking, 1.293; seasonal rounds, 2.27; soapberries, 2.421n39; springbank clover cultivation, 2.146–7; transplanting plants, 1.245; tree pitch, 1.381–2; yew wedges, 1.357
- diet. *See* food and food systems
- digging: by bears, 2.159, 161–2; as management, 2.180, 198–201; in narratives, 2.282–4
- digging sticks, 1.348; archaeological record, 1.43, 338, 402; 2.58, 61; as evidence of management, 2.157; handles, 1.91, 402; 2.58; Late Holocene, 1.91; in narratives, 2.237; rite of passage, 2.339; for root vegetables, 1.287, 402, 403–4; as technology, 1.402–4; for wapato, 1.43; women, 2.57–8; wood materials, 1.347, 364, 402–3
- dip nets, 1.399
- disc mayweed. *See* pineappleweed
- disease epidemics, 1.192, 419; 2.95, 167
- disrespect, 2.315, 317–19
- distribution of plants: geological history, 2.6–7; and naming frequency, 1.150, 155, 164; patterns, 2.6; relationship with borrowed name, 1.140; and seasonal rounds, 2.7–8; “top 25” species named in Indigenous languages, 1.150, 152–5, 155; and trade and exchange, 2.127–8; variation within species, 2.7
- Titidaht: belief system, 2.319; canoe making, 1.394; gifting and exchange, 2.114; hunting materials, 1.401; licorice fern name, 1.142–3; narratives, 2.72–3, 289–90; rocks for pit-cooking, 1.292–3; slaves and

- knowledge transfer, 2.72–3; trade and exchange, 1.241; weather beliefs, 2.316; woodworking tools, 1.356
- diversification, as management strategy, 2.181, 206–7
- diversity, social importance, 1.259–60; 2.404–5
- division of labour: archaeological record, 2.61; in narratives, 1.287; 2.56, 57; roles cross-over, 2.61–2; social organization, 2.55–6, 372; and technologies using plants, 1.413; 2.367–8
- DNA analysis, 1.35, 56; 2.310
- dock, Arctic, 1.68
- dock, western, 1.67–8, 151, 276, 318
- dogbane, spreading, 1.369, 371
- dogwood, dwarf, 1.64; 2.169, 247, 248, 270
- dogwood, Pacific flowering: archaeological record, 1.109; in technology, 1.341, 364, 365, 366, 367
- dogwood, red-osier: animals in name, 1.132; archaeological record, 1.96, 325; in belief systems, 2.305; canoes, 1.396; as descriptive name, 1.129; harvest, 1.442; as healing plant, 1.426, 441; kincentricity, 2.314; management methods, 2.186; in technology, 1.341, 344, 365, 366
- Douglas, James, 1.198–9, 201, 223–5, 228, 229–31
- Douglas-fir: archaeological record, 1.102, 109, 324; in belief systems, 2.303; as boss of trees, 2.312; in cooking, 1.290; distribution, 1.152; as food plant, 1.277; as fuel, 1.60, 95, 339, 351; as healing plant, 1.428; management methods, 2.184; names in Indigenous languages, 1.151, 152, 175; in narratives, 2.239, 312; phenological indicator, 2.18; in ritual, 2.340; as source of sugar, 1.215; 2.8–9; in technology, 1.340, 344, 364, 365, 366, 399
- Douglas treaties, 1.224–6; 2.165
- Downey, Vickie, 2.298–9
- driftwood, 1.60, 351–2
- drying: berries, 1.97–8, 296, 300–1, 376; food plants in general, 1.322; huckleberries trenches, 1.97–8
- dry sites, archaeological record, 1.22–3, 24
- D-space list of plant species, 1.30, 122, 473
- dugout canoes, 1.111, 247, 392, 394; 2.365, 394
- dunegrass, American, 1.71; 2.270, 275–6
- dyes, pigments, stains, 1.385–7
- early contact period (to around 1840s): alcoholic beverages, 1.218; canoes, 1.395; European views of land, 1.200–1; gardens and orchards, 1.203–6; horses, introduction of, 1.207–9; impact on languages and plant names, 1.219–20; knowledge transfer and dissemination, 1.202–3; plant and food products, 1.196–8; potato, 1.198–200; salt, 1.218–19; sugar and flour, 1.214–17; tea, coffee, Labrador tea, 1.217–18; tobacco (cultivated), 1.211–14; trade between Indigenous peoples, 1.202–3; trade routes, 1.209–11; trading posts, 1.201–2; women, 1.202. *See also* colonial and settler period (from around 1840s); European contact and globalization
- Early Holocene: environmental change, 1.76–8; implements and tools, 1.78; plant food resources, 1.59–60, 61–70; plant remains evidence, 1.79–80; resource availability, 1.78; spread of species, 1.76, 77–8; technologies from plants, 1.74
- early human arrival. *See* human migration and early occupations
- earth, “hair” as vegetation, 2.299–300
- earth ovens. *See* pit-cooking
- Ebey’s Prairie, 1.88
- economy: baskets and basketry, 1.241–3; commercialization of Indigenous knowledge, 2.393–6; depletion of resources, 2.393–5; equivalencies in value, 2.126; medicines, 1.248; modal economy, 1.241; participation of Indigenous peoples, 1.194–5, 221–2, 537n23; 2.393–6; plants and plant products, 1.203, 241–2, 247; 2.393–6; system on Northwest Coast, 2.112–13; tobacco as currency, 1.212; trading posts, 1.201–2, 535n7. *See also* trade and exchange
- Edenshaw, Charlie, 2.266
- Edenshaw, Isabella, 1.409–10; 2.59
- Edenshaw-Yeltatzie-Jones, Agnes, 2.60
- edges, cultural and ecological, 1.140, 169, 188; 2.22
- “edible seaweed.” *See* laver, red
- education. *See* learning and training
- eelgrass: as food plant, 1.69, 272, 310; harvesting and processing, 1.310, 320; 2.36–7; management methods, 2.192; in narratives, 2.243, 273; supernatural qualities, 2.273

- EeRb 140 site, 1.324–5
- elderberries, general, 1.27, 79, 318, 451–2
- elderberry, blue, 1.317, 423
- elderberry, red: in “actor” role, 2.262;
 archaeological record, 1.102, 109, 110;
 in belief systems, 2.309; cooking and
 processing, 1.302–3; distribution, 1.154;
 eating protocol, 1.303; as food plant, 1.68,
 274; harvest rates, 2.170; as healing plant,
 1.421, 426, 443; management methods,
 2.191; names in Indigenous languages,
 1.118–19, 154, 187, 317, 318; naming
 frequency, 1.161; in narratives, 2.243,
 262, 272; phenological indicator, 2.20;
 supernatural qualities, 2.272; in technol-
 ogy, 1.345
- elders: and children, 2.63–4, 69–70; and
 commercialization of knowledge, 2.396–7;
 on degradation of lands and territories,
 1.255–6; harvesting, 2.70, 196; intergener-
 ational continuity, 2.403–4; knowledge
 acquisition and transmission, 2.70–1;
 roles, 2.69–71; as teachers and mentors,
 2.69, 387
- Elliott, Dave, Sr, 1.225–6; 2.345
- emetics and purgatives, 1.420–1, 445, 449
- employment, 1.234, 240–1
- English language, 1.219, 235; 2.391
- environment: adaptive management,
 2.408–9; application of knowledge for
 positive change, 2.390–1, 402–9; changes
 to, 1.37–8; conservation ethic, 2.348–50;
 European impact, 1.193–4, 252–6; import-
 ance of Indigenous knowledge, 1.410–11;
 mutual dependency, 2.351–3; scales of
 interaction, 2.406; and spirituality and
 sacredness, 2.347–9
- equipment and tools: archaeological record,
 1.78, 84, 279; 2.158, 355; baskets and bas-
 ketry, 2.130; berries, 1.298, 300, 320; cam-
 bium and inner bark, 1.320, 321–2; canoes,
 1.392, 397–8; consistency in use over
 time, 2.354–5; development and diversity,
 2.366; as evidence of management, 2.158;
 food harvesting and processing, 1.319–22,
 320–1; 2.195; Late Holocene, 1.355; respect
 for, 2.345–6; root vegetables, 1.279, 287–8,
 321; specialization and sophistication,
 2.354–5; wooden, 1.361–3, 364–7; wood-
 working, 1.355–8; 2.366. *See also individual
 tools and implements*
- “Eskimo potato,” 1.65, 271; 2.159, 199–200
- estuarine gardens, 1.286; 2.34, 146, 210–12
- ethnoarchaeology, as line of evidence, 1.39
- ethnobotany, definition, 1.3
- ethnoecology, definition, 1.3
- ethnographic record, 1.28–9, 195, 264, 265;
 as line of evidence, 1.32–5
- ethnosphere, definition, 1.4
- eulachon. *See* oulachen
- European contact and globalization:
 colonial and settler period (*See* colonial
 and settler period [from around 1840s]);
 early contact period (*See* early contact
 period [to around 1840s]); effect on trade
 routes, 2.136; environmental degradation
 and industrial land use, 1.193–4, 252–6;
 equipment for harvesting and processing,
 1.320–1; ethnobotanical and ethnoeco-
 logical impacts, 1.192, 195; impact on
 Indigenous peoples and loss of knowledge,
 1.4–5, 31, 191–6; 2.360–1, 391–2; impact
 on languages, 1.219–20, 249; 2.360–1;
 Indigenous land and resource manage-
 ment, 2.149–50, 164–5, 227, 409; obser-
 vation of traditional lifeways, 1.195–6;
 participation of Indigenous peoples in
 new economy, 1.194–5, 221–2, 537n23; pre-
 contact influence, 1.196; and traditional
 resource-harvesting lands (*See* traditional
 resource-harvesting lands)
- evidence, lines. *See* lines of evidence
- exchange and trade. *See* trade and exchange
- exchange of knowledge. *See* knowledge
 transfer and dissemination
- experimental archaeology, as line of evi-
 dence, 1.28–9
- fairy slipper, 2.304
- fall, seasonal rounds and resources, 2.42–4
- family, 2.53–6, 231–2
- famine and famine food, 1.328–30; 2.45,
 253–4, 364
- farming. *See* agriculture
- feasts. *See* ceremonies; potlatch
- fermented foods and drinks, 1.218, 303,
 451–2
- fern, bracken: archaeological record, 1.100;
 in belief systems, 2.301, 319, 321; bread
 from, 1.215, 288; as food plant, 1.61–2,
 270; as fuel, 1.339; harvest, 2.168, 172; as
 healing plant, 1.70; names in Indigenous

- languages, 1.139, 151, 318; in narratives, 2.239, 292; phenological indicator, 2.18; in technology, 1.70; 1.369
- fern, licorice: borrowed name, 1.142–3; as early species, 1.48; as food plant, 1.61, 277; as healing plant, 1.70; 1.423; management methods, 2.183; as material, 1.70; naming frequency, 1.158
- fern, northern maidenhair (fern, maidenhair), 1.128, 368
- fern, spiny wood. *See* wood fern, spiny
- fern, sword: in “actor” role, 2.260; animals in name, 1.131; in belief systems, 2.301; in children’s education, 2.67; management methods, 2.183; names in Indigenous languages, 1.185, 318; in narratives, 2.260–1, 268, 292; supernatural qualities, 2.268
- ferns, general, 1.128
- fibrous plant materials: bark sheets, 1.379–81; biological aspects, 1.363; clothing, 1.411; cordage, twine, rope, 1.367, 370–4; examples, 1.342–3; importance, 1.363, 367; materials and objects made from, 1.342–3, 367, 368–70; 2.366–7; mats and matting, 1.375–9; in narratives, 2.252–3
- fir, *amabilis*: archaeological record, 1.109; in belief systems, 2.301; edible cambium, 2.76; for fires, 1.351; harvest, 2.76, 168; management methods, 2.183; in technology, 1.343, 364, 365
- fir, Douglas. *See* Douglas-fir
- fir, grand: in belief systems, 2.301; as healing plant, 1.420; management methods, 2.183; in technology, 1.343, 365, 368, 370
- fir, Pacific silver. *See* fir, *amabilis*
- fir, subalpine: in belief systems, 2.301–2; harvest quantities, 2.172; as healing plant, 1.420, 422, 423, 425, 428; management methods, 2.184; name reflecting use, 1.130; in technology, 1.343, 368; Tsiilhqot’in/Dene name, 1.175
- fir, true, 1.102
- fire, in narratives, 2.235, 244–6
- firedrill, 1.349; 2.237
- fire making: driftwood, 1.351–2; early occupants, 1.349; European technology, 1.246; firewood, 1.352; 2.237, 245; materials, 1.349–52, 543–4n16; method, 1.349–51; in narrative, 2.294; plant terms related to, 1.351, 543n12–13
- fires (human-made). *See* burning
- fires (natural), 1.77, 88
- fireweed: distribution, 1.153; as famine food, 2.254; Fireweed clan, 2.86; as food plant, 1.64, 276; as healing plant, 1.71; 1.420, 449; management methods, 2.187; names in Indigenous languages, 1.153, 176, 185; in narratives, 2.254, 270, 291; phenological indicator, 2.18; supernatural qualities, 2.270; in technology, 1.71, 343, 344, 368, 369, 371
- Fireweed (Gisk’aast) clan, 2.85–6
- firewood, 1.352; 2.237, 245
- fir mushroom. *See* pine mushroom
- First Foods ceremonies, 2.329–31, 407–8
- First Fruits ceremony, 2.329–30
- First Peoples or First Nations. *See* Indigenous peoples
- First Salmon ceremony, 2.329
- First Shoots ceremony, 2.330
- fish, phenological indicators, 2.17, 18–20, 20–1
- fishhooks and barbs, 1.99–100, 358–9, 365
- fishing: archaeological record, 1.79, 84, 98–100, 398; 2.356; bait from stalks, 1.384; dip nets, 1.399; fish processing, 2.76–7; in food narratives, 2.249–52; lines from bull kelp, 1.367, 370; nets, 1.99, 399; 2.237, 251–2, 253; reefnet fishery (*See* reefnet fishery); salt use, 1.218–19; strategies, 1.103–4; technologies using plants, 1.98–100, 398–400; 2.356; treaties and reserves, 1.226–7, 229; wood materials, 1.365. *See also* salmon
- fish spear, 1.356; 2.237
- fleshy fruits. *See* berries and berry seeds
- flotation technique, 1.22
- flour, 1.215–16
- flowers and nectars, use as food, 1.315–16
- Fluted Point Tradition, 2.108
- Fog Woman (Volcano Woman), 2.249, 290
- folklore studies. *See* oral history
- folk plant names and classification: collective names for species, 1.125; complex and compound terms, 1.125; descriptive nature of, 1.127, 128–33; different names for parts of same plant, 1.124–5; etymology, 1.137; for higher-order categories, 1.126–7; “look-alike” plants, 1.126; modifiers in, 1.126–7; primary and secondary names, 1.123; reflecting uses and animal associations, 1.130–3; scientific names vs, 1.122–3; single name to different species, 1.123–4; transfer and synonyms, 1.123–4

- food and food systems: for biocultural renewal, 2.407–8; and cultural development, 2.46; cultural renewal initiatives, 1.258–9, 407–8; health and nutrition (*See* nutrition and nutrients); impact of change and environmental loss, 1.256–9; in narratives, 2.246–53; trade and exchange, 1.242, 243–4; 2.128–9; traditional components, 1.257–8
- food combinations, 1.327–8
- food gathering, European view, 1.224
- food-medicine congruence, 1.417–18, 429–32, 439
- food-medicine-poison triangle, 1.433–4, 435–7, 438
- food plants: berries and fleshy fruits (*See* berries and berry seeds); cambium and inner bark, 1.310–13; categories, 1.266–9; commonalities and differences, 2.364–5; drying, 1.322; equipment for harvesting and processing, 1.319–22, 320–1; in ethnographic record, 1.264; examples, 1.270–8; famine foods, 1.328–30; 2.45, 253–4, 364; food combinations for eating, 1.327–8; green vegetables, 1.275–6, 282, 308–10, 320; human migration and early occupations, 1.52, 61–70, 72–5; importance, 1.332; 2.361–2; as medicine, 1.331–2; mushrooms and black lichen, 1.313–15; 2.332–3, 364; new foods acquisition, 2.362; nutrition (*See* nutrition and nutrients); other food plants, 1.315–16; pit-cooking, 1.322–3; poisonous plants, 1.331; preservative plants, 1.326–7; processing (*See* food processing); proportion in diet, 1.264; Proto-Salishan terms, 1.317–18, 319; quantities consumed, 1.331–2; root vegetables (*See* root vegetables); seeds and nuts, 1.275, 305–8; and social organization, 1.325, 333; storage (*See* food storage); uses, origins of, 1.332–3; 2.364; from wet sites, 1.24; and women, 1.265, 333. *See also* plant resources
- food preparation: ceremonies and feasts, 2.329–33; seaweed, 2.40, 74–6, 75, 81, 82
- food processing: berries, 1.295–6, 299–305; equipment, 1.319–22, 320–1; 2.195; food plants in general, 1.319–23; importance, 1.265; seasonal rounds, 2.46–7; woods used, 1.355
- food production technologies: baskets, 1.404–11; digging sticks, 1.402–3; fishing, 1.398–400; Holocene, 2.363; hunting, 1.400–2
- food scarcity, 1.328–30; 2.96. *See also* famine and famine food
- food security, 1.258
- food storage: archaeological record, 1.324–5; autumn resources, 2.42–3; baskets, 1.406–7, 410; berries, 1.296, 302, 303; cache pits, 1.323–6; in caves, 1.541n42; changes to, 1.256; conflicts and warfare, 2.96; evolution, 1.74; food plants in general, 1.323–4; preservative plants, 1.326–7; seasonal rounds, 2.46–7; social stratification, 2.87–8; technologies, 1.245–6; 2.363; as wealth and prestige, 2.88; winter, 2.45
- forests, 1.77, 81; 2.209–10
- Fort Kamloops, 1.210
- Fort Langley, 1.202, 210
- forts and trading posts, 1.201–2, 205, 535n7
- Fort Victoria, 1.224–5, 229–31. *See also* Victoria
- “The Fountain” (Xaxl’ep), 1.180; 2.94, 101
- Fraser, Simon, 1.213
- frasera, white, 1.424
- Fraser River Halkomelem, 2.244, 245
- Fraser Valley, 1.43–5, 85, 88; 2.24
- Fraser Valley Fire Period, 1.88
- frequency of plant names: botanical and environmental factors, 1.155, 156–63, 164; and cognates, 1.164–5; and cultural use, 1.164; and distribution of plants, 1.150, 155, 164; evidence of intergroup interactions, 2.359–60; factors of comparison and contrast, 1.64, 155, 156–63; and size and prominence of plants, 1.164; taxa in Indigenous languages of study area, 1.150, 151–2; “top 25” species in Indigenous languages, 1.150, 152–5, 155; and “use” frequency, 1.156–63, 164–7
- fritillaria, Kamchatka. *See* riceroot, northern frozen contexts, archaeological record, 1.23, 24, 518n18
- fruit, 1.205, 206; 2.180–1, 205–6
- fuel, 1.60, 70–2, 339–40, 349–52; 2.207
- funerals, tobacco use, 1.214
- fungi, tree (also fungi, bracket, and fungi, shelf): in “actor” role, 2.260, 263; in belief systems, 2.301; as early material/healing product, 1.70; in narratives, 2.260, 263; and pilot biscuits, 1.216; spiritual protection, 2.324

- fungus, cinder conk, 1.130, 339, 350, 447
 fungus, dog ears, 1.277
 fungus, Indian paint, 1.387; 2.121
 fungus, tinder, 1.339, 343
 fur-trading posts, 1.201–2
- games, children, 1.384–5; 2.67–8
- gardens: early contact period, 1.203–6;
 estuarine, 1.286; 2.34, 146, 210–12; Euro-
 pean-style by Indigenous peoples, 1.205,
 256; management strategies, 2.210–14;
 sale and trade of produce, 1.244–5; trans-
 planting to, 1.245
- Garry oak savannahs, 1.252; 2.149
- gathering of food, European view, 1.224
- gender, 1.113, 413; 2.61; in social organiza-
 tion, 2.57–62. *See also* division of labour;
 men; women
- generosity, 1.385; 2.69–70, 88, 113
- genetic analysis, 1.35, 56; 2.310
- George, Chief Earl Maquinna, 1.309; 2.64,
 71, 332
- George, Josephine, 1.329–30
- giant California mussel shells, 1.356
- gifting, 2.112–15, 129
- Gigeenix. *See* Gitxan
- girls: games and contests, 2.68; learning,
 2.65–7, 68–9, 91; lodges, 1.391; puberty
 and menstruation, 2.68–9, 337–8; rites of
 passage and digging stick, 2.338–9. *See also*
 children
- Gitga'at: cambium eating, 1.313; cedar
 harvesting and processing, 2.177; cultural
 keystone place, 2.24–5; feasts, 2.90; high-
 bush cranberry name, 1.117–18; leadership
 of Lucille Clifton, 2.90; narrative, 2.91–2;
 ownership responsibilities, 2.224; pilot
 biscuits, 1.216; plant resource rituals,
 2.226; red laver seaweed, 1.315; resource
 productivity, 2.24–5; seasonal round pat-
 terns, 2.35–6, 36, 40; seaweed harvest and
 preparation, 2.14, 35–6, 36, 40, 62, 74–6,
 75, 81, 82, 176–7; ties with Haida, 1.117–18;
 weather beliefs, 2.315; women's work,
 2.62
- Gitxon Eagle family, 2.293
- Gitxan: "houses" and plant crests, 2.85–6;
 landscape burning, 2.216; narratives,
 2.85–6, 251–2, 291; ownership of resource
 areas, 2.222; seasonal rounds, 2.29–33
- glaciation, 1.47–8, 51, 53; 2.6–7
- Glacier Bay (Alaska), 1.53–4; 2.217–18
- glasswort, 1.106, 107
- Glenrose Cannery site, 1.23, 114, 405
- goatsbeard, 1.129, 421
- Goenette, Paddy (Guneit'), 2.135–6
- goldenrod, Canada, 1.423
- good luck plants, 2.321
- gooseberries, general: distribution, 1.154; as
 food plants, 1.273; management methods,
 2.190; names in Indigenous languages,
 1.154, 186, 318, 498–501; in technology,
 1.369
- gooseberry, coastal black: distribution,
 1.154; as food plant, 1.273; harvest, 2.170;
 names in Indigenous languages, 1.154, 186,
 498–501; phenological indicator, 2.19; in
 technology, 1.343
- gooseberry, gummy, 1.498–501
- gooseberry, northern, 1.426, 498–501
- gooseberry, swamp, 2.308, 317, 323
- gooseberry, whitestem, 1.364, 498–501
- "goosegrass," 1.65
- goosetongue, 1.66, 133, 276
- Gore Creek Man, 1.79
- grains. *See* seeds, nuts, and grains
- grandparents, 2.63–4, 69–70, 388
- Grant, Captain W.C., 2.147
- grasses, general: archaeological record,
 1.58; "hair" of the earth, 2.299–300; as
 healing plants, 1.71; in narratives, 2.241; in
 technology, 1.71; 1.368; Tsilhqot'in/Dene
 name, 1.176
- grave goods, 2.61, 83–4
- grazing, impact, 1.221, 233–4, 253
- "grease trails," 1.210–11; 2.26, 109, 133
- Great Langley Prairie, 1.202
- Great Spirit, 2.298–300
- green pond slime, 1.128; 2.18
- green vegetables, 1.275–6, 282, 308–10, 320
- grizzly bears, 1.76; 2.161–2, 247
- groundcone, 2.304
- group work, harvesting and processing,
 2.73–7
- grouseberry, 1.318
- guardian spirit power, 2.336–7
- gum, use as food, 1.315
- gynaecological medicines, 1.426, 446
- habitats: cultural significance, 2.21–6, 48–9;
 domestication and TEK, 1.116; manage-
 ment, 2.166, 181–2, 207–17; resource
 diversity and productivity, 2.22–5; in
 vocabulary, 2.22

- Haida and Haida Gwaii: basketry, 1.409–10; belief system, 2.322; canoes, 1.392–3; 2.365, 394; early plant species, 1.48; gardening practices, 2.193–4; guardian spirit power, 2.337; hats, 1.337, 409–10; highbush cranberry name, 1.117–20, 142; knowledge transfer and dissemination, 2.143; marine resources and technologies, 1.103–4; month names, 2.28, 34–5; names of plants with cultural value, 1.169; narratives, 1.117; 2.246–7, 249, 254, 258, 266, 273, 275–6, 280, 290, 291, 344; origin of women story, 2.263; participation in colonial economy, 1.194–5; potato growing, 1.200; seasonal round patterns, 2.29–33; settlements, 1.103; single name for different species, 1.123; skunk-cabbage, 2.258; soapberry name, 1.118–19; supernatural properties of plants, 2.266, 273, 275–6, 280; ties with Gitga’at, 1.117–18; tobacco cultivation, 2.193–4; weather beliefs, 2.315–16; western redcedar, 1.379–80; 2.109–10; women’s work, 2.57
- “hair” of the earth, as vegetation, 2.299–300
- Haiyupis, Roy, 2.220–1, 224
- Halkomelem (Hul’qumi’num): alliance with Secwepemc, 2.116; guardian spirit power, 2.337; highbush cranberry name, 1.120; kinship ties and resource use, 2.79–80; narratives, 2.244, 245, 283–4; weather beliefs, 2.317
- hallucinogenic plants, 1.450–2
- Hanaksiala, 1.438–9; 2.331
- Hannavan Creek site, 1.80
- hardhack, 1.131, 364, 365, 366; 2.110
- harebell, blue, 2.304, 315–16
- harmful plants, 2.319–21
- harpoon shafts, 1.356; 2.237
- Harris, Ken, 2.86
- Hartley Bay. *See* Gitga’at
- harvesting: access rights, 2.114–15; and altitude, 2.13–14; archaeological record, 1.91; for basketry, 2.11–13, 58, 366–7; ceremonial foods, 2.90, 329–33; changes in, 1.113; commercialization, 2.393–6; by elders, 2.70, 196; equipment, 1.319–22, 320–1; food plants in general, 1.319–22; gifting and exchange, 2.113–14; group work, 2.73–7; horses for, 1.207–8; importance, 1.265; intensification, 1.113–14; matriarchs’ rights, 2.90–1; narratives, 2.9; partial harvesting, 2.179, 194–6; quality of plant products, 2.10–11; quantities by Indigenous peoples, 2.167, 172–6, 176; rates for specific indigenous plants, 2.167, 168–71, 176; and regeneration of plants, 2.151–3; resources and time required, 2.167, 176–8; seasonal (*See* seasonal rounds); by slaves, 2.72; spiritual aspect and protocols, 2.13, 329–33, 378–9, 396; supervision by leader, 2.90–2; timing, 2.198–9; tobacco use, 1.214; variations in plant resources, 2.13–14; by women, 1.263–4, 333; 2.58–9, 62, 90–1, 363–4, 367. *See also individual plant resources*
- hats: archaeological record, 1.105, 110; 2.85; Haida, 1.337, 409–10
- hawthorn, black: in belief systems, 2.305; for charcoal, 1.387; as food plant, 1.272; harvest, 2.169; management methods, 2.187; names in Indigenous languages, 1.178, 185, 317; phenological indicator, 2.18; pounding, 1.293; in technology, 1.341, 364, 365, 366
- hazelnut, beaked, 1.136; archaeological record, 1.79, 80, 110; as food plant, 1.215, 275; management, 2.157, 186–7, 198, 212; name applied to new species, 1.219; name dissemination, 1.135–6; names in Indigenous languages, 1.317, 488–91; in technology, 1.364, 365, 366, 369, 373–4; trade and exchange, 2.122–3, 129; use, 1.307
- healing plants: aromatic plants, 1.452–9, 453, 463–4; 2.369; bark medicines, 1.459–60; categories of applications, 1.420–9, 443–50, 453, 463; 2.369; commercialization, 2.394–5; for counter-irritation, 1.448; ethnographic accounts, 1.418; gynaecological medicines, 1.426, 446; hallucinogenic and narcotic plants, 1.450–2; harvest, 1.443, 462–3; 2.37; and health, 1.418–19; herbal healing, 1.440–3; 2.369–70; human migration and early occupations, 1.70–2, 72–4; internal ailments, 1.425–6, 445; knowledge and experimentation, 1.418, 431–2, 464–6; 2.132, 368–9, 370; medicine-food congruence, 1.417–18, 429–33, 439; medicine-food-poison triangle, 1.433–4, 435–7, 438; miscellaneous medicines, 1.427–9, 449–50; mixtures and combinations, 1.460–2; in modern treaties, 2.400–1; in narratives, 1.438–40; 2.237; origin and historical development, 1.419, 429–34, 438–40; 2.370; and plant

- names, 1.433, 439–40, 464–5; 2.369;
plants used, 1.70–2, 419, 420–9, 429–30;
poisonous plants, 1.432–4, 435–7, 438;
preparation, 1.465–6; as private know-
ledge, 1.465–6; 2.327, 335–6; purgatives,
laxatives, emetics, 1.420–1, 445, 449; qual-
ity of plants, 2.11; recipes, 1.460–2, 461;
2.132; respiratory afflictions, 1.423–5, 444;
rheumatism and arthritis, 1.427, 446–8;
2.369; shamanic healing, 1.440, 443; 2.370;
skin ailments, 1.421–3, 444–5; spiritual
aspects, 1.443, 462; 2.326–7, 370; tonics,
general, 1.420, 445–6; trade and exchange,
2.131–3, 369; travel of healers, 2.133. *See*
also plant resources
- health, 1.418–19, 440. *See also* nutrition and
nutrients
- hearths, for fire making, 1.349
- hearths and roasting pits: archaeological
record, 1.23, 24–7, 80, 96, 324–5; berries
and seeds, remains of, 1.27, 28; as evidence
of plant use, 1.57; Keatley Creek Village
site, 1.95. *See also* pit-cooking
- heartwood, 1.353
- Hecata, 1.48
- Heiltsuk, 2.118–19, 209, 281
- hellebore, false (also hellebore, green, and
hellebore, Indian): in belief systems,
2.309; cognate name, 1.465; as healing
plant, 1.420, 421, 427, 448–9; 2.369;
management methods, 2.192; in narra-
tives, 2.243, 272; poisonous plant, 1.331,
449; for smudging, 2.334–5; supernatural
qualities, 2.272; Tsilhqot'in/Dene name,
1.177
- hemlock, mountain, 1.62
- hemlock, western: archaeological record,
1.27, 101, 102, 109; in belief systems, 2.303;
cambium harvesting, 1.311; 2.76; contact
period, 1.197; eelgrass collection, 1.310;
for fires, 1.351; as food plant, 1.62, 276;
harvest, 2.168, 173; as healing plant, 1.423,
425; herring spawn collection, 1.266, 267;
2.34; management methods, 2.185; name
reflecting use, 1.130; in narratives, 2.240,
269; resources from, 2.5–6; for ritual,
2.335; supernatural qualities, 2.269; in
technology, 1.340, 344, 364, 365, 366, 367,
369, 370; trade and exchange, 2.121
- hemlockparsley, Pacific, 1.64; 2.186
- herbal healing, 1.440–3
- Heritage Conservation Act of British
Columbia (HCA), 2.401
- herring spawn, 1.266, 267; 2.34
- Hesquiaht, 1.211–13; 2.259
- Hesquiat Harbour caves site, 1.24
- Hess, Dr Thom, 1.138, 143
- hides, tanning, 1.387
- highbush cranberry. *See* cranberry, highbush
(*Viburnum edule*); cranberry, highbush
(*Viburnum opulus*)
- Hill, Chief Ernie, Jr, 2.113
- Hill, Marjorie, 1.293
- hog-fennel. *See* desert parsley
- Hoko River site, 1.23, 98–100, 406; 2.93
- hollowed stems, 1.383–4
- Holocene. *See* Early Holocene; Mid Holocene;
Late Holocene
- honeysuckle, orange, 1.368, 369
- honeysuckle, twinflower. *See* twinberry,
black
- hops, common, 1.234, 241
- horse racing and rodeos, 1.209
- horses, 1.207–9
- horsetail, branchless. *See* scouringrush
- horsetail, common (horsetail, field), 1.61, 131
- horsetail, giant, 1.275; 2.260, 266, 267
- horsetails, general, 1.61, 317, 343
- hostilities, 2.95–7, 115–17
- household unit, 2.53–6, 231–2
- houses and shelters (physical buildings):
archaeological record, 1.28, 85–6, 109–10,
387–90; Dene (Athabaskan), 1.86, 389;
European influence, 1.246; evolution and
sophistication, 2.356–7; Interior Plateau,
1.387–9; miscellaneous structures, 1.391;
Northwest Coast, 1.389–90; plank and post
houses, 1.389–90; 2.54–5; size and config-
uration, 1.85; sweat lodges, 1.391; wood-
frame lodges, 1.390–1; wood technologies,
1.85, 365, 387–91. *See also* pithouses
- housing (social aspect), 1.90; 2.53–5
- huckleberries, general, 1.27, 97–8, 366; 2.125.
See also blueberries, general
- huckleberry, black mountain, 2.102; in belief
systems, 2.309; as food plant, 1.69, 274;
harvest, 2.41, 171, 175; kincentricity, 2.314;
management methods, 1.251; 2.191; names
in Indigenous languages, 1.179, 502–5;
seasonal rounds, 2.41; in technology,
1.364; trade and exchange, 2.101–2, 125;
value, 1.97; 2.129

- huckleberry, evergreen, 1.110; 2.20, 192, 395
 huckleberry, fool's. *See* azalea, false
 huckleberry, red: as food plant, 1.69, 274;
 harvest rates, 2.171; in hearth remains,
 1.28; management methods, 2.192;
 Proto-Salish terms, 1.318; in technology,
 1.364
 huckleberry, thinleaf. *See* huckleberry, black
 mountain
 Hudson's Bay Company (HBC), 1.202, 205,
 231
 Hul'qumi'num. *See* Halkomelem
 (Hul'qumi'num)
 human migration and early occupations:
 Beringia, 1.50, 51–3; coastal route vs east
 of Rockies, 1.50, 59–60; evidence through
 plant use, 1.57–60, 72–5; fuel in, 1.60;
 Holocene, 1.89; interior resources, 1.55;
 “kelp highway,” 1.53, 54–6; lineages and
 genetic evidence, 1.56; migration routes,
 1.50–1, 54–6, 59–60; Monte Verde site,
 1.53; in origin stories, 1.47, 50; plant
 food resources, 1.52, 61–70, 72–5; plant
 material/healing plant resources, 1.70–2,
 72–4; Pleistocene, 1.48–9; scientific view
 vs origin stories, 1.47, 50; sea crossings
 and watercraft, 1.55–6, 392
 human odour, masking, 1.383, 453–4; 2.336
 human remains, 1.57, 78–9, 104–7
 hunger suppressants, 1.329
 hunter-gatherer paradigm, 1.265
 hunting, 1.58–9, 224–5, 400–2; 2.356
- ice cover, 1.47–8, 51, 53; 2.6–7
 Ignace, Dr Ron, 2.22, 48–9
 implements. *See* equipment and tools
 “index of cultural significance,” 1.148
 Indian Act of 1876, and women, 1.239
 Indian Heaven site, 1.97–8, 296, 297–8
 Indian-hemp, 1.372; 2.127; harvest, 1.371;
 2.168, 173; management methods, 2.185;
 name reflecting use, 1.130; in narratives,
 2.241, 252–3, 269, 284; supernatural qual-
 ities, 2.269; in technology, 1.87, 342, 364,
 368, 369, 371–3, 399; trade and exchange,
 2.122, 126, 127; Tsilhqot'in name, 1.178
 Indian-pipe, 2.307
 “Indian potato,” 1.65, 271; 2.159, 199–200
 Indigenous knowledge. *See* knowledge
 Indigenous peoples: contribution against
 biocultural loss, 1.410–11; importance of
 distinctiveness, 1.259–60; in study area,
 1.5–6, 10–18. *See also* individual nations and
 groups
 industrial land use, 1.252–6
 insect control, 2.181
 insect repellents, 1.383
 interconnectedness of all things. *See* kincen-
 tric ecology
 interior environments, plant use, 1.112
 Interior Plateau: archaeological record, 1.18,
 25, 84–5, 280; 2.156; autumn resources,
 2.43–4; bark use, 1.380–1; basketry, 1.407,
 410; berries, 1.298; cache pits, 1.325–6;
 cambium eating, 1.312–13; clothing, 1.411;
 connections with other interior sites, 1.80;
 as cultural area, 1.6; cultural foretelling by
 archaeology, 1.110–11; cultural keystone
 places, 2.24; description, 1.6–7; destruc-
 tion of traditional species, 1.233; fibrous
 materials for objects, 1.368–70; fishing,
 1.399, 400; food plants proportion in diet,
 1.264; Holocene, 1.78, 84–5, 87; and horses,
 1.208–9; houses and shelters, 1.387–9;
 human migration and settlement, 1.89;
 internal migrations, 1.168–9; languages
 and families, 1.12–14; marine shells,
 2.106–7; mushrooms as food plants, 1.313;
 pithouses, 1.84–6, 388–9; potatoes, 1.199;
 puberty and ritual, 2.68–9, 338; root
 vegetables, 1.280, 281–3; seasonal rounds
 by season, 2.29–33, 37–9, 41–2, 43–5;
 smoking, 1.451; social organization, 1.180;
 species spread after glaciation, 1.77; spring
 resources, 2.37–9; summer resources,
 2.41–2; trade and exchange, 1.94; 2.106–7;
 traditional lifeways and use of plants and
 resources, 1.16–17, 18; vegetation and for-
 ests spread, 1.81; winter resources, 2.44–5;
 wooden materials preferred, 1.364–7;
 woodworking tools, 1.355, 357
 Interior Salish, 1.145, 169
 internal ailments, 1.425–6, 445
 internal migration and mixing of peoples,
 1.169, 172–4, 180–90; 2.360, 390
 international agreements, protection of
 traditional resources, 2.401–2
 intertidal resources. *See* estuarine gardens;
 marine resources; *individual resources*
 introduced plants, 1.233, 253; Indigenous
 names, 1.507–13
 inulin, 1.87, 215, 281
 inundated sites, 1.57
 iron, for tools and implements, 1.363

- James, Betty, 2.387
- Japan, 1.101
- Jesup North Pacific Expedition, 1.223
- Joe, Mabel, 1.376, 448; 2.339
- John, Mary, 1.255
- Johnson, Lena, 2.266
- Jones, Chief Charlie (Queesto), 2.72
- Jones, Ida: group work, 2.73; healing plants and pregnancy, 1.446; pearly everlasting, 1.382; pit- and stovetop cooking, 1.291–3; silverweed harvest, 1.263; transplanting plants, 1.245
- junegrass, 2.305
- juniper, common: animals in name, 1.132; in belief systems, 2.302; as descriptive name, 1.128; as early plant food, 1.62; as healing plant, 1.420, 421, 423, 426, 427, 428; in technology, 1.343; Tsilhqot'in/Dene name, 1.175
- juniper, Pacific. *See* juniper, seaside
- juniper, Rocky Mountain: in belief systems, 2.302; as healing plant, 1.421, 423, 426, 427, 428, 454–5; management methods, 2.184; in narratives, 2.269; for smudging, 1.248; supernatural qualities, 2.269; in technology, 1.340, 364, 366, 368; uses, 1.454–5
- juniper, seaside: in belief systems, 2.302; as descriptive name, 1.128; as healing plant, 1.421, 423, 427, 428, 454–5; uses, 1.454–5
- junipers, general: as early material, 1.70; as early plant foods, 1.62; as healing plants, 1.70; 1.421, 423, 427, 428; as protective plants, 2.333–4
- Kamchatka, early plant resources, 1.61–72
- Kamloops archaeological site, 1.26
- Kathlamet (Chinookan), 2.258–9
- Katzie territory, 1.43–6, 44, 286
- Keatley Creek Village site: animals and shell remains, 1.92–4; archaeological findings, 1.84–5, 92–7; description, 1.24, 92; earth ovens, 1.95; economy and trade, 1.92–4; harvest season, 1.96; occupation, 1.92, 96–7; pithouse depressions, 1.93; pithouses, 1.85, 92–3, 93; plant resource evidence, 1.94–6; seasonal rounds, 2.46; social organization, 1.94, 96; vegetation, 1.94–5; winter life, 1.95–6
- “keeping it living” philosophy, 2.151, 194–6, 226, 375
- kelp, bull, 1.73; in “actor” role, 2.260; in belief systems, 2.301; as fishing material, 1.358, 359, 367, 370, 398–9; as healing plant, 1.70; importance, 1.72–4; management methods, 2.183; naming frequency, 1.157; in narratives, 2.238, 260, 268, 280, 291; stipes and tubes, 1.370–1, 383; supernatural qualities, 2.268, 280; in technology, 1.70; 1.342, 369; uses, 1.370–1, 383
- kelp, giant: as early plant food, 1.61; and herring spawn, 2.34; importance, 1.72–4; management methods, 2.183; in narratives, 2.268, 280; supernatural qualities, 2.268, 280
- “kelp highway,” 1.50–1, 53–6, 59–60, 72–4
- Kennewick Man, 1.79
- Kenpesq'et, Chief, 2.117
- kerfed boxes. *See* bentwood boxes
- Kilgii Gwaay site (Ellen Island, Haida Gwaii), 1.23, 39, 55, 111
- Kilroy, Julia (Shuli), 1.415–16, 441, 457
- kincentric ecology: as belief system, 2.300, 310–14; definition, 2.144, 383; importance for the future, 2.383–4, 404; knowledge transfer and dissemination, 2.386; in management, 2.182, 227, 376; narratives, 2.233, 311–12, 377; and potlatch, 2.325
- Kingcome Inlet and Kingcome River, 2.146; appropriation of resources and land by settlers, 1.191, 193; coastal root vegetables, 1.267; cultural keystone places, 2.24; cultural renewal, 2.397, 398; dyking by newcomers, 1.231; estuarine root garden, 2.211–12; oulachen harvest, 2.33; rocks for pit-cooking, 1.293; springbank clover cultivation, 2.146–7. *See also* Dick, Clan Chief Adam (Kwaxsistalla)
- Kinkade, Dr Dale, 1.141
- kinnikinnick, 1.212; archaeological record, 1.96, 102; distribution, 1.153; as food plant, 1.63, 272, 277; harvest rates, 2.168; as healing plant, 1.417–18, 420, 422, 425; management methods, 2.186; names in Indigenous languages, 1.153, 176, 185, 318; in narratives, 2.269; processing and storage, 1.304; for smoking, 1.212–14; for smudging, 2.335; supernatural qualities, 2.269; trade and exchange, 2.122
- kinship ties, 2.79–82, 101–3, 388–9
- Kitasoo language, 1.119
- Kitsumkalum reserves, 2.164–5

- Klallam (Clallam), 2.314
- knots in trees, 1.354
- knotweed, Alaska, 1.66
- knowledge: accumulation, 1.4; acquisition and development (See knowledge acquisition and development); adaption and reproduction, 2.388–9; application to biocultural conservation, 2.390–1, 402–9; from archaeological record, 2.379–82; commercialization, 2.393–6; confidentiality about healing plants, 1.465–6; 2.327, 335–6; cultural distinctiveness, 1.410; cultural renewal, 2.397–9; from ethnographic record, 1.195–6, 264, 265; healing plants, experimentation with, 1.418, 431–2, 464–6; 2.132, 368–9, 370; interdisciplinary approach, 1.19–20, 32; legacy and revitalization, 1.259–60; 2.392–3; loss and decline (See knowledge loss); maintenance and expansion, 1.34–5; 2.392–3; path and continuity, 1.38–9; 2.403–4; patterns, 2.381; and place, 2.48–9; postcontact transformation, 1.31; projection into the past, 1.31–2, 39; roots and evolution, 1.4; 2.379; scales of interaction, 2.406; and social-ecological processes, 2.384–5; and social organization, 2.98–9; transfer and dissemination (See knowledge transfer and dissemination); unacquired, 2.140; of women, 2.59. See also lines of evidence; Traditional Ecological Knowledge (TEK)
- knowledge acquisition and development: from animals, 1.75–6, 324, 432; 2.159, 161–3; in conflicts, 2.115–17; elders' role, 2.70–1; importance, 1.38; of management, 2.159–64, 375–6; plant names, 1.168–9; and social-ecological processes, 2.384–5; stone tool traditions, 2.107. See also learning and training
- knowledge loss, 1.4–6, 39–40, 254–5; from European contact, 1.4–5, 31, 191–6; 2.360–1, 391–2
- knowledge transfer and dissemination: and alliances, 2.117–19; from archaeological record, 2.379–80; colonial and settler period, 1.239–40, 243–4, 245–9; complexity in, 2.139–40; and conflict, 2.97, 116–17; of cultural knowledge, 2.385–90; cycle and process, 1.3–4; 2.97–8; early contact period, 1.192–3, 202–3; elders' role, 2.70–1; into the future, 1.34–5; 2.402–9; generally in study area, 1.19; importance, 1.38; by interpersonal relationships, 2.386–90; kincentricity, 2.386; means of transmission, 2.385–6, 388–9; narratives and origin stories, 2.81, 232–4, 289, 292–5, 376–8; and out-marriage, 2.80–2, 388–9; potlatch, 2.136–7, 388–9; resource nodes, 2.107, 111–12, 355–6, 382–3, 388–9; slaves' role, 2.72–3; soapberries, 2.140–2; and social-ecological processes, 2.384–5; and TEK, 2.384–5; trade and exchange, 2.103–4, 108–10, 136–44, 374–5, 382–3, 388–90; trade routes, 1.209, 211; trading posts, 1.202–3; women, 2.80–2, 388–9
- kous (*Lomatium cous*), 1.271; 2.123, 169, 174
- kous roots (*Lomatium* spp.), 1.271; 2.123
- Ktunaxa, 1.144–5, 145, 231–2, 242; 2.117
- Kwäday Dän Ts'inchij (Long Ago Person Found) site, 1.104–7, 105; 2.134
- Kwakwaka'wakw: alternative food sources, 2.206; appropriation of resources and land by settlers, 1.191, 193; cambium processing, 2.76; forms of learning, 2.386; kincentricity, 2.313; narratives, 2.231, 277, 282, 287, 288, 327–8; origin of plants, 2.299; origin story, 2.231–2, 327–8; western redcedar, 2.327–9; “words of praise” for resource species, 2.298, 327–8
- Kwaxsistalla (grandfather of Clan Chief Adam Dick), 1.357, 393; 2.70
- Kwaxsistalla. See Dick, Clan Chief Adam (Kwaxsistalla)
- K'yel (Princess Royal Island), harvest, 2.35–6, 36
- Labrador tea: analyzability of name, 1.139; as beverage and medicine, 1.217; distribution, 1.153; as early material, 1.72; as food plant, 1.66, 278; harvest rates, 2.170; as healing plant, 1.72; 1.420, 424; languages recording its name, 1.153; management methods, 2.190; origin and names for, 1.217–18; trade and exchange, 2.124
- Labrador tea, western. See trapper's tea
- lady's slipper, false, 2.304
- lambsquarters, 1.206, 209
- landforms, diversity, 2.22–3
- landscape burning. See burning
- landscape development, anthropogenic, 2.165–7, 217–19
- land settlement claims, 1.221

- land use and occupancy: and agriculture, 1.150, 224, 229; and early treaties, 1.223–6; reserves, 1.228, 229; 2.164–5. *See also* traditional resource-harvesting lands
- language development, 1.170, 188–9; 2.380–1
- languages and language families: affinity in plant names, 1.169; analyzability of plant names, 1.137–9; borrowed plant names, 1.134–7, 139, 534n79–80; 2.359; changes and loss from contact to modern period, 1.219–20, 249; 2.360–1, 391–2, 407; cognates for plant names, 1.133–4; comparison and contrast in naming frequency, 1.155, 156–63, 164; culturally useful habitats and landforms, 2.22–3; development and application of plant names, 1.167–70, 189–90; 2.358–9; divergence, 1.168, 169; diversity and diversification, 1.168; 2.360; as line of evidence, 1.29–31; maintenance and revitalization, 2.392–3, 407; and origin of plant names, 1.120, 133–8; 2.358–9; regional variation in food plant species, 1.282; in study area, 1.10, 11–14; taxon names, frequency for species, 1.150, 151–2; “top 25” plant species named, 1.150, 152–5, 155
- larch, alpine, 1.339, 340, 342
- larch, western, 2.279; in “actor” role, 2.261, 263–4; harvest quantities, 2.172; as healing plant, 1.420, 423, 425, 439; in narratives, 2.261, 263–4; phenological indicator, 2.18; in technology, 1.340
- larkspur, wild, 1.428
- Late Holocene: archaeological sites, 1.91–110; baskets, 1.405–7; cultural development, 1.87; ecological changes, 1.88; human settlement and migration, 1.87–8, 89; plant use and knowledge, 1.89–91; seasonal rounds, 1.88–9; social change and organization, 1.113, 114; vegetation and climate, 1.87–8; wetlands, 1.112; wood-working, 1.90–1, 355
- laver, red: borrowed name, 1.140, 145–6; as food plant, 1.61, 275, 315; 2.364; harvest and processing, 1.146; 2.14, 36, 74–6, 75, 168, 172; as healing plant, 1.427, 438–9; management methods, 2.183; names in Indigenous languages, 1.475–6; in narratives, 2.268; nutrition, 1.269; supernatural qualities, 2.268; trade and exchange, 2.121
- laws and legislation, 1.220, 223; 2.401–2
- laxatives and purgatives, 1.420–1, 445, 449
- leaders and leadership: designation and role, 2.52, 98–9; development, 2.77, 78; hosting group’s relationship with visiting group, 2.79; and occupational specialization, 2.92–3; supervision of harvest, 2.90–2; territorial resources, 2.79; women, 2.89–91. *See also* chiefs and nobility
- learning and training: children, 2.63–9, 91, 339–40, 364, 386–8, 403–4; forms of learning, 2.385–6, 388–9, 405–6; institutions, 2.406; intergenerational continuity, 2.403–4; of management strategies, 2.159–64, 375–6; by narratives, 2.387; respect for protocols, 2.396–7; for specialized roles, 2.64, 92–3, 386. *See also* knowledge acquisition and development; knowledge transfer and dissemination
- leaves (greens), as food, 1.308–10
- Leeson, Constance, 1.293
- legal regime, 1.220, 223; 2.401–2
- Lepofsky, Dr Dana, 1.43
- Lester, Margaret: root digging, 2.152
- lichen, black tree, 2.279; in belief systems, 2.301; equipment used in harvesting and processing, 1.320; as food, 1.277, 313–15; management methods, 2.183; in narratives, 2.268, 278; Proto-Salish terms, 1.317; supernatural qualities, 2.268, 278; in technology, 1.369; trade and exchange, 2.121
- lichen, wolf and related species, 1.128, 175, 386; 2.121
- lichens, “old man’s beard,” 1.128, 131, 421
- licorice root, 1.65, 271; 2.159, 199–200
- licorice-root, Canby’s. *See* lovage, Canby’s licorice-root, Scottish. *See* lovage, Scottish
- lifecycle of plants, 2.15
- Ligeex, Chief, 2.89
- Lillooet (St’át’imcets) language, 1.142
- Lil’wat, 2.101–2
- lily, chocolate, 1.318; 2.123, 187
- lily, Columbia. *See* lily, tiger
- lily, pink fawn, 2.305, 316
- lily, sarana (lily, sarane). *See* riceroor, northern
- lily, tiger: animals in name, 1.132; in belief systems, 2.306; as food plant, 1.271; management methods, 2.188; names in Indigenous languages, 1.179, 318; naming frequency, 1.159; trade and exchange, 2.123
- lily, yellow glacier (lily, yellow avalanche), 1.284; borrowed name, 1.140, 141; as food

- plant, 1.271; harvest, 2.14, 161–2, 169, 174; management methods, 2.187; in narratives, 2.241, 270, 282; replanting propagules, 2.201–2; supernatural qualities, 2.270; trade and exchange, 2.123; Tsilhqot'in name, 1.178
- lily-of-the-valley, wild (lily-of-the-valley, false), 1.27, 159, 423; 2.189, 271
- Lind Coulee tradition, 2.107, 108
- lineages and clans, 2.78, 80, 85–6
- lines of evidence: archaeobotany and palaeoethnobotany, 1.21–9; and belief systems, 1.34; borrowed plant names, 1.134; 2.359–60, 381; complexities within, 1.116; for divergence of languages, 1.168; ethnographic and oral history, 1.32–5; European observers, 1.195–6; experimental archaeology, 1.28–9; future prospects, 1.35; Indigenous worldviews, 1.33–5; interdisciplinary approach, 1.19–20, 115–16; languages and plant terms, 1.29–31; palaeobotany and palaeoecology, 1.20–1; from postcontact impacts, 1.31; and projection into the past, 1.31–2
- lingonberry, 1.69, 421, 426; 2.125
- linguistics, 1.29–31, 119
- liverwort, cone-headed, 1.128, 427
- livestock, impact, 1.221, 233–4, 253
- loanwords. *See* borrowed plant names
- locoweed, 2.18
- log houses, 1.246
- lomatum, barestem. *See* “wild celery” (*Lomatium nudicaule*)
- loss: in food and food systems, 1.256–9; languages, 1.219–20, 391–2, 407; prevention through Indigenous perspectives, 1.410–11; strategies for positive change, 2.402–9; from urbanization, 1.251–2
- loss of knowledge, 1.4–6, 39–40, 254–5; from European contact, 1.4–5, 31, 191–6; 2.360–1, 391–2
- lousewort, woolly, 1.66
- lovage, 1.65
- lovage, beach, 1.53, 65, 276, 277
- lovage, Calder's, 1.71
- lovage, Canby's: in belief systems, 2.306; as healing plant, 1.422, 424, 455–6; management methods, 2.188; trade and exchange, 2.123; uses, 1.455–6
- lovage, Scottish, 1.53, 65, 276, 277
- lupine, beach, 2.242, 271
- lupine, blue (*Lupinus latifolius*), 1.65
- lupine, blue (*Lupinus sericeus*), 2.19
- lupine, Nootka, 1.65, 271; 2.170, 188
- lupine, seaside, 2.242, 271
- Lushootseed languages, 1.141
- lymegrass, 1.343
- Macreet (Marguerite Andrew), 1.441, 463
- madrone, Pacific, 1.109, 129; 2.185, 269
- magical aspects. *See* supernatural aspects
- mahogany, mountain (*Cercocarpus intercedens*), 2.122
- mahogany, mountain (*Cercocarpus ledifolius*), 1.364; 2.122
- mahogany, mountain (*Cercocarpus* spp.), 1.364
- Makah, 1.23, 110
- Makah potato, 1.199, 199–200, 244
- management strategies: animals as source of knowledge, 2.159, 161–3; annual species, 2.193–4; archaeological record, 1.114–15, 228; 2.155–9; and belief systems, 2.218, 225–6, 227, 376; berries, 2.162, 209; burning individual plants, 2.180, 197–8; burning of landscape (*See* burning); changes in, 1.114, 249; as conservation ethic, 2.347–9; cultural approaches and aspects, 2.154, 219–26; definition, 2.148–50, 227; development of practices, 2.153–4, 159–64; digging, tilling, and weeding, 2.180, 181, 198–201, 208–9; diversification as strategy, 2.181, 206–7; estuarine gardens, 2.210–12; European impacts, 1.224–5, 227, 249–50, 254; 2.149–50, 164–5, 227, 409; by fire (*See* burning); forests, 2.209–10; habitat or plant-community level, 2.166, 181–2, 207–17; harvest quantities, 2.167, 172–6, 176; harvest rates, 2.167, 168–71, 176; importance, 2.178; Indigenous practices in historical record, 2.147–8, 149–50; insect control, 2.181; intensification to create surplus, 2.120, 363; “keeping it living” philosophy, 2.151, 194–6, 226, 375; kincentric belief system, 2.182, 227, 376; landscape development, 2.165–7, 217–19; landscape level, 2.182; learning and acquisition, 2.159–64, 375–6; methods and techniques, 2.165–6, 178, 179–92, 193–4, 206, 227, 228, 375, 381–2; orchard gardens, 2.212–14; and ownership, 2.157, 182, 221–5; partial harvesting, 2.179, 194–6; by physical alterations, 2.208–9; prime locations, 2.209; pruning and

- coppicing, 2.180, 196–7; reefnet fishery, 2.154–5; regeneration of plants, 2.150–3, 159–61, 375; replanting propagules, 2.180, 200, 201–3; and resource nodes, 2.48, 166, 208, 217–19; resources and time required, 2.167, 176–8; respect for resources, 2.218, 220–1; responsibilities for, 2.219–21, 223–5; rights, privileges, and control, 2.87, 221–3; root vegetables, 2.158, 198–200; and seasonal rounds, 2.47–8; selection by size, age, reproductive stage, 2.180, 198–200; site selection, 2.181; social aspects, 2.157–9, 165–6, 220, 223–5, 227; species or population level, 2.166, 179–81, 193–207; and supernatural beings, 2.376; and TEK, 2.159; trade and exchange, 2.157–8; transplanting and scattering seeds, fruits, propagules, 2.157, 180–1, 203–6; of women, 2.90–1. *See also* Traditional Land and Resource Management (TLRM) practices
- Manis site, 1.57–8
- manufacturing, wood applications, 1.340–2
- maple, bigleaf: archaeological record, 1.108; management methods, 2.185; name reflecting use, 1.130, 347; phenological indicator, 2.18; in technology, 1.341, 364, 365, 366, 368, 370
- maple, Rocky Mountain: management methods, 2.185; name reflecting use, 1.130; in narratives, 2.240; in technology, 1.341, 342, 364, 365, 366, 368, 370; trade and exchange, 2.122; Tsilhqot'in name, 1.178. *See also* maple, vine
- maple, vine: management methods, 2.185; in technology, 1.364, 365, 366, 368, 370; trade and exchange, 2.122. *See also* maple, Rocky Mountain
- marestail, 1.65
- marine environment, 1.8–10, 112, 252–3
- marine resources: archaeological record, 1.83–4; and climatic stability, 2.357; Haida and Tlingit, 1.102–4; management, 1.114–15; technologies using plants, 2.356; use, 1.88–9, 112, 524n42. *See also* individual resources
- mariposa lily, sagebrush, 1.288–9
- Marmes Rockshelter site, 1.58
- Marpole Tradition, 1.184
- marriage and marriage connections, 2.79–82, 101–3; out-marriages, 2.80–2, 388–9
- marsh marigold, 1.63
- mat creaser, 1.99, 377; 2.93
- materials. *See* technologies using plants
- mat lodges, 1.85–6
- matriarchs, 2.89–91
- mats and mat making: applications, 1.377–8; archaeological record, 1.375; for berry drying, 1.376; materials, 1.346, 375–9; 2.366; process, 1.377–8; sewing and needle, 1.377; vegetative style, 1.375; in woodframe lodges, 1.390–1
- matsutake, American, 2.183, 395–6
- Matthews, Willie (Chief Weah), 1.380
- McCallum site, 1.517n9
- McKenna-McBride Commission (Royal Commission on Indian Affairs for the Province of British Columbia), 1.191, 193, 229
- medicine, 1.247–8, 331–2. *See also* healing plants
- medicine-food congruence, 1.417–18, 429–32, 439
- medicine-food-poison triangle, 1.433–4, 435–7, 438
- men, 2.56–7, 61–2, 367–8, 372
- Menzies, Archibald, 2.145–6
- meristems, regeneration, 2.150–1
- Microblade Tradition, 2.107–8
- middens, 1.83, 88–9, 113; 2.54
- Mid Holocene: archaeological record, 1.81, 84–6; cultural and artistic traits, 1.82–3; food resources and seasonal rounds, 1.81–2; housing, 1.85–6; marine resources, 1.83–4; pit-cooking, 1.86–7; plant resources, 1.82–4; spread of vegetation and forests, 1.80–1
- migration, patterned. *See* seasonal rounds
- migration (internal) and mixing of peoples, 1.169, 172–4, 180–90; 2.360, 390
- migration of plant species, 1.53–4, 76, 77–8, 80–1
- migration to North America. *See* human migration and early occupations
- milkweed, common, 1.369
- milkwort, sea, 2.187, 241
- Milliken site, 1.27
- mint, field (mint, Canada): for cleaning, 1.246; in cooking, 1.457; as descriptive name, 1.129; as food plant, 1.278; as healing plant, 1.424, 428, 456–7; names in Indigenous languages, 1.151, 176; uses, 1.456–7
- missions and missionaries, 1.235–7
- mission schools, 1.235–6

- Mitchell, Rose, 2.49
 Mitchell, Sam, 1.374; 2.101–2, 197
 Mitchell, Susan, 2.101–2
 mock-orange: management methods, 2.189;
 in narratives, 2.272; phenological indica-
 tor, 2.19; supernatural qualities, 2.272; in
 technology, 1.341, 345, 364, 365, 366; trade
 and exchange, 2.124
 moditional economy, 1.241
 monardella, 2.307
 money shells, 1.94, 399–400; 2.106, 110
 monkshood, 1.71
 Monte Verde site (Chile), 1.53; 2.379
 month names, 2.28, 34–5, 37, 44
 Moody, Mrs Joshua, 2.145
 moon cycle, 2.15
 Morven, Amelia (Niik^wiltlk^w), 2.113–14
 moss, feather, 1.343
 moss, sphagnum, 1.70, 339, 343
 moss and moss-like plants, general, 1.175;
 2.239
 Mother Earth, “hair” as vegetation,
 2.299–300
 moulding wood, 1.358–61
 “mountain potato.” *See* spring beauty
 mountains, 1.98, 112; 2.13–14, 310–11
 moxibustion, 1.447
 Moziño, José Mariano, 1.203, 216–17, 218
 mugwort, western, 1.248, 422, 424, 428;
 2.304
 mullein, common, 1.233
 mushrooms, general: animals in name,
 1.131; in belief systems, 2.301; for chil-
 dren’s strength, 2.63; equipment used in
 harvesting and processing, 1.320; as food
 plants, 1.277, 313, 332–3; 2.364; names in
 Indigenous languages, 1.175, 317; nutri-
 tion, 1.313; regional variation, 1.282
 Musqueam Northeast site, 1.405, 406–7
 mutual dependency with environment,
 2.351–3
 mutual exchange. *See* reciprocity
 Myers, Helena (Inkél), 1.17; 2.396
 nagoonberry, 1.67, 273; 2.190
 ‘Nak^waxda’x^w (Nahwitti), 2.249
 names of plants: affinity and commonalities,
 1.169; and animals, 1.131–3, 136; bor-
 rowed (*See* borrowed plant names); and
 characteristics of plants, 2.381; cognates,
 1.133–4, 164–5; 2.358; collective names,
 1.125; concepts of naming and classifying,
 1.122–33; and conflicts, 2.116–17; and
 cultural salience, 1.30, 147–50, 166, 169,
 352; 2.358–9, 381; development and
 application, 1.167–70, 189–90; 2.358–9;
 dissemination, 1.134–6, 168–9; 2.358–9;
 D-Space list of plant species, 1.30, 122,
 473; early contact period, 1.219–20; fire
 making, 1.351, 543n12–13; folk names (*See*
 folk plant names and classification); fre-
 quency (*See* frequency of plant names); as
 “hair” of the earth, 2.299; healing plants,
 1.433, 439–40, 464–5; 2.369; and internal
 human migrations, 1.169, 172–4, 180–90;
 2.360; introduced plants, 1.507–13;
 inventory in North America, 1.121–2; as
 line of evidence, 1.29–31; and linguistics,
 1.29–30; long-distance relationships,
 1.167; Northwest Coast, 2.138–9; and oral
 history, 1.170; original meaning, 1.137–8;
 origins, determination of, 1.120, 133–8;
 2.358–9; patterns of similarities and dif-
 ferences, 1.35–6; in proto-languages, 1.82,
 133–4; 2.358–9; scientific vs folk names,
 1.122–3; selectiveness, 1.147; single name
 to different species, 1.123–4; specialized
 terminology, 1.166–7; and technologies,
 1.347–8; and trade and exchange, 2.103–4,
 129, 138–42; unknown meanings, 1.137–8;
 2.359
 Namu site, 1.84
 narcotic plants, 1.450–2
 narratives: “actor” and personae role
 of plants, 2.257–9, 260–2, 263–6, 312;
 animals as source of knowledge, 2.163;
 baskets and basketry, 2.284–5; berries,
 2.236, 247–8, 264–6, 268; commonalities
 in, 2.281–5; contact between early people,
 2.285; Coyote stories, 2.263–4, 278–80;
 Creator characterization, 2.299; division
 of labour, 1.287; 2.56, 57; everyday use of
 plants, 2.235, 236–43; famine as theme,
 2.253–4; fire as theme, 2.235, 244–6,
 294; Fog Woman (Volcano Woman),
 2.249, 290; food as theme, 2.246–53; and
 harvesting, 2.9; healing plants, 1.438–40;
 2.237; as integrated messages, 2.233–4;
 inversion of characteristics and roles,
 2.280–1; kincentricity and humans’ place,
 2.233, 311–12, 377; knowledge transfer
 and dissemination, 2.232–4, 289, 292–5,
 376–8; and learning, 2.387; marriages
 in, 2.81; Mink, 2.286; natural world and

- resources, 2.289–95; “Old-One” (See “Old-One” narratives); origin stories (See origin stories); ownership of, 2.233; plants as supernatural actors and magical substances, 2.257–9, 260–2, 263–6, 312; plants with supernatural and magical properties, 2.266, 268–73, 273–85, 343–5; purpose and importance, 2.232–3, 289–95, 376–7; Raven stories, 2.256, 259, 263, 273–8, 286, 288; respect for life forms, 2.318; role of plants in, 2.234, 257–8, 291–2, 377; shared elements and influences, 2.285–9, 378; social organization in, 2.52; spirituality in, 2.232–3; spreading of plants, 2.205–6; for sustainability, 2.349–50; transformation of plants, 2.343–5, 377; Transformer legends, 2.273, 278, 286; as translations, 2.233; tree pitch, 1.439; 2.237–8, 260, 268; trees, 2.260, 312. *See also individual nations and groups*
- Nass River, 2.23–4, 34
- nectars, use as food, 1.315–16
- needle and sewing, 1.377
- nets (fishing), 1.99, 399; 2.237, 251–2, 253
- nets (hunting), 1.401–2
- Nez Perce, 2.329–30
- Nez Perce War of 1877, 1.221
- Nisga’a: cultural keystone place, 2.23; guardian spirit power, 2.337; harvest of berries, 2.14; management practices, 2.220; narrative, 2.290; pine mushrooms, 2.395–6; spiny wood fern, 2.34
- Nixlúidix (Trading Place), 2.95
- Nlaka’pamux: baskets, 1.287, 406; and change, 1.239; dissemination of goods and knowledge, 2.142–3; division of labour, 2.56, 57; European-style gardening, 1.205; false Solomon’s-seal, name for, 1.126; famine foods, 1.330; First Food ceremony, 2.330; “hair” of the earth as vegetation, 2.299; healing plants, 1.439; herbal healing, 1.441; highbush cranberry name, 1.527n8; internal trade, 2.134; link with Secwepemc, 1.180–1; narratives, 2.142–3, 245, 247–8, 252–3, 263, 292–3, 294, 300, 343–4; origin story, 2.255–6; plant names, 1.127, 181, 183; 2.299; respect for all things, 2.300; root vegetables, 1.283, 287; spiritual protection, 2.334; spreading of plants, 2.205–6; woodworking tools, 1.355; yarrow, 1.415–16
- nobility. *See* chiefs and nobility
- nodes of convergence. *See* resource nodes
- nontimber forest products (NTFPs), 2.393–6
- Nootka Sound, 1.203–5, 216
- Northern Archaic Tradition, 1.171
- northern coastal and Subarctic North America: basketry, 1.408; cultural foretelling by archaeology, 1.110–11; early plant food resources, 1.61–70; housing and shelter, 1.86; human migration, 1.89; plant material/healing plant resources, 1.70–2; spread of species after glaciation, 1.77
- northern interior, 1.6–7, 12, 17–18
- northern Northwest Coast, 2.137–9
- Northwest Coast: archaeological record, 1.18, 24–5; 2.137–8; autumn resources, 2.42–3; basketry, 1.405, 407; berries, 1.298; biological productivity, 1.168; clothing, 1.411; as cultural area, 1.5–6; cultural development, 1.87; cultural foretelling by archaeology, 1.110–11; description, 1.6–7; 2.137; economic system, 2.112–13; fibrous materials for objects, 1.368–70; food plants proportion in diet, 1.264; Holocene, 1.78, 83–4; houses and shelters, 1.389–90; internal migrations, 1.168; languages and families, 1.12–14, 168; marine resources, 1.88–9, 524n42; 2.83–4; middens, 1.88–9; plant names, 2.138–9; root vegetables, 1.283–6; seasonal rounds by season, 2.28, 29–33, 33–7, 39–41, 42–3, 44; spread of vegetation and forests, 1.81; spring resources, 2.28, 33–7; summer resources, 2.39–41; trade and exchange, 2.137–9; traditional lifeways and use of plants and resources, 1.10–16, 18; winter resources, 2.44; wooden materials preferred, 1.364–7; woodworking tools, 1.355–8
- North West Company, workers’ gardens, 1.205
- Norwegian words, 1.219
- NTFPs. *See* nontimber forest products (NTFPs)
- nutrition and nutrients: berries, 1.296; black tree lichen, 1.314; cambium, 1.312; food plants generally, 1.269, 334; green vegetables, 1.308; mushrooms, 1.313; and pit-cooking, 1.86–7; 2.362; root vegetables, 1.281
- nutrition transition, 1.257, 258, 334

- nuts. *See* seeds, nuts, and grains
- Nuu-chah-nulth: early contact and foods, 1.197, 216–17; food shortages and conflict, 2.96; harvest ceremonies, 2.331–2; leaders' responsibilities, 2.224; narrative and supernatural properties, 2.277–8; respect for plant resources, 2.220–1, 313, 349; social system, 2.52; springbank clover cultivation, 2.145–6; thimbleberry shoots, 1.309
- Nuxalk (Bella Coola): borrowing of plant names, 1.139; narratives, 2.246, 264–5, 275, 287, 321; ownership of resource areas, 2.222; trade and exchange, 2.117–19
- Nyce, Emma, 2.70
- Nyce, Harry, Sr, 2.70
- oak, Garry (oak, Oregon white): acorns, consumption of, 1.215, 306; archaeological record, 1.80; management methods, 2.189–90; names in Indigenous languages, 1.151, 317; in technology, 1.342; trade and exchange, 2.124
- objects, respect for, 2.346
- obsidian, 2.105–6, 374
- occupational specialization, 2.64, 92–3, 386
- oceanspray: as healing plant, 1.248; languages using taxon name, 1.151; management methods, 2.188; name reflecting use, 1.130–1, 347–8; naming frequency, 1.159; phenological indicator, 2.18; pruning, 2.197; in technology, 1.341, 364, 365, 366
- O'Donaghey, Edith, 1.299; 2.3, 38, 41, 43, 59
- Okanagan Nation: narratives, 2.263–4, 278, 312; origin of plants, 2.299; protective plants, 2.333; supernatural properties of plants, 2.278; weather beliefs, 2.317
- Olcott sites, 1.80
- “Old-One” narratives: as Creator, 2.299; division of labour, 1.287; 2.56, 57; healing plants, 1.439; origin of plants, 2.299; origin story, 2.255–6; respect for all things created, 2.300; roots and baskets, 1.287, 406
- oleoresin. *See* pitch
- Olympic Peninsula, 1.54–5, 57–8
- onion, false, 1.272
- onion, Geyer's, 1.156
- onion, nodding, 1.xxi; archaeological record, 1.278, 324; contact period, 1.197; as descriptive name, 1.128; digging sticks, 1.287; as food plant, 1.270; management methods, 2.185; names in Indigenous languages, 1.175, 482–4; in narratives, 2.240; processing after cooking, 1.293; and term *q^wlawl*, 1.xix–xxi, 124, 150; 2.360; trade and exchange, 2.122
- onions, general, 1.86–7, 281, 317; 2.122
- On Your Knees Cave site, 1.57
- ooligan. *See* oulachen
- Oowekeeno, 2.256–7, 274–5, 280–1
- oral cultures, 1.20; 2.385–90
- oral history: of conflicts, 2.95–6; as integrated messages, 2.233–4; internal migrations and mixing of peoples, 1.168–9; as line of evidence, 1.33–5; as record of colonial and settler change, 1.223; reflected in plant names, 1.170; value in courts, 1.223
- oral traditions and stories, 1.147; 2.289–95. *See also* narratives
- orchards, 1.205, 206; 2.212–14
- Oregon-grape, dull-leaved, 1.159
- Oregon-grape, tall: in belief systems, 2.306; as descriptive name, 1.129; as dye, 1.386; as healing plant, 1.420, 421; naming frequency, 1.159; in technology, 1.344; *Tsilhqot'* in name, 1.179
- Oregon state, archaeological sites, 1.79–80
- Oregon Treaty, 1.227
- origin stories: for families, 2.231–2; and food ceremonies, 2.330–1; “hair” of the earth as vegetation, 2.299; highbush cranberry, 1.117, 120; knowledge transfer and dissemination, 2.377–8; as line of evidence, 1.33–4; origin of ancestors, 1.47, 50; and plant knowledge, 2.254–7, 380; plants and plant species, 1.117; 2.9, 275, 285, 299; scientific view of ancestors vs. 1.47, 50; spirituality in, 2.232–3; trueness of, 2.232; women, 2.263. *See also* narratives
- osage orange, 1.341
- Ötzi, 1.105, 518n18
- oulachen: control of fishery, 2.89, 115; “grease trails,” 1.210–11; 2.26, 109, 133; harvest, 2.28, 33–4; mixed with plants, 1.327; and plant knowledge, 2.110
- Our Common Future* (Brundtland Report), 1.36
- out-marriages, 2.80–2, 388–9
- ownership: and agriculture, 1.224, 229; 2.150; berry patches, 2.224–5; as management practice, 2.157, 182, 221–5; of narratives, 2.233; overview, 1.33; plant resources and structures, 2.86–92; of resource areas,

- 2.221–3, 382; responsibilities, 2.223–4;
spiritual aspects, 2.325
- oyster mushroom, 1.128
- Ozette potato, 1.199, 199–200, 244
- Ozette site: baskets, 1.406, 410; berries and
berry seeds, 1.295–6; hats, 1.110; 2.85;
houses and food remains, 1.109–10; plant
remains, 1.108–10; wood types, 1.347;
woodworking, 1.108–9
- paddles (canoes), 1.397; 2.236, 345
- paintbrush, 1.384; 2.305
- paintbrush, red, 2.317
- paintbrushes, 1.129; 2.317
- palaeobotany and palaeoecology, as lines of
evidence, 1.20–1
- palaeoethnobotany, as line of evidence,
1.21–9
- patterned migration. *See* seasonal rounds
- pattern of living, 2.28, 29–33, 45–6, 53–4
- Paul, Alice, 2.247, 259
- pea, beach, 2.270, 275
- pea, cream (pea, wild), 1.178
- pearly everlasting, 1.129, 157, 382
- peat mosses, 1.70, 339, 343
- Pebble Tool Tradition, 2.107
- pecten shells, 1.94
- peony, Brown's, 1.428
- perennial plant species, 2.150–1
- Peters, Alec, 1.361–3, 362; 2.161
- Peters, Nellie Wallace, 1.362
- petroglyphs and pictographs, 2.24–5
- phenological indicators: berries, 2.15–17;
fish and animals, 2.17, 18–20, 20–1; and
seasons, 2.15–21; spring, 2.28, 35–6, 38;
in study area, 2.15–17, 18–20; traditional
plants, 2.18–20; wild roses, 2.17, 20
- phenology, definition, 2.15
- Phillips, Louie, 2.112
- philosophies of Indigenous peoples. *See*
worldviews
- phloem, 1.353
- phytogeography, definition, 2.6
- pigments, 1.387
- pilaa-pilaa* contest, 2.67–8
- pilot biscuits, 1.216
- pine, lodgepole, 1.17; archaeological record,
1.102; cambium nutrition, 1.312; distribu-
tion, 1.152; as early species, 1.48; as food
plant, 1.62, 276; as fuel, 1.339; as heal-
ing plant, 1.71; 1.420, 421; management
methods, 2.184; names in Indigenous
languages, 1.151, 152, 175; as source of
sugar, 1.215; in technology, 1.71, 344, 364,
365, 366, 369
- pine, ponderosa: in “actor” role, 2.261;
archaeological record, 1.95, 324; in belief
systems, 2.303; as fuel, 1.95, 339; as heal-
ing plant, 1.422; management methods,
2.184; in narratives, 2.261; in technology,
1.95, 340, 365, 368; trade and exchange,
2.121; Tsilhqot'in name, 1.177
- pine, western white (pine white): harvest
quantities, 2.172; management meth-
ods, 2.184; naming frequency, 1.158; in
technology, 1.342, 365, 368; Tsilhqot'in
name, 1.177
- pine, whitebark: as food plant, 1.62, 275;
harvest, 2.43, 172; as healing plant, 1.449;
names in Indigenous languages, 1.151, 177,
317; seeds and cones, 1.135, 215, 306, 307;
trade and exchange, 2.121
- pinus, general: archaeological record, 1.325;
gum use, 1.315; as healing plants, 1.71;
Proto-Salish terms, 1.317; seed consump-
tion, 1.215; in technology, 1.71, 366
- pineappleweed, 1.206; 2.306
- pinegrass, 1.130, 369; 2.241
- pine mushroom, 2.183, 395–6
- pipe, stone, 1.96
- pipe ceremonies, 1.248
- pitch: in “actor” role, 2.260; balsamroot,
1.430–1, 433; for fires, 1.350; in narratives,
1.439; 2.237–8, 260, 268; supernatural
qualities, 2.268; as technology, 1.381–2;
uses, 2.195
- pit-cooking: archaeological record, 2.156,
362; camas, 1.86–7, 279–81, 292; 2.362;
carbohydrates, 1.86–7; 2.362–3; division
of labour, 2.61–2; as evidence of manage-
ment, 2.156; food plants in general,
1.322–3; inner bark, 2.76; and inulin, 1.281;
origins, 1.86; ovens, description of, 1.87;
procedure, 1.291–2, 293, 323; 2.362; rocks
in, 1.292–3; root vegetables, 1.279–81,
289–93; size and number of pits and
ovens, 1.280–1; taboos, 2.320–1; temper-
atures obtained, 1.292; terms for, 1.289;
use of plants, 1.266–8. *See also* hearths and
roasting pits
- pithouse depressions, 1.93, 389
- pithouses: archaeological record, 1.92,
96, 324–5, 389; description and materi-
als, 1.85, 95, 388–9; entrances, 1.388;

- evolution, 2.356–7; Interior Plateau, 1.84–6, 388–9; Keatley Creek site, 1.85, 92–3, 93; Northwest Coast, 1.389
 Pitt Polder site, 1.44, 45–6; 2.157
 Pitt River site, 1.27
 place names, 2.9, 48–9, 221
 places of convergence. *See* resource nodes
 plank and post houses, 1.389–90; 2.54–5
 planks, production, 1.357
 plantain, broad-leaved (plantain, common), 1.423, 445
 plantain, seaside, 1.66, 133, 276
 plant-community-level management, 2.166, 181–2, 207–17
 plant resources (for food, healing, and technologies): and animal resources, 2.15; autumn resources, 2.42–4; belief systems and ceremonies, 2.225–6; and change, 2.356; commercialization, 2.393–6; consistency in species used, 2.354–5; control and ownership, 2.86–92, 94, 99–100, 222–4, 382; cultivation, 1.265; cultural keystone places, 2.23–5; culturally useful species and habitats, 2.21–6; definition, 2.5; depletion, 2.393–5; desirability of products, 2.128; distributions of species, 2.6–8; division of labour, 2.55–6; European impact (*See* traditional resource-harvesting lands); gifting and exchange, 2.113–14; harvest quantities, 2.167, 172–6, 176; harvest rates, 2.167, 168–71, 176; harvest variations, 2.13–14; Holocene, 1.83–4, 89–91; intensification to create surplus, 2.120, 363; “kelp highway,” 1.59–60, 72; land settlement claims, 1.221; and lifecycle of plants, 2.15; livestock impact, 1.221, 253; management methods for specific plants, 2.183–92; moon and sun cycles, 2.15; nodes (*See* resource nodes); productivity, 2.8–10, 23–5, 371; quality and selection, 2.10–12; resources and time required for processing and harvesting, 2.167, 176–8; respect for, 2.218, 220–1, 312–14, 349–50; seasons and phenological indicators, 2.15–21; single plant species versatility, 2.5–6; and social organization, 2.98–9, 373–4; specialization and sophistication over time, 2.354–5; spring resources, 2.28, 33–9; status from, 2.86–9; summer resources, 2.39–42; territorial claims and boundaries, 2.45–6; transfer through affinal ties, 2.81–2; in treaties and legislation, 2.223–8, 400–2; variability and predictability, 2.8–9; variation within species, 2.7, 9–13; winter resources, 2.44–5; and women, 2.225. *See also* food plants; healing plants; technologies using plants
 plant species. *See* species, plants as
 Plateau Pithouse Tradition, 1.180, 388
 Pleistocene: ancient sites and plant use, 1.56–60, 72–5; animals and plant knowledge, 1.75–6; Beringia (*See* Beringia); early plant species, 1.48–9; human migration and routes, 1.50–1, 53–6; human-plant relationships, 1.49–50, 56–60, 72–5; 2.353–4; ice cover and sea level, 1.47–8, 51, 53; 2.6–7; “kelp highway,” 1.53–6; plant food resources, 1.59–60, 61–70; plant material/healing plant resources, 1.72–5; refugia and species migration, 1.53–4
 plum, bird, 1.109
 plums, 1.206
 poison-medicine-food triangle, 1.433–4, 435–7, 438
 poisonous plants, 1.48, 331, 432–4, 435–7, 438, 449
 pond-lily, yellow: archaeological record, 1.106; in belief systems, 2.307; as early plant food, 1.65–6; as healing plant, 1.71; 1.420, 424, 427; languages using taxon name, 1.151; in technology, 1.71
 pondweeds, general, 1.58
 poplar, balsam: distribution, 1.153; as food plant, 1.277; languages recording its name, 1.153; naming frequency, 1.160; in technology, 1.341, 345; trade and exchange, 2.124
 poplars, general, 1.66
 poppy, wild, 2.307, 317
 population (human), precontact, 2.167
 population-level plant management, 2.166, 179–81, 193–207
 poque, 2.304
 post and plank houses, 1.389–90; 2.54–5
 potato, Haida, 1.199, 199–200, 244
 potato, Irish, 1.198–200, 244, 438, 509–13
 potato, swamp. *See* wapato
 Potato Mountain (Tsinuzchéd), 1.283; 2.9
 potlatch: ban, 1.237–9; chiefs in, 1.238–9; 2.83; dissemination of goods and knowledge, 2.136–7, 388–9; gifts, 2.113; and kincentric ecology, 2.325; recognition of plants, 2.325; roles and functions, 1.237–9; 2.83, 325

- poverty, impact, 1.258
- prairies, burning, 2.155–6
- pregnancy, healing plants, 1.446
- preservative plants, 1.326–7
- prickly pear cactus, 1.96, 276, 330; 2.174
- prickly pear cactus, brittle (or fragile), 1.179; 2.19, 271
- productivity: berries, 2.8, 207; intensification, 2.120, 363; resource nodes, 2.23–5, 371; root vegetables, 2.8; and seasonal rounds, 2.8–10, 23–4, 371
- projectile points, 1.58–9
- propagules: replanting, 2.180, 200, 201–3; transplanting, 2.157, 180–1, 203–6
- propriatorship. *See* ownership
- protective plants, 2.321–4, 333–4
- proto-languages, 1.82, 133–4, 219–20; 2.358–9
- Proto-Salish: cross-language borrowing, 1.134–5; expansion, 1.89; food plants, terms for, 1.317–18, 319; highbush cranberry names, 1.120, 121; plant names, 1.82; plant names in Wakashan languages, 1.185–7; skunk-cabbage name, 1.144–5
- pruning, 2.180, 196–7
- Psacelay site, 1.28; 2.159
- puberty, 2.68–9, 336, 337–41
- puffballs, general, 1.131, 339; 2.301
- purgatives, 1.420–1, 445, 449
- pussytoes, field, 1.157
- pyrola, one-flowered, 2.242, 271, 307
- queenscup, 1.132; 2.270
- Quw'utsun' (Cowichan), 2.114, 244
- q^wlawl (Salish), 1.xix–xxi, 123–4, 150, 181; 2.360
- Qwu?gwes site, 1.406–7, 410–11
- rabbitbrush, common, 1.339
- railways, 1.247
- rain, invocation, 2.317
- “rain flowers,” 2.315–17
- raspberries, dwarf, 1.273; 2.262
- raspberry, American red. *See* raspberry, wild
- raspberry, black. *See* blackcap
- raspberry, dwarf (nagoonberry), 1.67, 273; 2.190
- raspberry, wild: archaeological record, 1.324, 325; distribution, 1.154; as food plant, 1.67, 273; harvest rates, 2.170; as healing plant, 1.426, 428; management methods, 2.190; names in Indigenous languages, 1.154, 179. *See also* blackcap
- “raspberry bush.” *See* thimbleberry
- rat-root, 1.203, 204, 536n9; 2.185, 204
- rattlesnake plantain, western, 1.129, 130, 422, 426; 2.187
- “raven's mustache,” 2.239
- Raven stories, 2.256, 259, 263, 273–8, 286, 288
- reaction wood, 1.353–4
- Recalma-Clutesi, Kim, 2.205
- reciprocity: definition in cultural terms, 2.110–11; with environment, 2.351–3; food products, 2.128–9; in management, 2.149; and respect for land and resources, 2.349, 384; trade and exchange, 2.79, 102–3, 110–19, 128–9, 149
- redcedar, western, 1.15; in “actor” role, 2.261, 264; archaeological record, 1.102–3, 108–9, 347, 404–5; bark harvesting and use, 1.379–80, 409; 2.37; baskets, 1.405, 407, 408–10; in belief systems, 1.34; 2.231–2, 303, 327–9; bentwood boxes, 1.359–61, 360; canoes and boats, 1.247, 337, 392, 393, 394; for construction, 1.340, 380, 389–90; cooking, 1.289; distribution and expansion, 1.152, 390; as fibrous plant material, 1.342, 368, 369, 370, 373–4; 2.367; as fuel, 1.339, 349; harvest, 2.172, 367; as healing plant, 1.423, 464; importance, 1.32, 33, 34, 412; 2.365; malleability, 1.358; management methods, 2.184–5; name reflecting use, 1.130; names in Indigenous languages, 1.151, 152, 177, 185; naming frequency, 1.160; in narratives, 2.231–2, 239–40, 247, 261, 264, 269, 280–1, 327–9; origin stories, 2.231–2, 327–9; ownership and management, 1.33; in pollen record, 1.81; preservative qualities, 1.326; roots, 1.410; 2.10–11, 130, 152, 367; specialized terminology, 1.166; supernatural qualities, 2.269, 280–1; in technology, 1.99, 364, 365, 366, 367, 412; 2.10–11, 109–10, 128, 365; trade and exchange, 2.121, 129–31; uses, 1.355, 409; for woodworking, 1.90, 356. *See also* cedars, general
- “red willow.” *See* dogwood, red-osier
- reed canarygrass: as basket decoration, 1.386; introduction, 1.233; management methods, 2.189; in technology, 1.368, 369; trade and exchange, 2.124

- reed grass, common and related species, 1.179, 369, 376; 2.124, 189
- reefnet fishery (Straits Salish): description, 2.40, 74; in food narrative, 2.250–1; group work, 2.73–4; as management, 2.154–5; origins, 2.159; as seasonal round, 2.40; technologies, 1.399
- refugia, 1.53–4, 59; 2.6–7
- regeneration of plants, 2.150–3, 159–61, 375
- religious events, 1.240
- renewal. *See* cultural renewal
- replanting propagules, 2.180, 200, 201–3
- research practices, 1.105, 110
- reserve system, 1.228–9; 2.164–5, 409
- residential schools, 1.219, 235–7, 239–40
- resource nodes: as anthropogenic landscapes, 2.217–19; conflicts and warfare, 2.95–6; control, 2.94; examples, 2.111–12; knowledge transfer and dissemination, 2.107, 111–12, 355–6, 382–3, 388–9; linkages created, 2.383; management strategies, 2.208, 217–19; productivity, 2.23–5, 371; salmon, 2.93, 95; social and intergroup interaction, 2.93–5, 111–12, 355–6, 371, 382–3; TEK, 2.384–5. *See also* cultural keystone places
- resources from plants. *See* plant resources
- respect: as belief system, 2.297–300, 325–6, 383–4; for berries, 2.218, 314; in cultural renewal, 2.396–7; for equipment and objects, 2.345–6; lack of, 2.315, 317–19; in narratives, 2.318; plants and plant resources, 2.218, 220–1, 312–14, 349–50; reciprocity, 2.349, 384
- respiratory afflictions, 1.423–5, 444
- rheumatism and arthritis, 1.427, 446–8; 2.369
- rhizomes, 2.151, 196, 319. *See also* root vegetables
- riceroot, 1.318; 2.123, 187
- riceroot, northern, 1.76; 2.399; in belief systems, 2.305; as descriptive name, 1.129; as food plant, 1.64–5, 271; harvest by bear, 2.162; harvest rates, 2.169; languages using taxon name, 1.151; management methods, 2.187; in narratives, 2.241, 270; propagules and bulblets, 2.162, 201, 202; supernatural qualities, 2.270
- Ritchie, Baptiste, 2.214
- rites of passage, 2.338–9
- rituals. *See* ceremonies
- riverbeauty, 1.64
- river slime, 1.128; 2.18
- roasting pits. *See* hearths and roasting pits
- Robinson, Ambrose, 2.113
- Robinson, Annetta, 2.81, 82
- Robinson, Colleen, 2.75
- Robintown, 2.83, 211, 212–13
- rock carvings, 2.108–9
- rockshelters and caves, 1.24, 57, 102–3, 541n42
- rockweed, 1.128, 275, 421
- rodeos and horse racing, 1.209
- roofing, 1.380
- roots: baskets and basketry, 1.408; 2.152; cooking techniques, 1.289; as famine food, 2.254; knowledge, 1.379; in narratives, 2.238; partial harvesting, 2.196; regeneration, 2.151; replanting propagules, 2.201–3; in rites of passage, 2.339; spruce, 1.105, 105, 405, 409–10; 2.59, 60; western red-cedar, 1.410; 2.10–11, 130, 152, 367
- root vegetables: archaeological record, 1.278–81, 289–93; 2.158; baskets, 1.287; cooking, 1.279, 281, 288–93; in cooking-pits, 1.278–81, 289–93; 2.158; digging sticks, 1.287, 402, 403–4; equipment used in harvesting and processing, 1.279, 287–8, 321; estuarine gardens, 1.286; 2.210; examples, 1.270–2; as famine food, 1.330; harvesting and planting, 1.283, 287–8; 2.8, 41, 42–3, 198–200; from Kingcome Inlet, 1.267; management, 2.158, 198–200; nutrition, 1.281; overview, 1.269, 278; productivity, 2.8; proportion in diet, 1.264; regional variation, 1.281–6, 282; seasonal rounds, 2.41, 42–3; stovetop cooking, 1.293; timing of harvest and size of roots, 2.198–200; weeding, 2.200–1
- rope, 1.367, 370–4, 374
- Roscoe Inlet berry garden, 2.209
- rose, dwarf wild (rose, baldhip), 1.278; 2.308. *See also* rose, Wood's
- rose, Nootka: archaeological record, 1.110; 2.19; in belief systems, 2.308; as food plant, 1.67, 273; harvest rates, 2.170; in technology, 1.369
- rose, prickly, 1.273, 278; 2.21, 308
- rose, Wood's, 2.308. *See also* rose, dwarf wild
- rose hips, 1.96, 329
- rose(s), wild, general: archaeological record, 1.58; distribution, 1.154; as food plants,

- 1.67, 273; as healing plants, 1.72; 1.457–9; names in Indigenous languages, 1.154, 176, 318; naming frequency, 1.160; in narratives, 2.242, 272; phenological indicator, 2.17, 19, 20; supernatural qualities, 2.272; in technology, 1.72, 364, 368; uses, 1.457–9
- roseroot, 1.68
- rosewort, 1.68
- routes and trails. *See* trade routes and networks
- Royal Commission on Indian Affairs for the Province of British Columbia (McKenna-McBride Commission), 1.191, 193, 229
- Russian words, 1.219
- Saanich people: camas, 2.40; cultural renewal, 2.397; Douglas treaties, 1.225–6; narratives, 2.249–50, 253–4, 276–7, 312; salmon, 2.40, 311; seasonal round patterns, 2.29–33, 40; supernatural properties of plants, 2.276–7
- Sacred Cedar Bark ceremony, 2.231–2, 328
- sage, gray ball, 2.309
- sagebrush, big: in belief systems, 2.304; cognate name, 1.465; as fuel, 1.339; as healing plant, 1.424, 427, 428, 464; sandals, 1.522n27; in technology, 1.342, 368, 369; trade and exchange, 2.122; Tsilhqot'in name, 1.178
- sagebrush, white, 1.248, 422, 424, 428; 2.304
- sagebrush species, 1.71
- sagewort, prairie, 1.178; 2.304
- salad greens, 1.68
- salal, 1.297; archaeological record, 1.27, 109, 110; borrowed name, 1.142; commercialization, 2.395; as food plant, 1.273, 277; harvest, 1.298; 2.169, 174; as healing plant, 1.422; importance, 1.298; management methods, 2.187; names in Indigenous languages, 1.151, 186, 317, 318; naming frequency, 1.159; in technology, 1.344, 370; trade and exchange, 2.123
- salience, cultural. *See* cultural salience
- Salish: archaeological record, 1.180; in Interior Plateau, 1.16; migration and divergence, 1.89, 180–1, 184; 2.360; plant use and names, 1.180–8
- Salishan languages: cognates of healing plants, 1.465; cross-language borrowing, 1.134–5; plant names, 1.181–4, 348; *q*^wlawl, 1.xix–xxi, 150; 2.360; semantic shifts, 1.181–2; wapato name, 1.146. *See also* Proto-Salish
- salmon: archaeological record, 1.84; canneries, 1.236; and cedar, 2.329; fishing and nets, 1.399; in food narratives, 2.249–52; harvest, 1.113–14; 2.40, 42, 43; importance, 1.526n64; Keatley Creek Village site, 1.96; management, 1.115; names, 2.311; and phenological indicators, 2.17, 18–20, 20; plant use with, 1.28; 2.356; reefnet fishery (*See* reefnet fishery); and resource nodes, 2.93, 95; trade and exchange, 2.114
- Salmon Arm, 2.9, 22–3
- salmonberry, 2.277, 332; archaeological record, 1.27, 102, 109, 110; in belief systems, 2.298, 308; distribution, 1.154; as food plant, 1.67, 274, 276; harvest, 2.170, 174; as healing plant, 1.423; management methods, 2.190; names in Indigenous languages, 1.154, 318; in narratives, 2.242, 272, 276–7; phenological indicator, 2.17, 19; specialized terminology, 1.166; supernatural qualities, 2.272, 276–7; in technology, 1.364, 366; trade and exchange, 2.124
- Salmonberry bird, 2.17, 276, 276–7, 343
- salt, 1.218–19
- salvage recovery, 1.45
- Sam, Stanley, 2.58–9
- saskatoon berry: archaeological record, 1.96, 324, 325, 406; in belief systems, 2.303–4; coppicing, 2.197; as descriptive name, 1.129; distribution, 1.152; First Fruits ceremony, 2.329; as food plant, 1.63, 272; harvest, 2.91, 168, 173; as healing plant, 1.417; importance, 1.298; management methods, 2.185; names in Indigenous languages, 1.152, 176, 485–8; in narratives, 2.240, 269; phenological indicator, 2.18; processing, 1.300–1; specialized terminology, 1.166; supernatural qualities, 2.269; in technology, 1.341, 364, 365, 366, 367; trade and exchange, 1.244; 2.101–2, 122; uses, 1.417
- scallop shells, 1.94
- scent, hiding, 1.383, 453–4; 2.336
- scented plants. *See* aromatic plants
- schools and schooling, 1.235–6
- scientific plant names, vs folk names, 1.122–3
- scouring rush: in “actor” role, 2.260; as healing plant, 1.422, 426, 428; in narratives, 2.260, 268; supernatural qualities, 2.268

- scouring rushes, general, 1.61, 317, 343
- Scowlitz site, 1.27; 2.94
- scrubbing, 2.335–6
- scurvy and spruce beer, 1.197
- sea biscuits, 1.216
- sea levels, 1.47–8, 51, 53, 83; 2.357
- sea milkwort, 2.187, 241
- sea palm, 2.62–3
- seasonal rounds: as adaptive strategy, 1.32; and altitude, 2.14; and animal resources, 2.15; archaeological record, 2.46–7; berries, 2.39–40, 41; burning practices, 2.40, 42; concept and description, 2.3–5, 26–7, 370–1; cultural aspects, 2.46–7, 48–9; cultural keystone places, 2.23–4; distribution of plants, 2.7–8; Holocene, 1.81–2, 88–9; importance, 2.27, 46–7; indicators, 2.372; Interior Plateau by season, 2.29–33, 37–9, 41–2, 43–5; management of resources, 2.208; in modern period, 2.5; Northwest Coast by season, 2.27–8, 29–33, 33–7, 39–41, 42–3, 44; patterns, 2.28, 29–33, 45–6, 371–2; predictability and variability, 2.371, 372; productivity and quality of plants, 2.8–10, 23–4, 371; reminiscences, 2.3–4, 27; root vegetables, 2.41, 42–3; social outcomes, 2.372; storage and processing of resources, 2.46–7; territorial claims and boundaries, 2.45–8; trails and routes, 2.135–6
- seasons: autumn resources, 2.42–4; moon and sun cycles, 2.15; named after plants, 2.16–17; and phenological indicators, 2.15–21; spring resources, 2.28, 33–9; summer resources, 2.39–42; winter resources, 2.44–5
- Seattle site (Discovery Park), 2.47
- seawatch, 1.63, 157
- seaweeds, general. *See* algae, marine (in general)
- sea wrack, 1.128, 275, 421
- Sechelt, 2.96
- secondary phloem, 1.353
- Secwepemc (Shuswap): affiliations of plant names, 1.182; alliance with Hul'qumi'num, 2.116; arrival of Salish people, 1.180; balsamroot, 1.430–1, 433; bark use, 1.380–1; baskets, 1.408; and change, 1.239; chiefs and nobility, 2.83; diversity of resources and landforms, 2.22–3; green vegetables, 1.309; harvest, 1.242; 2.9, 14, 23, 37–9; healing plants, 1.447; and Ktunaxa, 1.242; link with Nlaka'pamux, 1.180–1; migration, 1.181; 2.117, 286; month names, 2.37, 44; mountain harvest, 2.14; narratives, 2.244–5, 248–9, 279, 286, 287–8, 295, 311; ownership of resource areas, 2.222–3; plant names, 1.181–4; puberty and ritual, 2.69, 338; root vegetables, 1.283, 293; seasonal round patterns, 2.9, 14, 29–33, 37–9; sharing of resources, 1.242; 2.88–9; stars as life forms, 2.311; supernatural properties of plants, 2.279; tobacco use and smoking, 1.213–14; trade with Cree, 1.202–3; trails and water routes, 1.210; woodworking tools, 1.355
- sedge, slough (sedge, basket): baskets, 1.410; dyeing of, 1.235; management methods, 2.186; in technology, 1.342, 368, 369; trade and exchange, 2.122
- seeds (for plant reproduction), 2.180–1, 198–9, 205–6, 349
- seeds, nuts, and grains (for eating): archaeological record, 1.306–7; equipment used in harvesting and processing, 1.321; as food plants, 1.215, 275, 305–8; regional variation, 1.282
- semantic shifts, 1.181–2, 188–9
- serviceberry. *See* saskatoon berry
- settlements, 1.87–8, 89, 90; 2.356, 380–2
- Sewid-Smith, Dr Daisy (Mayanilth): appropriation of land and resources by settlers, 1.193; family's origin story, 2.231–2; on forms of learning, 2.386; herbal healing, 1.442; on management, 2.149; red laver name, 1.145
- sewing and needle, 1.377
- shamanism and shamans, 1.440, 443, 450; 2.340
- sharing of resources, 1.242; 2.79–80, 102–3, 111–12, 113–15. *See also* trade and exchange
- “sharp” plants, 2.321–3, 333
- shellfish resources, 1.84; 2.15
- shells, 1.94, 106–7, 356; dentalium, 1.94, 399–400; 2.106, 110; middens, 1.83, 88–9, 113; 2.54
- shelters. *See* houses and shelters
- shootingstars, 1.102, 132; 2.305
- shoots (greens), as food, 1.308–10
- shoreline resources. *See* marine resources
- shrubby. *See* willows

- shrubs, 1.352
- Shuká Kaa (His Spirit Is Looking Out From the Cave), 1.57
- Siberia, 1.51, 61–72
- silverberry: as early plant food, 1.64; management methods, 2.187; in technology, 1.342, 368, 369, 370; trade and exchange, 2.123; Tsilhqot'in name, 1.178
- silverweed, common: as food plant, 1.63, 270; management methods, 2.186; in narratives, 2.241, 269; supernatural qualities, 2.269; trade and exchange, 2.122; Tsilhqot'in name, 1.178
- silverweed, Pacific: as food plant, 1.63, 270; harvest, 1.263; 2.168; management methods, 2.186; in narratives, 2.246, 269; supernatural qualities, 2.269; trade and exchange, 2.122
- single delight, 2.242, 271, 307
- site selection, as management strategy, 2.181
- Skeena River, seasonal rounds, 2.46
- skin ailments, 1.421–3, 444–5
- skunk-cabbage, American (also skunk-cabbage, western), 1.143; in “actor” role, 2.258–9, 261; in belief systems, 2.306; borrowed and cognate names, 1.144–5, 144–5, 147; distribution, 1.153; folk vs scientific names, 1.123; as food plant, 1.65, 271; 2.364; as healing plant, 1.423; management methods, 2.188; name dissemination, 2.383; names in Indigenous languages, 1.153, 186, 318; in narratives, 2.242, 258–9, 261; preservative qualities, 1.326–7; as supernatural being, 2.258–9; in technology, 1.344; uses, 1.266, 268
- slaves, 2.72–3, 95, 115–16, 373
- slow match, 2.428n7
- smallpox, 1.450
- Smith, Diana, 2.396, 399
- Smith, Linda: on bereavement, 2.341–2; degradation of lands and territories, 1.255; on narratives, 2.233, 282, 289; plant resource rituals, 2.226; on recognition, 2.326; spring beauty cooking, 1.289
- smoking, 1.96, 212–14, 451
- smoking (of foods), 1.351
- smudging, 1.214, 248; 2.334–5
- snakes, and bracken fern, 2.319
- snowberry, common: animals in name, 1.133; in belief systems, 2.309; as healing plant, 1.425, 429; in narratives, 2.272, 280; supernatural qualities, 2.272, 280; in technology, 1.345, 366; Tsilhqot'in name, 1.179
- snowberry, creeping, 2.305
- snowbrush, 1.129, 422, 424, 427
- snowshoes, 1.361–3, 362
- Snuneymuxw (Nanaimo), 2.244
- soap, 1.382
- soapberry, 1.49; 2.103; archaeological record, 1.58; berry production, 1.165–6; borrowed name, 1.142; distribution, 1.154; 2.141; as early material, 1.72; as early species, 1.48; equipment used in harvesting and processing, 1.320; as food plant, 1.68, 274; harvest, 1.298–9; as healing plant, 1.72; 1.420, 421, 426, 427, 429, 449; as high-value item, 2.141–2; knowledge transmission, 2.140–2; management methods, 2.191; name analysis, 1.165–6; 2.140–2; names in Indigenous languages, 1.118–19, 151, 154, 177, 187, 317; naming frequency, 1.161, 165–6; in narratives, 2.243, 272, 275; origin of name, 2.359; phenological indicator, 2.20; supernatural qualities, 2.272, 275; trade and exchange, 1.241; 2.101–2, 125, 133, 141–2; whipping and processing, 1.304, 305
- social life, and horses, 1.209
- social organization: across communities and tribal boundaries, 2.93–5; archaeological record, 1.94, 96, 113, 114; 2.52–3, 94, 356–7; children's roles, 2.55, 62–8; development and outcomes, 1.180; 2.356–7, 373–4; division of labour, 2.55–6, 372; elders' roles, 2.69–71; food plants, 1.325, 333; household unit, 2.53–5; importance, 2.51–2; influence of plant resources, 2.98–9, 373–4; men's roles, 2.56–7, 372; in narratives, 2.52; plant knowledge, 2.98–9; slaves, 2.72–3; task groups, 2.73–7; technologies using plants, 1.413; and trade and exchange, 2.100; in villages, 2.54–5; women's roles, 2.55–6, 57–62, 372
- social stratification: affinal ties, 2.79–82; archaeological record, 2.83–5; chiefs and nobility, 2.82–3, 86–92; development, 2.78, 84–5; as evidence of management, 2.158; and food storage, 2.87–8; as human trait, 2.52; occupational specialization, 2.92–3; plants as crests, 2.85–6
- social systems and structures: as basis of human culture, 2.51–2; changes in Late Holocene, 1.113, 114; complexity, 2.78,

- 94–5, 382; in contact period, 1.192–3; leaders in, 2.52; in times of change, 1.37–8, 111–12
- Solomon, Gilbert, 2.297, 349
- Solomon, Mabel, 1.124, 385; 2.297, 349
- Solomon's-seal, false, 1.126, 424, 425, 426, 427
- Songhees, 2.167, 331
- soopolallie. *See* soapberry
- sorrel, mountain, 1.66, 102, 276
- sourdock, 1.68
- southern Northwest Coast, 2.137–9
- Southern Ts'msyen, 1.119
- southwestern Subarctic area, 1.6–7, 12, 17–18
- Spanish explorers, gardens, 1.203–5
- species, plants as: annuals, 2.193–4; collective names, 1.125; composition and change, 1.8; 2.356; dissemination by animals, 1.136; distribution, 2.6–8; diversity in study area, 1.7–8, 19; D-Space list, 1.30, 422, 473; early knowledge, 2.379–81; “kelp highway,” 1.53–5; lifecycle of plants, 2.15; migration and spread, 1.53–4, 76, 77–8, 80–1; origin stories, 1.117; 2.9, 275, 285; perennials, 2.150–1; Pleistocene, 1.48–9; productivity, 2.8–11; selection for study, 1.30; similarities in Indigenous peoples' knowledge, 1.18–19; single name for different species, 1.123–4; species-level management, 2.166, 179–81, 193–207; variation within, 2.7, 9–13
- sphagnum moss, 1.70, 339, 343
- spiders and webs, in narratives, 2.252, 253
- spindle whorls, 1.29, 365
- spiraea, 1.72
- Spirits of the Forest (Atlágimma) dance, 2.397, 398
- spirituality: boys' training, 2.68, 69; ceremonial recognition of plants, 2.324–7; and the environment and sustainability, 2.347–9; in harvesting and preparation, 2.13, 329–33, 378–9, 396; healing plants, 1.443, 462; 2.326–7, 370; humans-plants-animals connection, 2.347; importance and origins, 2.346–7, 378–9; learning by children, 2.387–8; in narratives and origin stories, 2.232–3; and occupational specialization, 2.93; place of plants in, 2.324; plants as entities, 2.314–15; protective plants, 2.321–4, 333–4; renewal of, 2.349. *See also* belief systems; supernatural aspects
- Spokan, 2.204, 217, 226, 298, 333
- spring, phenological indicators and seasonal rounds, 2.28, 33–9
- spring beauty, 2.10; in belief systems, 2.305; in ceremonies and rituals, 2.205, 226, 342, 349; cooking, 1.288–9; as food plant, 1.63, 270; harvest, 2.9, 14, 167, 169, 173; management methods, 2.186; names in Indigenous languages, 1.178, 317; in narratives, 2.241, 270, 282; root size at harvest, 2.199; supernatural qualities, 2.270; trade and exchange, 2.122
- spring sunflower. *See* balsamroot, arrowleaf
- spruce, black, 1.277, 339, 340, 342, 344
- spruce, Engelmann: in belief systems, 2.302; management methods, 2.184; naming frequency, 1.158; in technology, 1.342, 368; Tsilhqot'in/Dene name, 1.175
- spruce, Sitka: in “actor” role, 2.261; archaeological record, 1.58, 102, 109, 347; baskets, 1.409; in belief systems, 2.302; contact period, 1.197; as descriptive name, 1.128; as early plant food, 1.62; hats, of roots, 1.105, 105, 409; 2.59; management methods, 2.184; naming frequency, 1.158; in narratives, 2.239, 261, 269; pitch, 1.381; root harvesting, 1.409; smudging, 1.214; supernatural qualities, 2.269; in technology, 1.340, 342, 364, 365, 366, 367, 368, 369, 370; trade and exchange, 2.121
- spruce, white: canoes, 1.111; as food plant, 1.277; as healing plant, 1.420; management methods, 2.184; in technology, 1.340, 342, 368; trade and exchange, 2.121; Tsilhqot'in/Dene name, 1.175
- spruces, general: canoes, 1.111; cooking and smoking, 1.351; as early plant foods, 1.62; as early species, 1.48; as healing plants, 1.70; 1.421, 428; pitch, 1.381–2; roots, 1.405, 409–10; 2.59, 60; in technology, 1.70, 99–100, 344, 364, 365, 366, 368, 369
- Squamish (Skwxwú7mesh), 1.120
- squashberry. *See* cranberry, highbush (*Viburnum edule*)
- stalks, 1.383–4
- standardization of products, 2.120, 126
- stars, 2.311
- status, social, 1.28; 2.54–5, 86–9, 92–3, 224–5. *See also* wealth from resources
- steaming wood, 1.358–61
- stems, 1.308–10, 383–4
- stewardship. *See* management strategies

- stinging nettle: in “actor” role, 2.262; in belief systems, 2.309; contact period, 1.197; distribution, 1.155; harvest, 1.371; 2.175; as healing plant, 1.72; 1.427, 429, 448; management methods, 2.191; names in Indigenous languages, 1.151, 155; naming frequency, 1.162; in narratives, 2.243, 251–2, 262; phenological indicator, 2.20; in technology, 1.72, 343, 359, 369, 371–3; trade and exchange, 2.125
- Stl’atl’imx/St’át’imc: alliances, 2.94; harvest, 2.114; landscape burning, 2.214; narrative, 2.280; phenological indicators, 2.20; seasonal rounds, 2.3; separation from other Salish, 1.180; social organization, 2.94; supernatural properties of plants, 2.280; trade and exchange, 2.101–2, 114; whitebark pine seeds, 1.307
- Stó:lō, 1.309
- stonecrop, Pacific, 1.68
- stoneseed, western, 1.325; 2.306, 317, 318
- stone tool traditions, 2.107–8
- storage of food. *See* food storage
- stories. *See* narratives; origin stories
- Straits Salish: camas names, 1.123–4; group work, 2.73–4; reefnet fishery (*See* reefnet fishery); seasonal round patterns, 2.29–33; weeding, 2.208; willow tree names, 1.140–1
- strand in universe, 2.351–2
- strawberries, wild, 1.64, 153, 185, 318
- strawberry, blueleaf or Virginia, 1.176, 251, 273; 2.187
- strawberry, seaside (strawberry, beach), 1.54; as food plant, 1.64, 273; harvest quantities, 2.174; management methods, 2.187; weeding, 2.200
- strawberry, woodland, 1.176, 251, 273; 2.169, 187
- strawberry blite, 1.96
- s-ts’ik’ or s-ts’ik, 1.134–5
- study area: biogeoclimatic vegetation zones, 1.7–8, 9; cultural areas, 1.6, 10–18; description and boundaries, 1.5–10; Indigenous languages, 1.10, 11–14; marine environment, 1.8–10; plant diversity, 1.7–8; temperatures and climate, 1.6–8
- Subarctic North America. *See* northern coastal and Subarctic North America
- successional stages, 1.8; 2.181
- sugar, 1.215–17, 316
- sumac, smooth, 1.151, 425; 2.308, 319
- summer, seasonal rounds and resources, 2.39–42
- sun cycle, 2.15
- sundew, roundleaf, 2.305
- Sunken Village site, 1.100–2
- supernatural aspects: and chiefs and nobility, 2.83; knowledge transfer through marriage narratives, 2.81; and management, 2.376; plants as supernatural actors in narratives, 2.257–9, 260–2, 263–6, 312; plants with supernatural and magical properties, 2.266, 268–73, 273–85, 343–5
- supernatural healing, 1.440, 443; 2.340
- survival. *See* famine and famine food
- sustainability, 2.347–50. *See also* environment; Traditional Land and Resource Management (TLRM) practices
- Swainson’s thrush (*Hylocichla ustulata*), 2.17, 276, 276–7, 343
- sweat bathing, 1.448; 2.335–6, 369
- sweat lodges, 1.391
- sweet cicely, 1.106
- sweet cicely, western, 2.123, 307
- sweetflag, 1.203, 204, 536n9; 2.185, 204
- sweetgrass: in belief systems, 2.305; for smudging, 1.214, 248; 2.334; trade and exchange, 1.203; 2.123
- “sweetroot,” 2.123, 307
- sword fern, western. *See* fern, sword
- taboos: aromatic plants, 2.323–4, 333–4; good luck plants, 2.321; harmful plants, 2.319–21; rain and weather events, 2.315–19; resource use, 2.341; “sharp” plants, 2.321–3, 333
- Tahltan, 1.211
- tamarack (*Larix laricina*), 1.339, 340, 342
- “tamarack” (*Larix occidentalis*). *See* larch, western
- tanning of hides, 1.387
- tansy, common, 2.309
- task groups, harvesting and processing, 2.73–7
- Tate, Effie, 2.72–3
- Taxol, 2.395
- Taylor, Nellie, 1.460
- tea, 1.217–18, 316
- teamwork, harvesting and processing, 2.73–7
- technologies using plants: archaeological record, 1.338, 345–6, 347; 2.356; aromatic plants, 1.383; baskets and basketry,

- 1.404–11; 2.366–7; best materials, 1.346–8; canoes, 1.392–7; changes to and elaboration, 1.111–14; for cleansing and as cosmetics, 1.382–3; clothing, 1.411; consistency in use over time, 2.354–5; for construction and manufacture, 1.340–2; digging sticks, 1.402–4; division of labour, 1.413; 2.367–8; dyes, pigments, stains, 1.385–7; examples, 1.70–2, 338, 339–45; experimentation and choice of materials, 1.346–7; fibrous plant materials (See fibrous plant materials); fire making and fuel, 1.70–2, 339–40, 349–52; fishing, 1.98–100, 398–400; 2.356; food production, 1.398–411; 2.363; Holocene, 1.74, 82, 90–1; houses and shelters, 1.85, 365, 387–91; human migration and early occupations, 1.70–2, 72–4; hunting, 1.400–2; 2.356; influence of Europeans, 1.245–6; knowledge associated with, 1.335, 411–12, 414; 2.366–7, 368; miscellaneous uses, 1.343–5, 382–4; origins and development, 1.336, 411–12; overview, 1.335–6; plant ceremonies, 2.333; plants used, 1.70–2, 339–45, 364–7, 368–70, 412; 2.365; reflection in plant names, 1.347–8; revival, 1.336–7; and social organization, 1.413; specialization and sophistication over time, 2.354–5, 368; trade and exchange, 2.129–31; tree pitch, 1.381–2; watercraft and boats, 1.395–6, 397–8; and women, 1.413; wooden materials preferred, 1.364–7; woodworking (See woodworking and woods). See also plant resources
- teenagers, 2.68–9, 336, 337–41
- teeth, health, 1.418–19
- Teit, James: berry drying, 1.300; cache pits, 1.325–6; cambium use, 1.312–13; canoes, 1.394, 396–7; on change and traditional lifeways, 1.239; chiefs and nobility, 2.83; equivalencies in value, 2.126–7; food narrative, 2.247; on harvesting supervision, 2.91; health of Indigenous peoples, 1.418, 440; on ownership of resource areas, 2.222–3; puberty and ritual, 2.338; root vegetables, 1.283, 288–90; on sharing of resources, 2.88–9; on tobacco use and smoking, 1.213; transformation narratives, 2.343–4
- TEK. See Traditional Ecological Knowledge (TEK)
- tʼals (Proto-Salish), highbush cranberry, 1.120, 121
- “ten-barks” medicine mixture, 1.461, 462
- territories: access rights to harvest, 2.114–15; development and domino effect, 2.78–9; resource areas, 2.221–2; resource reduction from new lifeways, 1.252–3; seasonal rounds, 2.45–8; sharing of resources, 1.242; 2.79–80, 102–3, 111–12, 113–15
- The Dalles site, 1.79
- thimbleberry: in “actor” role, 2.262; animals in name, 1.133; archaeological record, 1.110, 324, 325; in belief systems, 2.308; distribution, 1.154; food ceremonies, 2.332; as food plant, 1.67, 274, 276, 309; harvest, 2.170, 174; management methods, 2.190; names in Indigenous languages, 1.154, 317; naming frequency, 1.161; in narratives, 2.262; phenological indicator, 2.19; resources from, 2.5; shoot eating, 1.309; in technology, 1.345, 370; trade and exchange, 2.124
- thistle, clustered (thistle, bull), 2.305
- thistles, general, 1.206; 2.305
- Thomas, Bessie, 1.256
- Thomas, John: bull kelp, 1.358–9, 370; children’s games, 1.385; digging stick, 1.348; fishhooks, 1.358–9; games and contests, 2.67–8; licorice fern name, 1.143; mats and mat making, 1.378; skunk-cabbage name, 1.145; tree pitch, 1.381; woodworking tools, 1.356
- Thomas, Dr Mary (Secwepemc): on alcoholism, 1.218; balsamroot, 1.430–1; baskets, 1.354, 378; 2.12; berry cakes, 1.301–2; birch use and harvest, 1.335, 380; 2.11–13; Canby’s lovage, 1.456; cedar roots trade, 2.131; childhood experiences, 2.65–7, 68; children’s games, 1.385; colonial and settler period impact, 1.221–2; coppicing, 2.197; discipline for children, 2.63; field mint, 1.457; on fire making, 1.350; fishing bait, 1.384; “hair” of the earth as vegetation, 2.299–300; harvest, 1.442, 463; 2.38; healing plants, 1.442, 447, 463; herbal healing, 1.441; humans’ place in universe, 2.351; insect repellents, 1.383; livestock impact, 1.233–4; mats and mat making, 1.378; nodding onions, 1.293; replanting propagules, 2.201–2; on residential schools, 1.236–7; respect for plants, 2.314; root vegetables, cooking of, 1.290–1; sanitary napkins, 1.382; seasonal rounds, 2.4, 38; on sharing food resources, 2.129;

- spring beauty harvest, 2.9; on traditional diet, 1.258; transplanting plants, 1.245; tule boats, 1.397; wapato name, 1.146; weather beliefs, 2.317; “wild celery” use, 1.308–9; willow-bark doll, 2.66
- Thomas, Mary (Hul’qumi’num and Esquimalt), 2.317
- “three-square,” 1.101, 242. *See also* bulrush, Olney’s three-square
- thrift, 1.102
- tidal marshes. *See* estuarine gardens
- tilling, 2.180, 181, 200–1
- timber, use by Europeans, 1.197
- “timbergrass,” 1.130, 369; 2.241
- time required to harvest and process, 2.176–8
- timing of harvest, 2.198–9
- tinder materials, 1.349–50; 2.238
- Tlingit: “berried landscape,” 2.217–18; control of resources, 2.87; cultural exchange with Tahltan, 1.211; cultural keystone place, 2.23–4; European-style gardening, 1.205; marine resources, 1.102–3; narratives, 2.249, 284–5, 344–5; respect for life forms, 2.317; trade routes, 2.135–6
- TLRM. *See* Traditional Land and Resource Management (TLRM) practices
- Tl’uqtiinus village, 2.80
- tobacco, coyote. *See* tobacco, wild
- tobacco, cultivated, 1.211–14; 2.88–9
- tobacco, Haida (tobacco, Northwest Coast): cultivation, 2.193–4; management methods, 2.189; in narratives, 2.271; origins, 2.106, 194; supernatural qualities, 2.271; trade and exchange, 2.106, 123, 194; use, 1.451, 536n11
- tobacco, wild: in “actor” role, 2.262; management methods, 2.189; in narratives, 2.242, 262; for smudging, 2.335; trade and exchange, 2.88–9, 123; use, 1.213, 451, 536n11
- tobacco root, 1.181–3, 272; 2.262. *See also* valerian, edible
- tobacco tree, in narratives, 2.263, 266, 273
- tonics, general, 1.420, 445–6
- tools. *See* equipment and tools
- totem poles, 1.90–1
- toxic plants, 1.331, 432–4, 435–7, 438, 449
- toys with plants, 1.384–5
- trade (economic transaction). *See* economy
- trade and exchange: access to resources, 2.114–15; and alliances, 2.117–19; archaeological record, 1.92–4; 2.47, 105–6, 119–20, 355–6, 374; baskets and basketry, 1.241–3; 2.131; berries, 2.101–3, 114; borrowed plant names, 1.147; chiefs and nobility, 2.137, 142; coast-interior interface, 2.109, 133–5; conflicts and warfare, 2.115–17; control of and status from, 2.89; definition in cultural terms, 2.110–11; desirability and adaptability of products, 2.128; equivalencies in value, 2.126–7; as evidence of management, 2.157–8; food and food systems, 1.242, 243–4; 2.128–9; garden produce, 1.244–5; and gifting, 2.112–15; healing plants, 2.131–3, 369; historical development, 2.104–10; huckleberries, 1.98; importance, 1.241; 2.100; and knowledge transfer and dissemination, 2.103–4, 108–10, 136–44, 374–5, 382–3, 388–90; marine shells, 2.106–7; medicines, 1.247–8; nonplant goods in first contacts, 1.196–7; Northwest Coast, 2.137–9; obsidian, 2.105–6; and plant names, 2.103–4, 129, 138–42; plants and plant products, 1.241–6; 2.106, 119–20, 121–5, 126–33, 374; precontact influence, 1.196; products of limited distribution, 2.127–8; and reciprocity, 2.79, 102–3, 110–19, 128–9, 149; for resilience, 2.102–3; and social organization, 2.100; technologies using plants, 2.129–31; trade routes (*See* trade routes and networks); trading posts, 1.201–2, 205, 535n7; transportation means, 2.106–7; value added to products, 2.120, 126, 141–2; water routes, 2.134–5; western redcedar, 2.129–31
- trade routes and networks: archaeological record, 2.105–8, 134–5, 355–6; coast-interior, 2.109, 133–5; control, 2.89; cultural keystone places, 2.26; early contact period, 1.209–11; European impact, 2.136; “grease trails,” 1.210–11; 2.26, 109, 133; historical roots, 2.105–9, 111; knowledge transfer and dissemination, 1.209, 211; leading to other exchanges, 1.211; long-distance, 2.133–6; seasonal rounds, 1.135–6; within territories, 2.134–6; by water, 2.134–5
- Traditional Ecological Knowledge (TEK): application to the environment and biocultural conservation, 2.402–9; cycles of life, 2.27; definition, 1.35; development, 1.35, 46–7, 116; and ethnobotany and

- ethnoecology, 1.35–8; habitat domestication, 1.116; healing plants, 1.466; importance, 1.36–7; and knowledge transfer and dissemination, 2.384–5; lifecycle of plants, 2.15; and loss from land and resource degradation, 1.254–5; and plant knowledge, 1.35–6; resource nodes, 2.384–5; in times of change, 1.37–8; and TLRM, 2.159, 226
- Traditional Land and Resource Management (TLRM) practices: definition, 2.148–9; disregard by Europeans, 1.224–5, 227, 249–50, 254; 2.164–5, 227, 409; outcomes, 2.149; practices, 1.178, 193, 227; 2.179–92; successional stages, 1.8; and TEK, 2.159, 226. *See also* management strategies
- “traditional phenological knowledge,” 2.15
- traditional resource-harvesting lands: appropriation by settlers, 1.191, 193, 220–2; and colonial and settler agriculture, 1.229–33; European impacts, 1.224–5, 227, 249–50, 254; 2.149–50, 164–5, 227, 409; industrial impacts, 1.252–4; and reserve system, 1.229; 2.164–5; resource reduction from new lifeways, 1.249–50, 252–3, 254
- trails, 1.26, 134, 135–6, 209–11; “grease trails,” 1.210–11; 2.26, 109, 133
- training. *See* learning and training
- trains, 1.247
- transformation of plants, 2.311–12, 342–6, 377; Transformer legends, 2.273, 278, 286
- translation borrowing, 1.137–8
- transplanting, 1.245; 2.157, 180–1, 203–6
- transportation, 1.207–10, 247; 2.106–7
- trapper’s tea: as beverage and medicine, 1.217; distribution, 1.153; as early material/healing plant, 1.72; management methods, 2.190; names in Indigenous languages, 1.153, 217–18; origin of name, 1.217; trade and exchange, 2.124
- treaties: compensation, 1.225, 226–7; Douglas treaties, 1.224–6; 2.165; fishing, 1.226–7; modern period, 2.400–2; and reserves, 1.228; signatures, 1.225–6; wording and impositions, 1.224–5, 227–8; 2.165
- tree pitch. *See* pitch
- tree ring analysis, 1.21
- trees: in “actor” role, 2.259, 260, 263–4; biological aspects, 1.352–4; branches, 1.353–4; and depletion of resources, 2.393–4; as food plants, 1.310–13; knots, 1.354; naming, 1.352; in narratives, 2.260, 312; partial harvesting, 2.195–6; respect for, 2.313–14; sacredness, 2.347; with supernatural properties, 2.266; usefulness and characteristics, 1.352. *See also* culturally modified trees (CMTs)
- Tribal Journeys, 1.337; 2.399
- trillium, western, 2.309, 316, 316
- Trutch, Joseph, 1.228
- Tsilhqot’in: arrival and description, 1.172–3; ceremonies, 2.205, 326, 349; degradation of lands and territories, 1.255; harvest, 2.167, 201; and horses, 1.208–9; language, 1.172; mountains as life forms, 2.310–11, 311; narratives, 2.9, 248, 282, 289; origin story, 2.9; plant names in Dene languages, 1.174, 175–9; plant resource rituals, 2.226; plant use and names, 1.173, 174; Potato Mountain (Tsinuzchéd), 1.283; 2.9; respect for resources and traditions, 2.349, 396; ritual and *númnh*, 2.341–2; root vegetables, 2.201; twins, 2.340
- Ts’íl’os, 2.310, 311
- Ts’msyen: clans, 2.85–6; harvest, 2.36; highbush cranberry name, 1.117–20, 142; kinship ties and resource use, 2.80; knowledge transfer and dissemination, 2.143; land and resource management, 1.249–50; 2.164–5, 219–20; narratives, 1.346–7; 2.85–6, 247, 252, 254, 274, 280, 288, 290–1, 293, 321–2; red elderberry name, 1.118–19; seasonal rounds, 2.36; supernatural properties of plants, 2.274, 280; technological experimentation, 1.346–7
- Ts’msyenic languages, 1.135, 169
- tubers. *See* root vegetables
- tule: in belief systems, 2.309; boats and rafts, 1.397–8; ceremony, 2.333; harvest, 1.346; 2.175; languages using taxon name, 1.151; management methods, 2.191; mat houses, 1.86; in ritual, 2.340; sandals, 1.522n27; in technology, 1.99, 343, 346, 368, 369, 375–7; trade and exchange, 2.124; use and importance, 1.80
- turnip, garden, 1.507–9
- Tushka, 2.71
- twinberry, black: animals in name, 1.132; archaeological record, 1.109; as healing plant, 1.420, 422; in narratives, 2.271; supernatural qualities, 2.271; Tsilhqot’in/Dene name, 1.176
- twine, 1.367, 370–4
- twining, 1.80, 404, 407, 409–10

- twins, 2.340
 twistedstalk, clasping, 1.133
 “The Two Girls up in the Sky Country,”
 2.283–4
 “two-spirited” people, 2.340
 t’áls (Proto-Salish), highbush cranberry,
 1.120, 121
- Ulkatcho, 2.117–18, 310–11, 317
 Umatilla tribes, 2.408
 Umeek, Chief. *See* Atleo, Dr E. Richard
 (Umeek)
 underwater sites, 1.57
 United States, treaties, 1.226–7
 urbanization, 1.251–2
- valerian, edible, 1.181–3, 272; 2.262
 valerian, mountain (valerian, Sitka): in belief
 systems, 2.309; as healing plant, 1.423,
 425, 426; languages using taxon name,
 1.151; management methods, 2.192; as
 protective plant, 2.334; semantic shift,
 1.181–3; as species, 1.48. *See also* tobacco
 root
- value added to plant products, 2.120, 126,
 141–2
 value equivalencies in trade, 2.126–7
 Vancouver, Captain George, 2.149
 Vancouver Island, 1.81, 232–3, 255–6, 285;
 treaties, 1.223–6
 vanillaleaf, 1.128, 156
 vegetation zones, 1.7–8, 9
 verbená, sand, 1.53, 62
 vetch, giant, 2.275
 Victoria, 1.251–2; 2.149. *See also* Fort Victoria
 villages, social organization, 2.54–5
 violets, wild, 2.309
 volcanic eruptions, 1.89, 172; 2.290
 Volcano Woman (Fog Woman), 2.249, 290
- Wakashan languages, 1.144, 144–5, 145, 169,
 185–7
 wapato, 1.44, 285; archaeological record,
 1.43–6, 44, 338; basket for, 1.378; borrowed
 names, 1.146; digging stick for, 1.338; as
 food plant, 1.68, 271; growing sites and
 range, 1.45; harvest, 1.286; 2.175; lan-
 guages using taxon name, 1.151; manage-
 ment, 1.285–6; 2.190; name applied to new
 species, 1.219; trade and exchange, 1.202;
 2.124; as treat, 1.258
- warfare, 2.95–7, 115–17
 Washington State, 1.57–9
 water and snow levels, 1.254
 watercraft, 1.55–6, 246–7, 392, 395–8. *See*
also canoes
 Waterfall, Pauline, 2.209
 water-hemlock, Douglas, 1.434; 2.133
 waterlogged sites, 1.22–4, 57, 113, 405–6
 water moss, common, 1.106, 107; 2.18
 water-parsley, 1.421, 426, 446; 2.271, 307
 water-parsnip, 1.151, 272, 331
 water routes, 1.209–10
 waxberry. *See* snowberry, common
 Weah, Chief (Willie Matthews), 1.380
 wealth from resources, 2.86–9, 91–2, 94,
 99–100, 382
 weather taboos, 2.315–19
 weaving, 2.58, 131. *See also* baskets and
 basketry
 Wedge, Dora, 2.115
 wedges, 1.356–7
 weeding, 2.181, 200–1, 208–9
 weeds, 1.206, 209, 233, 253
 weir, for salmon, 2.238
 Wenatchee site, 1.58
 Wesley, Winnie, 2.166–7
 wetlands, 1.81, 112, 231–2
 wet sites, 1.22–4, 57, 113, 405–6; wapato
 archaeological discovery, 1.43
 whaling, 1.110
 wheatgrass, bluebunch, 1.233, 290–1, 339
 widows, 2.205, 349
 wíla. *See* lichen, black tree
 wild bergamot, 1.345, 457
 wild caraway, 1.252, 283, 329; 2.189
 “wild celery” (*Angelica lucida*), 1.63, 157
 “wild celery” (*Lomatium nudicaule*): in belief
 systems, 2.306; destruction of, 2.401; as
 food plant, 1.276, 278; 2.364; as heal-
 ing plant, 1.424; 2.132–3; management
 methods, 2.188; names in Indigenous
 languages, 1.179, 186; in narratives, 2.242,
 250–1, 271; seeds, 2.132, 205; for smudg-
 ing, 2.334; spiritual protection, 2.324;
 supernatural qualities, 2.271; trade and
 exchange, 2.123; use, 1.308–9
 wild ginger, 1.248; 2.304
 “wild rhubarb,” 1.67–8, 151, 276, 318
 wild-rice, 1.203; 2.125
 wildrye, basin. *See* wildrye, giant and related
 species

- wildrye, dune grass, 1.71; 2.270, 275–6
- wildrye, giant and related species, 1.178, 368; 2.188, 270
- Willamette Valley sites, 1.79–80, 279
- William, Ida, 2.280
- William, Roger, 2.310
- Williams, Violet, 1.443; 2.276–7, 283–4, 317
- willow, Bebb, 1.342, 343
- willow, Pacific, 1.140–1, 339, 399; 2.175, 191
- willow, sandbar (willow, rope), *cover*; 1.374; for bags, 1.87; coppicing, 2.197; management methods, 2.190; in technology, 1.369, 370, 374, 374
- willow, Sitka, 1.342, 343, 368, 370
- willow bark, 2.66
- willows: archaeological record, 1.58, 102, 109; in belief systems, 2.309; distribution, 1.154; as early food plants, 1.68; for fire making, 1.349; harvest quantities, 2.175; as healing plants, 1.72, 423, 425, 429; languages recording their names, 1.154, 177; management methods, 2.191; name reflecting use, 1.131; naming frequency, 1.161; in narratives, 2.243; resprouting, 2.160; in technology, 1.72; 1.342, 343, 364, 365, 366, 368, 369, 370; trade and exchange, 2.124
- winter, seasonal rounds and resources, 2.44–5
- winter villages, 2.54
- wolf willow. *See* silverberry
- women: archaeological record, 1.28–9, 113; 2.58; belief systems for plant resources, 2.225; berry picking, 1.97; ceremonies, 2.25, 62; as chiefs and matriarchs, 2.89–91; digging sticks, 2.57–8; early contact period, 1.202, 211; in ethnographic record, 1.28–9, 195, 264, 265; food plants, work related to, 1.265, 333; gynaecological medicines, 1.426, 446; harvesting, 1.263–4, 333; 2.58–9, 62, 90–1, 363–4, 367; Indian status removal, 1.239; knowledge, 2.59, 80–2, 388–9; landscape burning, 2.216–17; lodges, 1.391; management of resources, 2.90–1; and men's role, 2.61–2, 367–8; origin story, 2.263; participation in colonial economy, 1.194–5; role and tasks, 2.55–6, 57–62, 372, 416n6; technologies using plants, 1.413; widows, 2.205, 349
- wood, characteristics, 1.352–4
- wood fern, spiny, 1.294; in “actor” role, 2.260; cooking, 1.293; as crest, 2.86; distribution, 1.152; as famine food, 1.330; as food plant, 1.61, 270; harvest, 2.34, 172; management methods, 2.183; names in Indigenous languages, 1.152, 175, 317, 318, 476–9; in narratives, 2.239, 260, 268; supernatural qualities, 2.268
- woodframe lodges, 1.390–1
- woodworking and woods: archaeological record, 1.84, 108–9; flourishing and peak of technology, 1.363, 389–90; 2.365–6; for food processing, 1.355; Late Holocene, 1.90–1, 355; steaming, bending, and moulding, 1.358–61; wood and bark characteristics, 1.352–4; wooden implements and tools, 1.361–3, 364–7; woodworking tools, 1.355–8; 2.366
- “words of praise,” 2.298, 327–8
- worldviews: as conservation and sustainability ethic, 2.347–50; definition and universality, 2.298; humans as strand in universe, 2.351–2; as lines of evidence, 1.33–5; about other life forms and entities, 2.300, 310–14, 324–6, 378–9; respect for all things created, 2.297–300, 325–6, 383–4. *See also* belief systems; kincentric ecology
- wormwood, 1.248, 422, 424, 428; 2.304
- wormwood, northern, 1.178; 2.304
- wormwood, Tilesius', 1.63, 424, 452
- wormwoods, general, 1.71; 1.422, 428
- Xaxl'ip (Xaxl'ep), 2.101–2
- xylem, 1.352–3
- Yakima, 2.331
- yampah, 1.252, 283, 329; 2.189
- yarrow, common, 1.416; as descriptive name, 1.128; distribution, 1.152, 417; as healing plant, 1.415–17, 422, 423, 426, 428; management methods, 2.185; names in Indigenous languages, 1.152, 175; for smudging, 2.335; in technology, 1.344, 366
- yarrow, false, 1.422
- yellow-cedar: in “actor” role, 2.259, 261; archaeological record, 1.102; in belief systems, 2.302; characteristics, 2.259, 263; clothing, 1.411; cooking and smoking, 1.351; harvest, 2.259, 263; management methods, 2.184; in narratives, 2.239, 259, 261; Proto-Salish/Wakashan name, 1.185; in technology, 1.340, 342, 364, 365, 366, 368, 369, 373; trade and exchange, 2.121;

- uses, 1.355; for woodworking, 1.90. *See also* cedars, general
- yew, Pacific (yew, western): archaeological record, 1.108–9, 347; in belief systems, 2.303; commercialization, 2.395; digging sticks, 1.347; 1.348; management methods, 2.184; name reflecting use, 1.130, 348; names in Indigenous languages, 1.479–82; in narratives, 2.239, 272; snowshoes, 1.362, 362; supernatural qualities, 2.272; in technology, 1.340, 356, 357, 364, 365, 366, 367, 450; 2.195; trade and exchange, 2.121; uses, 1.347
- York, Annie: bitterroot and Indian-hemp trade, 2.126–7; equivalencies in value, 2.126; famine foods, 1.329–30; herbal healing, 1.441, 449; 2.133; root vegetables, 1.283; on scent masking, 1.454; on trade and exchange, 2.134; transplanting plants, 1.245; weather beliefs, 2.316
- Young, George, 1.118
- youth. *See* adolescents; children
- ?Eniyud, 2.310